
opensoundscape

Release 0.6.0

Nov 29, 2021

Contents

1	Mac and Linux	3
1.1	Installation via Anaconda	3
1.2	Installation via <code>venv</code>	3
2	Windows	5
2.1	Get Ubuntu shell	5
2.2	Download Anaconda	6
2.3	Install OpenSoundscape in virtual environment	6
3	Contributors	7
3.1	Poetry installation	7
3.2	Contribution workflow	8
4	Jupyter	9
4.1	Use virtual environment	9
4.2	Create independent kernel	9
5	Audio and spectrograms	11
5.1	Quick start	11
5.2	Audio loading	12
5.3	Audio methods	13
5.4	Spectrogram creation	20
5.5	Spectrogram methods	22
6	Manipulating audio annotations	29
6.1	Load a single Raven annotation table from a txt file	29
6.2	Convert or correct annotations	31
6.3	Splitting annotations along with audio	32
6.4	Create audio clips and one-hot labels from many audio and annotation files	34
7	Prediction with pre-trained CNNs	41
7.1	Load required packages	41
7.2	Prepare audio data for prediction	42
7.3	Models trained with OpenSoundscape v0.5.x	43
7.4	Prediction on long (un-split) audio files	45
7.5	Models trained with OpenSoundscape 0.4.x	46

8	Basic training and prediction with CNNs	49
8.1	Prepare audio data	50
8.2	Training	56
8.3	Prediction	59
8.4	Multi-class models	62
8.5	Save and load models	63
8.6	Predict using saved model	66
8.7	Continue training from saved model	66
8.8	Next steps	67
9	Custom preprocessing	69
9.1	Preparing audio data	70
9.2	Intro to Preprocessors	71
9.3	Pipelines and actions	73
9.4	Modifying Actions	75
9.5	Modifying the pipeline	78
9.6	Customizing <code>AudioToSpectrogramPreprocessor</code>	81
9.7	Customizing <code>CnnPreprocessor</code>	85
9.8	Creating a new Preprocessor class	91
9.9	Defining new Actions	93
10	Custom CNN training	97
10.1	Prepare audio data	98
10.2	Model training parameters	99
10.3	Network architecture	101
10.4	Sampling for imbalanced training data	103
10.5	Training with custom preprocessors	104
11	RIBBIT Pulse Rate model demonstration	105
11.1	Import packages	105
11.2	Download example audio	106
11.3	Select model parameters	107
11.4	Search for pulsing vocalizations with <code>ribbit()</code>	108
11.5	Analyzing a set of files	110
12	Run RIBBIT on multiple species simultaneously	113
12.1	Detail view of RIBBIT method	116
12.2	Time to experiment for yourself	118
13	Audio and Spectrograms	119
13.1	Annotations	119
13.2	Audio	123
13.3	AudioMoth	127
13.4	Audio Tools	128
13.5	Spectrogram	130
14	Machine Learning	135
14.1	Convolutional Neural Networks	135
14.2	Data Selection	145
14.3	Grad Cam	146
14.4	Loss Functions	146
14.5	Safe Dataloading	146
14.6	Sampling	147
14.7	Performance Metrics	147

15 Preprocessing	149
15.1 Image Augmentation	149
15.2 Preprocessing Actions	149
15.3 Preprocessors	154
15.4 Tensor Augmentation	157
16 Signal Processing	159
16.1 RIBBIT	159
16.2 Signal Processing	161
17 Misc tools	165
17.1 Helpers	165
17.2 Taxa	167
17.3 Localization	167
18 Index	169
19 Modules	171
Python Module Index	173
Index	175

OpenSoundscape is free and open source software for the analysis of bioacoustic recordings ([GitHub](#)). Its main goals are to allow users to train their own custom species classification models using a variety of frameworks (including convolutional neural networks) and to use trained models to predict whether species are present in field recordings. OpSo can be installed and run on a single computer or in a cluster or cloud environment.

OpenSoundscape is developed and maintained by the [Kitzes Lab](#) at the University of Pittsburgh.

The Installation section below provides guidance on installing OpSo. The Tutorials pages below are written as Jupyter Notebooks that can also be downloaded from the [project repository](#) on GitHub.

CHAPTER 1

Mac and Linux

OpenSoundscape can be installed on Mac and Linux machines with Python 3.7 (or 3.8) using the pip command `pip install opensoundscape==0.6.0`. We recommend installing OpenSoundscape in a virtual environment to prevent dependency conflicts.

Below are instructions for installation with two package managers:

- `conda`: Python and package management through Anaconda, a package manager popular among scientific programmers
- `venv`: Python's included virtual environment manager, `venv`

Feel free to use another virtual environment manager (e.g. `virtualenvwrapper`) if desired.

1.1 Installation via Anaconda

- Install Anaconda if you don't already have it.
 - Download the installer [here](#), or
 - follow the [installation instructions](#) for your operating system.
- Create a Python 3.7 (or 3.8) conda environment for opensoundscape: `conda create --name opensoundscape pip python=3.7`
- Activate the environment: `conda activate opensoundscape`
- Install opensoundscape using pip: `pip install opensoundscape==0.6.0`
- Deactivate the environment when you're done using it: `conda deactivate`

1.2 Installation via venv

Download Python 3.7 (or 3.8) from [this website](#).

Run the following commands in your bash terminal:

- Check that you have installed Python 3.7 (or 3.8)._: `python3 --version`
- Change directories to where you wish to store the environment: `cd [path for environments folder]`
 - Tip: You can use this folder to store virtual environments for other projects as well, so put it somewhere that makes sense for you, e.g. in your home directory.
- Make a directory for virtual environments and cd into it: `mkdir .venv && cd .venv`
- Create an environment called opensoundscape in the directory: `python3 -m venv opensoundscape`
- Activate/use the environment: `source opensoundscape/bin/activate`
- Install OpenSoundscape in the environment: `pip install opensoundscape==0.6.0`
- Once you are done with OpenSoundscape, deactivate the environment: `deactivate`
- To use the environment again, you will have to refer to absolute path of the virtual environments folder. For instance, if I were on a Mac and created `.venv` inside a directory `/Users/MyFiles/Code` I would activate the virtual environment using: `source /Users/MyFiles/Code/.venv/opensoundscape/bin/activate`

For some of our functions, you will need a version of `ffmpeg` `>= 0.4.1`. On Mac machines, `ffmpeg` can be installed via `brew`.

We recommend that Windows users install and use OpenSoundscape using Windows Subsystem for Linux, because some of the machine learning and audio processing packages required by OpenSoundscape do not install easily on Windows computers. Below we describe the typical installation method. This gives you access to a Linux operating system (we recommend Ubuntu 20.04) in which to use Python and install and use OpenSoundscape. Using Ubuntu 20.04 is as simple as opening a program on your computer.

2.1 Get Ubuntu shell

If you don't already use Windows Subsystem for Linux (WSL), activate it using the following:

- Search for the “Powershell” program on your computer
- Right click on “Powershell,” then click “Run as administrator” and in the pop-up, allow it to run as administrator
- Install WSL1 (more information: <https://docs.microsoft.com/en-us/windows/wsl/install-win10>):

```
dism.exe /online /enable-feature /featurename:Microsoft-Windows-Subsystem-Linux /  
↪all /norestart
```

- Restart your computer

Once you have WSL, follow these steps to get an Ubuntu shell on your computer:

- Open Windows Store, search for “Ubuntu” and click “Ubuntu 20.04 LTS”
- Click “Get”, wait for the program to download, then click “Launch”
- An Ubuntu shell will open. Wait for Ubuntu to install.
- Set username and password to something you will remember
- Run `sudo apt update` and type in the password you just set

2.2 Download Anaconda

We recommend installing OpenSoundscape in a package manager. We find that the easiest package manager for new users is “Anaconda,” a program which includes Python and tools for managing Python packages. Below are instructions for downloading Anaconda in the Ubuntu environment.

- Open [this page](#) and scroll down to the “Anaconda Installers” section. Under the Linux section, right click on the link “64-Bit (x86) Installer” and click “Copy link”
- Download the installer:
 - Open the Ubuntu terminal
 - Type in `wget` then paste the link you copied, e.g.: (the filename of your file may differ)

```
wget https://repo.anaconda.com/archive/Anaconda3-2020.07-Linux-x86_64.sh
```

- Execute the downloaded installer, e.g.: (the filename of your file may differ)

```
bash Anaconda3-2020.07-Linux-x86_64.sh
```

- Press ENTER, read the installation requirements, press Q, then type “yes” and press enter to install
 - Wait for it to install
 - If your download hangs, press CTRL+C, `rm -rf ~/anaconda3` and try again
- Type “yes” to initialize conda
 - If you skipped this step, initialize your conda installation: `run source ~/anaconda3/bin/activate` and then after that command has run, `conda init`.
- Remove the downloaded file after installation, e.g. `rm Anaconda3-2020.07-Linux-x86_64.sh`
- Close and reopen terminal window to have access to the initialized Anaconda distribution

You can now manage packages with `conda`.

2.3 Install OpenSoundscape in virtual environment

- Create a Python 3.7 (or 3.8) conda environment for opensoundscape: `conda create --name opensoundscape pip python=3.7`
- Activate the environment: `conda activate opensoundscape`
- Install opensoundscape using pip: `pip install opensoundscape==0.6.0`

If you run into this error and you are on a Windows 10 machine:

```
(opensoundscape_environment) username@computername:~$ pip install opensoundscape==0.6.0
WARNING: Retrying (Retry(total=4, connect=None, read=None, redirect=None, status=None)) after connection broken by 'NewConnectionError('<pip._vendor.urllib3.connection.HTTPSConnection object at 0x7f7603c5da90>: Failed to establish a new connection: [Errno -2] Name or service not known')': /simple/opensoundscape/
```

You may be able to solve it by going to System Settings, searching for “Proxy Settings,” and beneath “Automatic proxy setup,” turning “Automatically detect settings” OFF. Restart your terminal for changes to take effect. Then activate the environment and install OpenSoundscape using pip.

Contributors and advanced users can use this workflow to install OpenSoundscape using Poetry. Poetry installation allows direct use of the most recent version of the code. This workflow allows advanced users to use the newest features in OpenSoundscape, and allows developers/contributors to build and test their contributions.

3.1 Poetry installation

- Install `poetry`
- Create a new virtual environment for the OpenSoundscape installation. If you are using Anaconda, you can create a new environment with `conda create -n opso-dev python==3.8` where `opso-dev` is the name of the new virtual environment. Use `conda activate opso-dev` to enter the environment to work on OpenSoundscape and `conda deactivate opso-dev` to return to your base Python installation. If you are not using Anaconda, other packages such as `virtualenv` should work as well. Ensure that the Python version is compatible with the current version of OpenSoundscape.
- **Internal Contributors:** Clone this github repository to your machine: `git clone https://github.com/kitzeslab/opensoundscape.git`
- **External Contributors:** Fork this github repository and clone the fork to your machine
- Ensure you are in the top-level directory of the clone
- Switch to the development branch of OpenSoundscape: `git checkout develop`
- Install OpenSoundscape using `poetry install`. This will install OpenSoundscape and its dependencies into the `opso-dev` virtual environment. By default it will install OpenSoundscape in develop mode, so that updated code in the repository can be imported without reinstallation.
 - If you are on a Mac and `poetry install` fails to install `numba`, contact one of the developers for help troubleshooting your issues.
- Install the `ffmpeg` dependency. On a Mac, `ffmpeg` can be installed using Homebrew.
- Run the test suite to ensure that everything installed properly. From the top-level directory, run the command `pytest`.

3.2 Contribution workflow

3.2.1 Contributing to code

Make contributions by editing the code in your repo. Create branches for features by starting with the `develop` branch and then running `git checkout -b feature_branch_name`. Once work is complete, push the new branch to remote using `git push -u origin feature_branch_name`. To merge a feature branch into the development branch, use the GitHub web interface to create a merge or a pull request. Before opening a PR, do the following to ensure the code is consistent with the rest of the package:

- Run the test suite using `pytest`
- Format the code with `black` style (from the top level of the repo): `black .`

3.2.2 Contributing to documentation

Build the documentation using `sphinx-build docs docs/_build`

To use OpenSoundscape in JupyterLab or in a Jupyter Notebook, you may either start Jupyter from within your OpenSoundscape virtual environment and use the “Python 3” kernel in your notebooks, or create a separate “OpenSoundscape” kernel using the instructions below

The following steps assume you have already used your operating system-specific installation instructions to create a virtual environment containing OpenSoundscape and its dependencies.

4.1 Use virtual environment

- Activate your virtual environment
- Start JupyterLab or Jupyter Notebook from inside the conda environment, e.g.: `jupyter lab`
- Copy and paste the JupyterLab link into your web browser

With this method, the default “Python 3” kernel will be able to import `opensoundscape` modules.

4.2 Create independent kernel

Use the following steps to create a kernel that appears in any notebook you open, not just notebooks opened from your virtual environment.

- Activate your virtual environment to have access to the `ipykernel` package
- Create `ipython` kernel with the following command, replacing `ENV_NAME` with the name of your OpenSoundscape virtual environment.

```
python -m ipykernel install --user --name=ENV_NAME --display-name=OpenSoundscape
```

- Now when you make a new notebook on JupyterLab, or change kernels on an existing notebook, you can choose to use the “OpenSoundscape” Python kernel

Contributors: if you include Jupyter's `autoreload`, any changes you make to the source code installed via poetry will be reflected whenever you run the `%autoreload` line magic in a cell:

```
%load_ext autoreload
%autoreload
```

Audio and spectrograms

This tutorial demonstrates how to use OpenSoundscape to open and modify audio files and spectrograms.

Audio files can be loaded into OpenSoundscape and modified using its `Audio` class. The class gives access to modifications such as trimming short clips from longer recordings, splitting a long clip into multiple segments, bandpassing recordings, and extending the length of recordings by looping them. Spectrograms can be created from `Audio` objects using the `Spectrogram` class. This class also allows useful features like measuring the amplitude signal of a recording, trimming a spectrogram in time and frequency, and converting the spectrogram to a saveable image.

To download the tutorial as a Jupyter Notebook, click the “Edit on GitHub” button at the top right of the tutorial. Using it requires that you install OpenSoundscape and follow the instructions for using it in Jupyter.

This tutorial uses an example audio file downloadable with the OpenSoundscape package. To use your own file for the following examples, replace the path in the line below with the absolute path to the file:

```
[ ]: audio_filename = "../../../tests/audio/1min.wav"
```

NOTE: If this cell raises an error for you, make sure to replace `"../../../tests/audio/1min.wav"` with a path to an audio file on your computer, in quotes.

5.1 Quick start

Import the `Audio` and `Spectrogram` classes from OpenSoundscape. (For more information about Python imports, review [this article](#).)

```
[2]: # import Audio and Spectrogram classes from OpenSoundscape
from opensoundscape.audio import Audio
from opensoundscape.spectrogram import Spectrogram
```

These classes provide a variety of tools to load and manipulate audio and spectrograms. The code below demonstrates a basic pipeline:

- load an audio file
- generate a spectrogram with default parameters

- create a 224px x 224px-sized image of the spectrogram
- save the image to a file

```
[3]: from pathlib import Path

# Settings
image_shape = (224, 224) #(height, width) not (width, height)
image_path = Path('./saved_spectrogram.png')

# Load audio file as Audio object
audio = Audio.from_file(audio_filename)

# Create Spectrogram object from Audio object
spectrogram = Spectrogram.from_audio(audio)

# Convert Spectrogram object to PIL Image
image = spectrogram.to_image(shape=image_shape)

# Save image to file
image.save(image_path)
```

The above function calls could even be condensed to a single line:

```
[4]: Spectrogram.from_audio(Audio.from_file(audio_filename)).to_image(shape=image_shape).
    ↪ save(image_path)
```

Clean up by deleting the spectrogram saved above.

```
[5]: image_path.unlink()
```

5.2 Audio loading

The `Audio` class in `OpenSoundscape` allows loading and manipulation of audio files.

5.2.1 Load .wavs

Load the example audio from file:

```
[6]: audio_object = Audio.from_file(audio_filename)
```

5.2.2 Load .mp3s

`OpenSoundscape` uses a package called `librosa` to help load audio files. `Librosa` automatically supports `.wav` files, but loading `.mp3` files requires that you also install `ffmpeg` or an alternative. See [Librosa's installation tips](#) for more information.

5.2.3 Audio properties

The properties of an `Audio` object include its `samples` (the actual audio data) and the `sample_rate` (the number of audio samples taken per second, required to understand the samples). After an audio file has been loaded, these properties can be accessed using the `samples` and `sample_rate` attributes, respectively.

```
[7]: print(f"How many samples does this audio object have? {len(audio_object.samples)}")
      print(f"What is the sampling rate? {audio_object.sample_rate}")
```

```
How many samples does this audio object have? 1920000
What is the sampling rate? 32000
```

5.2.4 Resample audio during load

By default, an audio object is loaded with the same sample rate as the source recording.

The `sample_rate` parameter of `Audio.from_file` allows you to re-sample the file during the creation of the object. This is useful when working with multiple files to ensure that all files have a consistent sampling rate.

Let's load the same audio file as above, but specify a sampling rate of 22050 Hz.

```
[8]: audio_object_resample = Audio.from_file(audio_filename, sample_rate=22050)
      audio_object_resample.sample_rate
```

```
[8]: 22050
```

For other options when loading audio objects, see the [Audio.from_file\(\) documentation](#).

5.3 Audio methods

The `Audio` class gives access to a variety of tools to change audio files, load them with special properties, or get information about them. Various examples are shown below.

For a description of the entire `Audio` object API, see the [API documentation](#).

5.3.1 NOTE: Out-of-place operations

Functions that modify `Audio` (and `Spectrogram`) objects are “out of place”, meaning that they return a new, modified instance of `Audio` instead of modifying the original instance. This means that running a line

```
audio_object.resample(22050) # WRONG!
```

will **not** change the sample rate of `audio_object`! If your goal was to overwrite `audio_object` with the new, resampled audio, you would instead write

```
audio_object = audio_object.resample(22050)
```

5.3.2 Save audio to file

Opensoundscape currently supports saving `Audio` objects to `.wav` formats **only**. It does not currently support saving metadata (tags) along with wav files - only the samples and sample rate will be preserved in the file.

```
[9]: audio_object.save('./my_audio.wav')
```

clean up: delete saved file

```
[10]: from pathlib import Path
      Path('./my_audio.wav').unlink()
```

5.3.3 Get duration

The `.duration()` method returns the length of the audio in seconds

```
[11]: length = audio_object.duration()
      print(length)

      60.0
```

5.3.4 Trim

The `.trim()` method extracts audio from a specified time period in seconds (relative to the start of the audio object).

```
[12]: trimmed = audio_object.trim(0,5)
      trimmed.duration()

[12]: 5.0
```

5.3.5 Split Audio into clips

The `.split()` method divides audio into even-lengthed clips, optionally with overlap between adjacent clips (default is no overlap). See the function's documentation for options on how to handle the last clip.

The function returns a list containing Audio objects for each clip and a DataFrame giving the start and end times of each clip with respect to the original file.

split

```
[13]: #split into 5-second clips with no overlap between adjacent clips
      clips, clip_df = audio_object.split(clip_duration=5, clip_overlap=0, final_clip=None)

      #check the duration of the Audio object in the first returned element
      print(f"duration of first clip: {clips[0].duration()}")

      print(f"head of clip_df")
      clip_df.head(3)

      duration of first clip: 5.0
      head of clip_df
[13]:   start_time  end_time
      0         0.0      5.0
      1         5.0     10.0
      2        10.0     15.0
```

split with overlap

if we want overlap between consecutive clips

Note that a negative “overlap” value would leave *gaps* between consecutive clips.

```
[14]: _, clip_df = audio_object.split(clip_duration=5, clip_overlap=2.5, final_clip=None)
      print(f"head of clip_df")
      clip_df.head()
```



```
head of clip_df
```

```
[14]:
```

	start_time	end_time
0	0.0	5.0
1	2.5	7.5
2	5.0	10.0
3	7.5	12.5
4	10.0	15.0

split and save

The `audio.split_and_save()` function splits audio into clips and immediately saves them to files in a specified location. You provide it with a naming prefix, and it will add on a suffix indicating the start and end times of the clip (eg `_5.0-10.0s.wav`). It returns just a DataFrame with the paths and start/end times for each clip (it does not return Audio objects).

The splitting options are the same as `.split()`: `clip_duration`, `clip_overlap`, and `final_clip`

Notice that the `split_and_save()` method is imported from the `audio` module, it is not a method of the `Audio` class (e.i., you cant call `audio_object.split_and_save()`)

```
[15]: from opensoundscape.audio import split_and_save

#split into 5-second clips with no overlap between adjacent clips
Path('./temp_audio').mkdir(exist_ok=True)
clip_df = split_and_save(
    audio=audio_object,
    destination='./temp_audio',
    prefix='audio_clip_',
    clip_duration=5,
    clip_overlap=0,
    final_clip=None
)

print(f"head of clip_df")
clip_df.head()
```

```
head of clip_df
```

```
[15]:
```

	start_time	end_time
file		
./temp_audio/audio_clip__0.0s_5.0s.wav	0.0	5.0
./temp_audio/audio_clip__5.0s_10.0s.wav	5.0	10.0
./temp_audio/audio_clip__10.0s_15.0s.wav	10.0	15.0
./temp_audio/audio_clip__15.0s_20.0s.wav	15.0	20.0
./temp_audio/audio_clip__20.0s_25.0s.wav	20.0	25.0

The folder `temp_audio` should now contain 12 5-second clips created from the 60-second audio file.

clean up: delete temp folder of saved audio clips

```
[16]: from shutil import rmtree
rmtree('./temp_audio')
```

split_and_save dry run

we can use the `dry_run=True` option to produce only the `clip_df` but not actually process the audio. this is useful as a quick test to see if the function is behaving as expected, before doing any (potentially slow) splitting on huge audio files.

Just for fun, we'll use an overlap of -5 in this example (5 second gap between each consecutive clip)

This function returns a DataFrame of clips, but does not actually process the audio files or write any new files.

```
[17]: clip_df = split_and_save(
        audio=audio_object,
        destination='./temp_audio',
        prefix='audio_clip_',
        clip_duration=5,
        clip_overlap=-5,
        final_clip=None,
        dry_run=True,
    )
clip_df
```

	start_time	end_time
file		
./temp_audio/audio_clip__0.0s_5.0s.wav	0.0	5.0
./temp_audio/audio_clip__10.0s_15.0s.wav	10.0	15.0
./temp_audio/audio_clip__20.0s_25.0s.wav	20.0	25.0
./temp_audio/audio_clip__30.0s_35.0s.wav	30.0	35.0
./temp_audio/audio_clip__40.0s_45.0s.wav	40.0	45.0
./temp_audio/audio_clip__50.0s_55.0s.wav	50.0	55.0

5.3.6 Extend and loop

The `.extend()` method extends an audio file to a desired length by adding silence to the end.

The `.loop()` method extends an audio file to a desired length (or number of repetitions) by looping the audio.


`extend()` example: create an Audio object twice as long as the original, extending with silence (0 valued samples)

```
[18]: import matplotlib.pyplot as plt

# create an audio object twice as long, extending the end with silence (zero-values)
extended = trimmed.extend(trimmed.duration() * 2)

print(f"duration of original clip: {trimmed.duration()}")
print(f"duration of extended clip: {extended.duration()}")
print(f"samples of extended clip:")
plt.plot(extended.samples)
plt.show()
```

```
duration of original clip: 5.0
duration of extended clip: 10.0
samples of extended clip:
```




Looping example: create an audio object 1.5x as long, extending the end by looping

```
[19]: looped = trimmed.loop(trimmed.duration() * 1.5)
      print(looped.duration())
      plt.plot(looped.samples)
```

7.5

```
[19]: [<matplotlib.lines.Line2D at 0x7fd18b198bd0>]
```




create an audio object that loops the original object 5 times and plot the samples

```
[20]: looped = trimmed.loop(n=5)
      print(looped.duration())
      plt.plot(looped.samples)
```

25.0

```
[20]: [<matplotlib.lines.Line2D at 0x7fd18a548510>]
```



5.3.7 Resample

The `.resample()` method resamples the audio object to a new sampling rate (can be lower or higher than the original sampling rate)

```
[21]: resampled = trimmed.resample(sample_rate=48000)
      resampled.sample_rate
```

```
[21]: 48000
```

5.3.8 Generate a frequency spectrum

The `.spectrum()` method provides an easy way to compute a Fast Fourier Transform on an audio object to measure its frequency composition.


```
[22]: # calculate the fft
      fft_spectrum, frequencies = trimmed.spectrum()

      #plot settings
      from matplotlib import pyplot as plt
      plt.rcParams['figure.figsize']=[15,5] #for big visuals
      %config InlineBackend.figure_format = 'retina'

      # plot
      plt.plot(frequencies,fft_spectrum)
      plt.ylabel('Fast Fourier Transform (V*2/Hz)')
      plt.xlabel('Frequency (Hz)')
```

```
/Users/SML161/opt/miniconda3/envs/opso/lib/python3.7/site-packages/matplotlib_inline/
→config.py:75: DeprecationWarning: InlineBackend._figure_format_changed is
→deprecated in traitlets 4.1: use @observe and @unobserve instead.
      def _figure_format_changed(self, name, old, new):
```

```
[22]: Text(0.5, 0, 'Frequency (Hz)')
```



5.3.9 Bandpass

Bandpass the audio file to limit its frequency range to 1000 Hz to 5000 Hz. The bandpass operation uses a Butterworth filter with a user-provided order.


```
[23]: # apply a bandpass filter
bandpassed = trimmed.bandpass(low_f = 1000, high_f = 5000, order=9)

# calculate the bandpassed audio's spectrum
fft_spectrum, frequencies = bandpassed.spectrum()

# plot
print('spectrum after bandpassing the audio:')
plt.plot(frequencies,fft_spectrum)
plt.ylabel('Fast Fourier Transform (V**2/Hz)')
plt.xlabel('Frequency (Hz)')
```

spectrum after bandpassing the audio:

```
[23]: Text(0.5, 0, 'Frequency (Hz)')
```



5.4 Spectrogram creation

5.4.1 Load spectrogram

A `Spectrogram` object can be created from an audio object using the `from_audio()` method.

```
[24]: audio_object = Audio.from_file(audio_filename)
      spectrogram_object = Spectrogram.from_audio(audio_object)
```

Spectrograms can also be loaded from saved images using the `from_file()` method.

5.4.2 Spectrogram properties

To check the time and frequency axes of a spectrogram, you can look at its `times` and `frequencies` attributes. The `times` attribute is the list of the spectrogram windows' centers' times in seconds relative to the beginning of the audio. The `frequencies` attribute is the list of frequencies represented by each row of the spectrogram. These are not the actual values of the spectrogram — just the values of the axes.


```
[25]: spec = Spectrogram.from_audio(Audio.from_file(audio_filename))
      print(f'the first few times: {spec.times[0:5]}')
      print(f'the first few frequencies: {spec.frequencies[0:5]}')

the first few times: [0.008 0.016 0.024 0.032 0.04 ]
the first few frequencies: [ 0.   62.5 125. 187.5 250. ]
```

5.4.3 Plot spectrogram

A `Spectrogram` object can be visualized using its `plot()` method.

```
[26]: audio_object = Audio.from_file(audio_filename)
      spectrogram_object = Spectrogram.from_audio(audio_object)
      spectrogram_object.plot()
```



5.4.4 Spectrogram parameters

Spectrograms are created using “windows.” A window is a subset of consecutive samples of the original audio that is analyzed to create one pixel in the horizontal direction (one “column”) on the resulting spectrogram. The appearance

of a spectrogram depends on two parameters that control the size and spacing of these windows:

Samples per window, `window_samples`

This parameter is the length (in audio samples) of each spectrogram window. Choosing the value for `window_samples` represents a trade-off between frequency resolution and time resolution:

- Larger value for `window_samples` → higher frequency resolution (more rows in a single spectrogram column)
- Smaller value for `window_samples` → higher time resolution (more columns in the spectrogram per second)

Overlap of consecutive windows, `overlap_samples`

`overlap_samples`: this is the number of audio samples that will be re-used (overlap) between two consecutive Spectrogram windows. It must be less than `window_samples` and greater than or equal to zero. Zero means no overlap between windows, while a value of `window_samples/2` would give 50% overlap between consecutive windows. Using higher overlap percentages can sometimes yield better time resolution in a spectrogram, but will take more computational time to generate.

Relationship

When there is zero overlap between windows, the number of columns per second is equal to the size in Hz of each spectrogram row. Consider the relationship between time resolution (columns in the spectrogram per second) and frequency resolution (rows in a given frequency range) in the following example:

- Let `sample_rate=48000`, `window_samples=480`, and `overlap_samples=0`
- Each window (“spectrogram column”) represents $480/48000 = 1/100 = 0.01$ seconds of audio
- There will be $1/(\text{length of window in seconds}) = 1/0.01 = 100$ columns in the spectrogram per second.
- Each pixel will span 100 Hz in the frequency dimension, i.e., the lowest pixel spans 0-100 Hz, the next lowest 100-200 Hz, then 200-300 Hz, etc.

If `window_samples=4800`, then the spectrogram would have better time resolution (each window represents only $4800/48000 = 0.001$ s of audio) but worse frequency resolution (each row of the spectrogram would represent 1000 Hz in the frequency range).


As an example, let’s create two spectrograms, one with high time resolution and another with high frequency resolution.

```
[27]: # Load audio
audio = Audio.from_file(audio_filename, sample_rate=22000).trim(0,5)
```

Create a spectrogram with high time resolution

Using `window_samples=55` and `overlap_samples=0` gives $55/22000 = 0.0025$ seconds of audio per window, or $1/0.0025 = 400$ windows per second. Each spectrogram pixel spans 400 Hz.


```
[28]: spec = Spectrogram.from_audio(audio, window_samples=55, overlap_samples=0)
spec.plot()
```



Create a spectrogram with high time frequency resolution

Using `window_samples=1100` and `overlap_samples=0` gives $1100/22000 = 0.05$ seconds of audio per window, or $1/0.05 = 20$ windows per second. Each spectrogram pixel spans 20 Hz.

```
[29]: spec = Spectrogram.from_audio(audio, window_samples=1100, overlap_samples=0)
spec.plot()
```



For other options when loading spectrogram objects from audio objects, see the `from_audio()` documentation.


5.5 Spectrogram methods

The tools and features of the spectrogram class are demonstrated here, including plotting; how spectrograms can be generated from modified audio; saving a spectrogram as an image; customizing a spectrogram; trimming and bandpassing a spectrogram; and calculating the amplitude signal from a spectrogram.

5.5.1 Plot

A `Spectrogram` object can be plotted using its `plot()` method.

```
[30]: audio_object = Audio.from_file(audio_filename)
spectrogram_object = Spectrogram.from_audio(audio_object)
spectrogram_object.plot()
```

5.5.2 Load modified audio


Sometimes, you may wish to trim or modify an audio object before creating a spectrogram. In this case, you should first modify the Audio object, then call `Spectrogram.from_audio()`.

For example, the code below demonstrates creating a spectrogram from a 5 second long trim of the audio object. Compare this plot to the plot above.

```
[31]: # Trim the original audio
      trimmed = audio_object.trim(0, 5)

      # Create a spectrogram from the trimmed audio
      spec = Spectrogram.from_audio(trimmed)

      # Plot the spectrogram
      spec.plot()
```



5.5.3 Save spectrogram to file

To save the created spectrogram, first convert it to an image. It will no longer be an OpenSoundscape `Spectrogram` object, but instead a Python Image Library (PIL) Image object.

```
[32]: print("Type of `spectrogram_audio` (before conversion):", type(spectrogram_object))
spectrogram_image = spectrogram_object.to_image()
print("Type of `spectrogram_image` (after conversion):", type(spectrogram_image))

Type of `spectrogram_audio` (before conversion): <class 'opensoundscape.spectrogram.
↳Spectrogram'>
Type of `spectrogram_image` (after conversion): <class 'PIL.Image.Image'>
```

Save the PIL Image using its `save()` method, supplying the filename at which you want to save the image.

```
[33]: image_path = Path('./saved_spectrogram.png')
spectrogram_image.save(image_path)
```

To save the spectrogram at a desired size, specify the image shape when converting the Spectrogram to a PIL Image.

```
[34]: image_shape = (512, 512)
large_image_path = Path('./saved_spectrogram_large.png')
spectrogram_image = spectrogram_object.to_image(shape=image_shape)
spectrogram_image.save(large_image_path)
```


Delete the files created above.

```
[35]: image_path.unlink()
large_image_path.unlink()
```

5.5.4 Trim

Spectrograms can be trimmed in time using `trim()`. Trim the above spectrogram to zoom in on one vocalization.

```
[36]: spec_trimmed = spec.trim(1.7, 3.9)
spec_trimmed.plot()
```



5.5.5 Bandpass


Spectrograms can be trimmed in frequency using `bandpass()`. This simply subsets the Spectrogram array rather than performing an audio-domain filter.

For instance, the vocalization zoomed in on above is the song of a Black-and-white Warbler (*Mniotilta varia*), one of the highest-frequency bird songs in our area. Set its approximate frequency range.

```
[37]: baww_low_freq = 5500
      baww_high_freq = 9500
```

Bandpass the above time-trimmed spectrogram in frequency as well to limit the spectrogram view to the vocalization of interest.

```
[38]: spec_bandpassed = spec_trimmed.bandpass(baww_low_freq, baww_high_freq)
      spec_bandpassed.plot()
```




5.5.6 Calculate amplitude signal

The `.amplitude()` method sums the columns of the spectrogram to create a one-dimensional amplitude versus time vector.

Note: the amplitude of the Spectrogram (and FFT) has units of power (V^2) over frequency (Hz)


```
[39]: # calculate amplitude signal
      high_freq_amplitude = spec_trimmed.amplitude()

      # plot
      from matplotlib import pyplot as plt
      plt.plot(spec_trimmed.times, high_freq_amplitude)
      plt.xlabel('time (sec)')
      plt.ylabel('amplitude')
      plt.show()
```



It is also possible to get the amplitude signal from a restricted range of frequencies, for instance, to look at the amplitude in the frequency range of a species of interest. For example, get the amplitude signal from the 8000 Hz to 8500 Hz range of the audio (displayed below):

```
[40]: spec_bandpassed = spec_trimmed.bandpass(8000, 8500)
spec_bandpassed.plot()
```




Get and plot the amplitude signal of only 8-8.5 kHz.

```
[41]: # Get amplitude signal
high_freq_amplitude = spec_trimmed.amplitude(freq_range=[8000,8500])

# Get amplitude signal
high_freq_amplitude = spec_trimmed.amplitude(freq_range=[8000,8500])

# Plot signal
plt.plot(spec_trimmed.times, high_freq_amplitude)
plt.xlabel('time (sec)')
plt.ylabel('amplitude')
plt.show()
```



Amplitude signals like these can be used to identify periodic calls, like those by many species of frogs. A pulsing-call identification pipeline called **RIBBIT** is implemented in OpenSoundscape.

Amplitude signals may not be the most reliable method of identification for species like birds. In this case, it is possible to create a machine learning algorithm to identify calls based on their appearance on spectrograms.

The developers of OpenSoundscape have trained machine learning models for over 500 common North American bird

species; for examples of how to download demonstration models, see the “Prediction with pretrained models” tutorial.

Manipulating audio annotations

This notebook demonstrates how to use the `annotations` module of `OpenSoundscape` to

- load annotations from Raven files
- create a set of one-hot labels corresponding to fixed-length audio clips
- split a set of labeled audio files into clips and create labels dataframe for all clips

The audio recordings used in this notebook were recorded by Andrew Spencer and are available under a Creative Commons License (CC BY-NC-ND 2.5) from xeno-canto.org. Annotations were performed in Raven Pro software by our team.

```
[1]: from opensoundscape.audio import Audio
    from opensoundscape.spectrogram import Spectrogram
    from opensoundscape.annotations import BoxedAnnotations

    import numpy as np
    import pandas as pd
    from glob import glob

    from matplotlib import pyplot as plt
    plt.rcParams['figure.figsize']=[15,5] #for big visuals
    %config InlineBackend.figure_format = 'retina'
```

6.1 Load a single Raven annotation table from a txt file

We can use the `BoxedAnnotation` class's `from_raven_file` method to load a Raven txt file into `OpenSoundscape`. This table contains the frequency and time limits of rectangular “boxes” representing each annotation that was created in Raven.


Note that we need to specify the name of the column containing annotations, since it can be named anything in Raven. The column will be renamed to “annotation”.

This table looks a lot like what you would see in the Raven interface.

```
[2]: # specify an audio file and corresponding raven annotation file
audio_file = './resources/GWWA_XC/13738.mp3'
annotation_file = './resources/GWWA_XC_AnnoTables/13738.Table.1.selections.txt'
```

let's look at a spectrogram of the audio file to see what we're working with

```
[3]: Spectrogram.from_audio(Audio.from_file(audio_file)).plot()
```



now, let's load the annotations from the Raven annotation file

```
[4]: #create an object from Raven file
annotations = BoxedAnnotations.from_raven_file(annotation_file, annotation_column=
    ↳ 'Species')

#inspect the object's .df attribute, which contains the table of annotations
annotations.df.head()
```

```
[4]:
```

	Selection	View	Channel	start_time	end_time	low_f	high_f	\
0	1	Spectrogram	1	0.459636	2.298182	4029.8	17006.4	
1	2	Spectrogram	1	6.705283	8.246417	4156.6	17031.7	
2	3	Spectrogram	1	13.464641	15.005775	3903.1	17082.4	
3	4	Spectrogram	1	20.128208	21.601748	4055.2	16930.3	
4	5	Spectrogram	1	26.047590	27.521131	4207.2	17057.1	

	annotation	Notes
0	GWWA_song	NaN
1	GWWA_song	NaN
2	?	NaN
3	GWWA_song	NaN
4	GWWA_song	NaN

we could instead choose to load it with only the necessary columns, plus the “Notes” column

```
[5]: annotations = BoxedAnnotations.from_raven_file(annotation_file, annotation_column=
    ↳ 'Species', keep_extra_columns=['Notes'])
annotations.df.head()
```

```
[5]:
```

	start_time	end_time	low_f	high_f	annotation	Notes
0	0.459636	2.298182	4029.8	17006.4	GWWA_song	NaN
1	6.705283	8.246417	4156.6	17031.7	GWWA_song	NaN
2	13.464641	15.005775	3903.1	17082.4	?	NaN
3	20.128208	21.601748	4055.2	16930.3	GWWA_song	NaN
4	26.047590	27.521131	4207.2	17057.1	GWWA_song	NaN

6.2 Convert or correct annotations

We can provide a DataFrame (e.g., from a .csv file) or a dictionary to convert original values to new values.

Let's load up a little csv file that specifies a set of conversions we'd like to make. The csv file should have two columns, but it doesn't matter what they are called. If you create a table in Microsoft Excel, you can export it to a .csv file to use it as your conversion table.

```
[6]: conversion_table = pd.read_csv('./resources/conversion_table.csv')
      conversion_table
```

```
[6]:      original  new
0  gwwa_song  gwwa
```

alternatively, we could simply write a Python dictionary for the conversion table. For instance:

```
[7]: conversion_table = {
      "GWWA_song": "GWWA",
      "?": np.nan
    }
```

now, we can apply the conversions in the table to our annotations.

This will create a new BoxedAnnotations object rather than modifying the original object ("out of place operation")

```
[8]: annotations_corrected = annotations.convert_labels(conversion_table)
      annotations_corrected.df
```

```
[8]:      start_time  end_time  low_f  high_f  annotation  Notes
0      0.459636   2.298182  4029.8  17006.4         GWWA    NaN
1      6.705283   8.246417  4156.6  17031.7         GWWA    NaN
2     13.464641  15.005775  3903.1  17082.4          NaN    NaN
3     20.128208  21.601748  4055.2  16930.3         GWWA    NaN
4     26.047590  27.521131  4207.2  17057.1         GWWA    NaN
5     33.121946  34.663079  4207.2  17082.4         GWWA    NaN
6     42.967925  44.427946  4181.9  17057.1         GWWA    NaN
7     52.417508  53.891048  4232.6  16930.3         GWWA    NaN
```

6.2.1 View a subset of annotations

Specify a list of classes to include in the subset

for example, we can subset to only annotations marked as '?'

```
[9]: classes_to_keep = ['?']
      annotations_only_unsure = annotations.subset(classes_to_keep)
      annotations_only_unsure.df
```

```
[9]:      start_time  end_time  low_f  high_f  annotation  Notes
2     13.464641  15.005775  3903.1  17082.4          ?    NaN
```

6.2.2 saving annotations to Raven-compatible file

We can always save our BoxedAnnotations object to a Raven-compatible txt file, which can be opened in Raven along with an audio file just like the files Raven creates itself. You must specify a path for the save file that ends with .txt.

```
[10]: annotations_only_unsure.to_raven_file('./resources/13738_unsure.txt')
```

clean up: remove the saved file (don't run this cell if you want to keep the saved file to try opening it in Raven later.)

```
[11]: from pathlib import Path
Path('./resources/13738_unsure.txt').unlink()
```

6.3 Splitting annotations along with audio

Often, we want to train or validate models on short audio segments (e.g., 5 seconds) rather than on long files (e.g., 2 hours).

We can accomplish this in three ways:

- (1) Split the annotations (`.one_hot_labels_like()`) using the DataFrame returned by `Audio.split()` (this dataframe includes the start and end times of each clip)
- (2) Create a dataframe of start and end times, and split the audio accordingly
- (3) directly split the labels with `.one_hot_clip_labels()`, using splitting parameters that match `Audio.split()`

All three methods are demonstrated below.

6.3.1 1. Split Audio object, then split annotations to match

After splitting audio with `audio.split()`, we'll use `BoxedAnnotation's one_hot_labels_like()` function to extract the labels for each audio clip. This function requires that we specify the minimum overlap of the label (in seconds) with the clip for the clip to be labeled positive. We also specify the list of classes for one-hot labels (if we give `classes=None`, it will make a column for every unique label in the annotations).

```
[12]: # load the Audio and Annotations
audio = Audio.from_file(audio_file)
annotations = BoxedAnnotations.from_raven_file(annotation_file, annotation_column=
    ↳ 'Species')

# split the audio into 5 second clips with no overlap (we use _ because we don't_
    ↳ really need to save the audio clip objects for this demo)
_, clip_df = audio.split(clip_duration=5.0, clip_overlap=0.0)

labels_df = annotations.one_hot_labels_like(clip_df, min_label_overlap=0.25, classes=[
    ↳ 'GWWA_song'])

#the returned dataframe of one-hot labels (0/1 for each class and each clip) has rows_
    ↳ corresponding to each audio clip
labels_df.head()
```

```
[12]:
```

		GWWA_song
start_time	end_time	
0.0	5.0	1.0
5.0	10.0	1.0
10.0	15.0	0.0
15.0	20.0	0.0
20.0	25.0	1.0

6.3.2 2. Split annotations into labels (without audio splitting)

The function in the previous example, `one_hot_labels_like()`, splits the labels according to start and end times from a DataFrame. But how would we get that DataFrame if we aren't actually splitting Audio files?

We can create the dataframe with a helper function that takes the same splitting parameters as `Audio.split()`. Notice that we need to specify one additional parameter: the entire duration to be split (`full_duration`).

```
[13]: # generate clip start/end time DataFrame
from opensoundscape.helpers import generate_clip_times_df
clip_df = generate_clip_times_df(full_duration=60, clip_duration=5.0, clip_overlap=0.0)

#we can use the clip_df to split the Annotations in the same way as before
labels_df = annotations.one_hot_labels_like(clip_df, min_label_overlap=0.25, classes=[
    ↪ 'GWWA_song'])

#the returned dataframe of one-hot labels (0/1 for each class and each clip) has rows_
↪ corresponding to each audio clip
labels_df.head()
```

```
[13]:
```

		GWWA_song
start_time	end_time	
0.0	5.0	1.0
5.0	10.0	1.0
10.0	15.0	0.0
15.0	20.0	0.0
20.0	25.0	1.0

6.3.3 3. Split annotations directly using splitting parameters

Though we recommend using one of the above methods, you can also split annotations by directly calling `one_hot_clip_labels()`. This method combines the two steps in the examples above (creating a clip df and splitting the annotations), and requires that you specify the parameters for both of those steps.

Here's an example that produces equivalent results to the previous examples:

```
[14]: labels_df = annotations.one_hot_clip_labels(
    full_duration=60,
    clip_duration=5,
    clip_overlap=0,
    classes=['GWWA_song'],
    min_label_overlap=0.25,
)
labels_df.head()
```

```
[14]:
```

		GWWA_song
start_time	end_time	
0	5	1.0
5	10	1.0
10	15	0.0
15	20	0.0
20	25	1.0

6.4 Create audio clips and one-hot labels from many audio and annotation files

Let's get to the useful part - you have tons of audio files (with corresponding Raven files) and you need to create one-hot labels for 5 second clips on all of them. Can't we just give you the code you need to get this done?!

Sure :)

but be warned, matching up the correct raven and audio files might require some finagling

6.4.1 find all the Raven and audio files, and see if they match up one-to-one

caveat: you'll need to be careful about matching up the correct Raven files and audio files. In this example, we'll assume our Raven files have exactly the same name (ignoring the extensions like ".Table.1.selections.txt") as our audio files, *and* that these file names *are unique (!)* - that is, no two audio files have the same name.

```
[15]: # specify folder containing Raven annotations
raven_files_dir = "./resources/GWWA_XC_AnnoTables/"

# find all .txt files (we'll naively assume all txt files are Raven files!)
raven_files = glob(f"{raven_files_dir}/*.txt")
print(f"found {len(raven_files)} annotation files")

#specify folder containing audio files
audio_files_dir = "./resources/GWWA_XC/"

# find all audio files (we'll assume they are .wav, .WAV, or .mp3)
audio_files = glob(f"{audio_files_dir}/*.wav")+glob(f"{audio_files_dir}/*.WAV")+glob(f
↪ "{audio_files_dir}/*.mp3")
print(f"found {len(audio_files)} audio files")

# pair up the raven and audio files based on the audio file name
from pathlib import Path
audio_df = pd.DataFrame({'audio_file':audio_files})
audio_df.index = [Path(f).stem for f in audio_files]

#check that there aren't duplicate audio file names
print('\n audio files with duplicate names:')
audio_df[audio_df.index.duplicated(keep=False)]

found 3 annotation files
found 3 audio files

audio files with duplicate names:

[15]: Empty DataFrame
Columns: [audio_file]
Index: []
```

```
[16]: raven_df = pd.DataFrame({'raven_file':raven_files})
raven_df.index = [Path(f).stem.split('.Table')[0] for f in raven_files]

#check that there aren't duplicate audio file names
print('\n raven files with duplicate names:')
raven_df[raven_df.index.duplicated(keep=False)]
```

```
raven files with duplicate names:
```

```
[16]:                                     raven_file
13738  ./resources/GWWA_XC_AnnoTables/13738.Table.1.s...
13738  ./resources/GWWA_XC_AnnoTables/13738.Table.1.s...
```

Once we've resolved any issues with duplicate names, we can match up raven and audio files.

```
[17]: #remove the second selection table for file 13738.mp3
raven_df=raven_df[raven_df.raven_file.apply(lambda x: "selections2" not in x)]
```

```
[18]: paired_df = audio_df.join(raven_df,how='outer')
```

check if any audio files don't have annotation files

```
[19]: print(f"audio files without raven file: {len(paired_df[paired_df.raven_file.
↪apply(lambda x:x!=x)])}")
paired_df[paired_df.raven_file.apply(lambda x:x!=x)]
```

```
audio files without raven file: 2
```

```
[19]:                                     audio_file raven_file
135601  ./resources/GWWA_XC/135601.mp3           NaN
13742   ./resources/GWWA_XC/13742.mp3           NaN
```

check if any raven files don't have audio files

```
[20]: #look at unmatched raven files
print(f"raven files without audio file: {len(paired_df[paired_df.audio_file.
↪apply(lambda x:x!=x)])}")
```

```
paired_df[paired_df.audio_file.apply(lambda x:x!=x)]
```

```
raven files without audio file: 1
```

```
[20]:                                     audio_file                                     raven_file
16989           NaN  ./resources/GWWA_XC_AnnoTables/16989.Table.1.s...
```

In this example, let's discard any unpaired raven or audio files

```
[21]: paired_df = paired_df.dropna()
```

```
[22]: paired_df
```

```
[22]:                                     audio_file \
13738  ./resources/GWWA_XC/13738.mp3

                                     raven_file
13738  ./resources/GWWA_XC_AnnoTables/13738.Table.1.s...
```

6.4.2 split and save the audio and annotations

Now we have a set of paired up raven and audio files.

Let's split each of the audio files and create the corresponding labels.

We'll want to keep the names of the audio clips that we create using `Audio.split_and_save()` so that we can correspond them with one-hot clip labels.

Note: it will be confusing and annoying if your Raven files use different names for the annotation column. Ideally, all of your raven files should have the same column name for the annotations.

```
[23]: %%bash
mkdir ./resources/temp_clips

[24]: #choose settings for audio splitting
clip_duration = 3
clip_overlap = 0
final_clip = None
clip_dir = './resources/temp_clips'

#choose settings for annotation splitting
classes = None#['GWWA_song', 'GWWA_dzit'] #list of all classes, or None
min_label_overlap = 0.1

from opensoundscape.audio import split_and_save

#store the label dataframes from each audio file so that we can aggregate them later
#Note: if you have a huge number (millions) of annotations, this might get very large.
#an alternative would be to save the individual dataframes to files, then concatenate_
↳them later.
all_labels = []

cnt = 0

for i, row in paired_df.iterrows():
    #load the audio into an Audio object
    audio = Audio.from_file(row['audio_file'])

    #in this example, only the first 60 seconds of audio is annotated
    #so trim the audio to 60 seconds max
    audio = audio.trim(0,60)

    #split the audio and save the clips
    clip_df = split_and_save(
        audio,
        clip_dir,
        prefix=row.name,
        clip_duration=clip_duration,
        clip_overlap=clip_overlap,
        final_clip=final_clip,
        dry_run=False
    )

    #load the annotation file into a BoxedAnnotation object
    annotations = BoxedAnnotations.from_raven_file(row['raven_file'], annotation_
↳column='Species')

    #since we trimmed the audio, we'll also trim the annotations for consistency
    annotations = annotations.trim(0,60)

    #split the annotations to match the audio
    #we choose to keep_index=True so that we retain the audio clip's path in the_
↳final label dataframe
    labels = annotations.one_hot_labels_like(clip_df, classes=classes, min_label_
↳overlap=min_label_overlap, keep_index=True)
```

(continues on next page)

(continued from previous page)

```

    #since we have saved short audio clips, we can discard the start_time and end_
    ↪time indices
    labels = labels.reset_index(level=[1,2],drop=True)
    all_labels.append(labels)

    cnt+=1
    if cnt>2:
        break

#make one big dataframe with all of the labels. We could use this for training, for_
↪instance.
all_labels = pd.concat(all_labels)

```

```
[25]: all_labels
```

```

[25]:                                     ?  GWWA_song
file
./resources/temp_clips/13738_0.0s_3.0s.wav    0.0      1.0
./resources/temp_clips/13738_3.0s_6.0s.wav    0.0      0.0
./resources/temp_clips/13738_6.0s_9.0s.wav    0.0      1.0
./resources/temp_clips/13738_9.0s_12.0s.wav   0.0      0.0
./resources/temp_clips/13738_12.0s_15.0s.wav  1.0      0.0
./resources/temp_clips/13738_15.0s_18.0s.wav  0.0      0.0
./resources/temp_clips/13738_18.0s_21.0s.wav  0.0      1.0
./resources/temp_clips/13738_21.0s_24.0s.wav  0.0      1.0
./resources/temp_clips/13738_24.0s_27.0s.wav  0.0      1.0
./resources/temp_clips/13738_27.0s_30.0s.wav  0.0      1.0
./resources/temp_clips/13738_30.0s_33.0s.wav  0.0      0.0
./resources/temp_clips/13738_33.0s_36.0s.wav  0.0      1.0
./resources/temp_clips/13738_36.0s_39.0s.wav  0.0      0.0
./resources/temp_clips/13738_39.0s_42.0s.wav  0.0      0.0
./resources/temp_clips/13738_42.0s_45.0s.wav  0.0      1.0
./resources/temp_clips/13738_45.0s_48.0s.wav  0.0      0.0
./resources/temp_clips/13738_48.0s_51.0s.wav  0.0      0.0
./resources/temp_clips/13738_51.0s_54.0s.wav  0.0      1.0

```

6.4.3 sanity check: look at spectrograms of clips labeled 0 and 1

```

[26]: # ignore the "?" annotations for this visualization
all_labels = all_labels[all_labels["?"]==0]

```




```

[27]: # plot spectrograms for 3 random positive clips
positives = all_labels[all_labels['GWWA_song']==1].sample(3,random_state=0)
print("spectrograms of 3 random positive clips (label=1)")
for positive_clip in positives.index.values:
    Spectrogram.from_audio(Audio.from_file(positive_clip)).plot()


# plot spectrograms for 5 random negative clips
negatives = all_labels[all_labels['GWWA_song']==0].sample(3,random_state=0)
print("spectrogram of 3 random negative clips (label=0)")
for negative_clip in negatives.index.values:
    Spectrogram.from_audio(Audio.from_file(negative_clip)).plot()

```

spectrograms of 3 random positive clips (label=1)



spectrogram of 3 random negative clips (label=0)



clean up: remove temp_clips directory

```
[28]: import shutil
      shutil.rmtree('./resources/temp_clips/')
```

Prediction with pre-trained CNNs

This notebook contains all the code you need to use a pre-trained OpenSoundscape convolutional neural network model (CNN) to make predictions on your own data. Before attempting this tutorial, install OpenSoundscape by following the instructions on the OpenSoundscape website, opensoundscape.org. More detailed tutorials about data preprocessing, training CNNs, and customizing prediction methods can also be found on this site.

7.1 Load required packages

We will load several imports from OpenSoundscape. First, load the `AudioToSpectrogramPreprocessor` class from the `preprocess.preprocessors` module. Preprocessor classes are used to load, transform, and augment audio samples for use in a machine learning model.

```
[23]: from opensoundscape.preprocess.preprocessors import AudioToSpectrogramPreprocessor
```

Second, the `cnn` module provides classes for training and prediction with various structures of CNNs. For this example, load the `Resnet18Binary` class, used for models made with the Resnet18 architecture for predicting the presence or absence of a species (a “binary” classifier).

```
[24]: # The cnn module provides classes for training/predicting with various types of CNNs
from opensoundscape.torch.models.cnn import Resnet18Binary
```

Finally, load some additional packages and perform some setup for the Jupyter notebook.

```
[25]: # Other utilities and packages
import torch
from pathlib import Path
import numpy as np
import pandas as pd
from glob import glob
import subprocess
```

```
[26]: #set up plotting
from matplotlib import pyplot as plt
plt.rcParams['figure.figsize']=[15,5] #for large visuals
%config InlineBackend.figure_format = 'retina'
```

7.2 Prepare audio data for prediction

To run predictions on your audio data, you will need to have your audio already split up into the clip lengths that the model expects to receive. If your audio data are not already split, see the demonstration of the `Audio.split()` method in the `audio_and_spectrogram` notebook.

You can check the length of clips that the model receives in the model's notes when you download it. This is often, but not always, 5.0 seconds.

7.2.1 Download audio files

The Kitzes Lab has created a small labeled dataset of short clips of American Woodcock vocalizations. You have two options for obtaining the folder of data, called `woodcock_labeled_data`:

1. Run the following cell to download this small dataset. These commands require you to have `curl` and `tar` installed on your computer, as they will download and unzip a compressed file in `.tar.gz` format.
2. OR download a `.zip` version of the files by clicking [here](#). You will have to unzip this folder and place the unzipped folder in the same folder that this notebook is in.

Note: Once you have the data, you do not need to run this cell again.

```
[27]: subprocess.run(['curl', 'https://pitt.box.com/shared/static/
↳ 79fi7d715dulcldsy6uogz02rsn5uesd.gz', '-L', '-o', 'woodcock_labeled_data.tar.gz']) #_
↳ Download the data
subprocess.run(["tar", "-xzf", "woodcock_labeled_data.tar.gz"]) # Unzip the downloaded_
↳ tar.gz file
subprocess.run(["rm", "woodcock_labeled_data.tar.gz"]) # Remove the file after its_
↳ contents are unzipped

[27]: CompletedProcess(args=['rm', 'woodcock_labeled_data.tar.gz'], returncode=0)
```

7.2.2 Generate a Preprocessor object

In addition to having audio clips of the correct length, you will need to create a Preprocessor object that loads audio samples for the CNN.

First, generate a Pandas DataFrame with the index containing the paths to each file, as shown below.

```
[28]: # collect a list of audio files
file_list = glob('./woodcock_labeled_data/*.wav')

# create a DataFrame with the audio files as the index
audio_file_df = pd.DataFrame(index=file_list)
```

Next, use that DataFrame to create a Preprocessor object suitable for your application. Use the argument `return_labels=False`, as our audio to predict on does not have labels.

If the model was trained with any special preprocessor settings, you should apply those settings here. For pretrained models created by the Kitzes Lab, see the model's notes from its download page for the exact code to use here.

```
[29]: # create a Preprocessor object
# we use the option "return_labels=False" because our audio to predict on does not_
# have labels
from opensoundscape.preprocess.preprocessors import AudioToSpectrogramPreprocessor
prediction_dataset = AudioToSpectrogramPreprocessor(audio_file_df, return_
# labels=False)
```

7.3 Models trained with OpenSoundscape v0.5.x

Check the model notes page for the appropriate model class to use and import the correct class from the `cnn` module.

```
[30]: from opensoundscape.torch.models.cnn import Resnet18Binary
```

For the purpose of demonstration, let's generate a new Resnet18 model for binary prediction and save it to our local folder. This is a dummy model that will not be trained using any data and will thus not make meaningful predictions.

If you download a pre-trained model, you can skip this cell.

```
[31]: model = Resnet18Binary(classes=['absent', 'present'])
model.save('./demo.model')
```

```
created PytorchModel model object with 2 classes
Saving to demo.model
```

```
[32]: from opensoundscape.torch.models.cnn import PytorchModel
```

Next, provide the model class's `from_checkpoint()` method with the path to your downloaded model.

```
[33]: # load the model into the appropriate model class
model = Resnet18Binary.from_checkpoint('./demo.model')
```

```
created PytorchModel model object with 2 classes
loading weights from saved object
```

Generate predictions as follows. The `predict` method returns three arguments: scores, thresholded predictions, and labels. For unthresholded prediction on unlabeled data, only the first one is relevant, so we can discard the other returns using scores, `_`, `_`.

```
[34]: # call model.predict() with the Preprocessor to generate predictions
scores, _, _ = model.predict(prediction_dataset)
```

```
(29, 2)
```

Look at the scores of the first 5 samples. These scores may be anything from negative to positive infinity.

```
[35]: #look at the scores of the first 5 samples
scores.head()
```

```
[35]:
```

	absent	present
./woodcock_labeled_data/6a83b011665c482c1f260d8...	0.484657	0.382294
./woodcock_labeled_data/0d043e9954d9d80ca2c3e86...	0.593123	0.313045
./woodcock_labeled_data/78654b6f687d7635f50fba3...	0.616126	0.423048
./woodcock_labeled_data/863095c237c52ec51cff739...	0.287727	0.352490
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	0.442259	0.363902

7.3.1 Options for prediction

The code above returns the raw predictions of the model without any post-processing (such as a softmax layer or a sigmoid layer).

For details on how to use the `predict()` function for post-processing of predictions and to generate binary 0/1 predictions of class presence, see the “Basic training and prediction with CNNs” tutorial notebook. But, as a quick example, let’s add a softmax layer to make the prediction scores for both classes sum to 1. We can also use the `binary_preds` argument to generate 0/1 predictions for each sample and class. For presence/absence models, use the option `binary_preds='single_target'`. For multi-class models, think about whether each clip should be labeled with only one class (single target) or whether each clip could contain multiple classes (`binary_preds='multi_target'`)

```
[36]: scores, binary_predictions, _ = model.predict(
      prediction_dataset,
      activation_layer='softmax',
      binary_preds='single_target'
    )

(29, 2)
```

As before, the scores are continuous variables, but now have been softmaxed:

```
[37]: scores.head()
```

```
[37]:
```

	absent	present
./woodcock_labeled_data/6a83b011665c482c1f260d8...	0.525568	0.474432
./woodcock_labeled_data/0d043e9954d9d80ca2c3e86...	0.569565	0.430435
./woodcock_labeled_data/78654b6f687d7635f50fba3...	0.548120	0.451880
./woodcock_labeled_data/863095c237c52ec51cff739...	0.483815	0.516185
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	0.519579	0.480421

We also have an additional output, the binary 0/1 (“absent” vs “present”) predictions generated by the model:


```
[38]: binary_predictions.head()
```

```
[38]:
```

	absent	present
./woodcock_labeled_data/6a83b011665c482c1f260d8...	1.0	0.0
./woodcock_labeled_data/0d043e9954d9d80ca2c3e86...	1.0	0.0
./woodcock_labeled_data/78654b6f687d7635f50fba3...	1.0	0.0
./woodcock_labeled_data/863095c237c52ec51cff739...	0.0	1.0
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	1.0	0.0

It is often helpful to look at a histogram of the scores for the positive class. Because this dummy model had random weights, we would expect this histogram to center somewhere around 0.5.

```
[39]: _ = plt.hist(scores['present'], bins=20)
      _ = plt.xlabel('softmax score for positive class')
```



7.4 Prediction on long (un-split) audio files

It's also possible to run predictions on long audio files. In this case, OpenSoundscape will internally split the audio into short segments during prediction. The input and output of prediction is slightly different in this case: - Input is similar to before: a dataframe with the index containing the paths to audio files - Output is still a dataframe, but it will have three "index" columns. The first matches the index of the input, and contains the audio file paths. The second and third index columns contain the "begin" and "end" time of clips relative to the start of the audio file. The remaining columns, as usual, contain the names of each class and the scores or predictions for each class for that row's audio clip.

Let's look at an example. We'll use the 1 minute audio file contained within OpenSoundscape's test folder as a "long" audio file. In practice, you can split files that are multiple hours long - the limiting factor is your computer's memory ("RAM"), which must be able to hold the entire audio file.

```
[40]: import opensoundscape
from opensoundscape.preprocess.preprocessors import LongAudioPreprocessor

#get audio path from opensoundscape's tests folder
audio_1m_path = Path(opensoundscape.__file__).parent.parent.joinpath('tests/audio/
↳ 1min.wav')
long_audio_prediction_df = pd.DataFrame(index=[audio_1m_path])
img_shape = [224,224]

#the audio will be split during prediction. choose the clip length and overlap of
↳ sequential clips (0 for no overlap)
clip_length = 5.0
clip_overlap = 0.0
long_audio_prediction_ds = LongAudioPreprocessor(
    long_audio_prediction_df,
    audio_length=clip_length,
    clip_overlap=clip_overlap,
    out_shape=img_shape,
)
```

in addition to the scores (and potentially, predictions) the function returns a list of "unsafe" samples that caused errors during preprocessing.

```
[41]: score_df, pred_df, unsafe_samples = model.split_and_predict(
        long_audio_prediction_ds,
        file_batch_size=1,
        num_workers=0,
        activation_layer=None,
        binary_preds='single_target',
        threshold=0.5,
        clip_batch_size=4,
        error_log=None,
    )
score_df.head()
```

```
[41]:
```

file	start_time	end_time	absent \
/home/louisfh/Development/opensoundscape/tests/...	0.0	5.0	0.784139
	5.0	10.0	0.402279
	10.0	15.0	0.854899
	15.0	20.0	0.626625
	20.0	25.0	0.757906

file	start_time	end_time	present
/home/louisfh/Development/opensoundscape/tests/...	0.0	5.0	0.027767
	5.0	10.0	-0.030964
	10.0	15.0	0.172253
	15.0	20.0	0.354499
	20.0	25.0	0.259789

7.5 Models trained with OpenSoundscape 0.4.x

One set of our publicly available [binary models for 500 species](#) was created with an older version of OpenSoundscape. These models require a little bit of manipulation to load into OpenSoundscape 0.5.x and onward.

First, let's download one of these models (it's stored in a .tar format) and save it to the same directory as this notebook in a file called opso_04_model_acanthis-flammea.tar

```
[42]: subprocess.run(['curl',
                    'https://pitt.box.com/shared/static/lglpty35omjhmq6cdz8cfudm43nn2t9f.
↳tar',
                    '-L', '-o', 'opso_04_model_acanthis-flammea.tar'])

[42]: CompletedProcess(args=['curl', 'https://pitt.box.com/shared/static/
↳lglpty35omjhmq6cdz8cfudm43nn2t9f.tar', '-L', '-o', 'opso_04_model_acanthis-flammea.
↳tar'], returncode=0)
```

Next, load the weights from that model into an OpenSoundscape model object with the following code:

```
[43]: from opensoundscape.torch.models.cnn import PytorchModel
from opensoundscape.torch.architectures.cnn_architectures import resnet18
import torch

# load the tar file into a dictionary
# (you could change this to the location of any .tar file on your computer)
opso_04_model_tar_path = "./opso_04_model_acanthis-flammea.tar"
opso_04_model_dict = torch.load(opso_04_model_tar_path)
```

(continues on next page)

(continued from previous page)

```
# create a resnet18 binary model
# (all models created with Opensoundscape 0.4.x are 2-class resnet18 architectures)
architecture = resnet18(num_classes=2, use_pretrained=False)
model = PytorchModel(classes=['negative', 'positive'], architecture=architecture)

# load the model weights into our model object
# now, our model is equivalent to the trained model we downloaded
model.network.load_state_dict(opso_04_model_dict['model_state_dict'])

created PytorchModel model object with 2 classes
```

```
[43]: <All keys matched successfully>
```

Now, we can use the model as normal to create predictions on audio. We'll use the same `prediction_dataset` from above (which does not contain any Common redpoll).

Remember to choose the `activation_layer` you desire. In this example, we'll assume we just want to generate scores, not binary predictions. We'll apply a softmax layer, then the logit transform, to the scores using the `activation_layer="softmax_and_logit"` option. This will generate the type of scores that are useful for plotting score histograms, among other things.

```
[44]: # generate predictions on our dataset
prediction_scores_df, __ = model.predict(prediction_dataset, activation_layer='softmax
↪')
prediction_scores_df.head()

(29, 2)
```

```
[44]:
```

	negative	positive
./woodcock_labeled_data/6a83b011665c482c1f260d8...	0.998181	0.001819
./woodcock_labeled_data/0d043e9954d9d80ca2c3e86...	0.999854	0.000145
./woodcock_labeled_data/78654b6f687d7635f50fba3...	0.998935	0.001065
./woodcock_labeled_data/863095c237c52ec51cff739...	0.999816	0.000184
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	0.995471	0.004529

Remove the downloaded files to clean up.

```
[45]: folder = Path('./woodcock_labeled_data')
[p.unlink() for p in folder.glob("*")]
folder.rmdir()
for p in Path('.').glob('*.model'):
    p.unlink()
for p in Path('.').glob('*.tar'):
    p.unlink()
```

Basic training and prediction with CNNs

Convolutional Neural Networks (CNNs) are a popular tool for developing automated machine learning classifiers on images or image-like samples. By converting audio into a two-dimensional frequency vs. time representation such as a spectrogram, we can generate image-like samples that can be used to train CNNs. This tutorial demonstrates the basic use of OpenSoundscape’s preprocessors and `cnn` modules for training CNNs and making predictions using CNNs.

Under the hood, OpenSoundscape uses Pytorch for machine learning tasks. By using OpenSoundscape’s CNN classes such as `Resnet18Multiclass` in combination with preprocessor classes such as `CNNPreprocessor`, you can train and predict with PyTorch’s powerful CNN architectures.

First, let’s import some utilities.

```
[1]: # Preprocessor classes are used to load, transform, and augment audio samples for use
    ↪ in a machine learning model
    from opensoundscape.preprocess.preprocessors import BasePreprocessor,
    ↪ AudioToSpectrogramPreprocessor

    # the cnn module provides classes for training/predicting with various types of CNNs
    from opensoundscape.torch.models.cnn import Resnet18Multiclass, Resnet18Binary

    # other utilities and packages
    import torch
    import pandas as pd
    from pathlib import Path
    import numpy as np
    import pandas as pd
    import random
    import subprocess

    # set up plotting
    from matplotlib import pyplot as plt
    plt.rcParams['figure.figsize']=[15,5] # for large visuals
    %config InlineBackend.figure_format = 'retina'
```

Set manual seeds for pytorch and python. These ensure the training results are reproducible. You probably don’t want

to do this when you actually train your model, but it's useful for debugging.

```
[2]: torch.manual_seed(0)
      random.seed(0)
```

8.1 Prepare audio data

8.1.1 Download labeled audio files

Training a machine learning model requires some pre-labeled data. These data, in the form of audio recordings or spectrograms, are labeled with whether or not they contain the sound of the species of interest. These data can be obtained from online databases such as Xeno-Canto.org, or by labeling one's own ARU data using a program like Cornell's Raven sound analysis software.

The Kitzes Lab has created a small labeled dataset of short clips of American Woodcock vocalizations. You have two options for obtaining the folder of data, called `woodcock_labeled_data`:

1. Run the following cell to download this small dataset. These commands require you to have `tar` installed on your computer, as they will download and unzip a compressed file in `.tar.gz` format.
2. Download a `.zip` version of the files by clicking [here](#). You will have to unzip this folder and place the unzipped folder in the same folder that this notebook is in.

Note: Once you have the data, you do not need to run this cell again.

```
[3]: subprocess.run(['curl', 'https://pitt.box.com/shared/static/
↳ 79fi7d715dulcldsy6uogz02rsn5uesd.gz', '-L', '-o', 'woodcock_labeled_data.tar.gz']) #_
↳ Download the data
subprocess.run(["tar", "-xzf", "woodcock_labeled_data.tar.gz"]) # Unzip the downloaded_
↳ tar.gz file
subprocess.run(["rm", "woodcock_labeled_data.tar.gz"]) # Remove the file after its_
↳ contents are unzipped

[3]: CompletedProcess(args=['rm', 'woodcock_labeled_data.tar.gz'], returncode=0)
```

8.1.2 Generate one-hot encoded labels

The folder contains 2s long audio clips taken from an autonomous recording unit. It also contains a file `woodcock_labels.csv` which contains the names of each file and its corresponding label information, created using a program called `Specky`.

```
[4]: #load Specky output: a table of labeled audio files
specky_table = pd.read_csv(Path("woodcock_labeled_data/woodcock_labels.csv"))
specky_table.head()
```

```
[4]:
```

	filename	woodcock	sound_type
0	d4c40b6066b489518f8da83af1ee4984.wav	present	song
1	e84a4b60a4f2d049d73162ee99a7ead8.wav	absent	na
2	79678c979ebb880d5ed6d56f26ba69ff.wav	present	song
3	49890077267b569e142440fa39b3041c.wav	present	song
4	0c453a87185d8c7ce05c5c5ac5d525dc.wav	present	song

This table must provide an accurate path to the files of interest. For this self-contained tutorial, we can use relative paths (starting with a dot and referring to files in the same folder), but you may want to use absolute paths for your training.

```
[5]: #update the paths to the audio files
specky_table.filename = ['./woodcock_labeled_data/'+f for f in specky_table.filename]
specky_table.head()
```

```
[5]:
```

	filename	woodcock	sound_type
0	./woodcock_labeled_data/d4c40b6066b489518f8da8...	present	song
1	./woodcock_labeled_data/e84a4b60a4f2d049d73162...	absent	na
2	./woodcock_labeled_data/79678c979ebb880d5ed6d5...	present	song
3	./woodcock_labeled_data/49890077267b569e142440...	present	song
4	./woodcock_labeled_data/0c453a87185d8c7ce05c5c...	present	song

We then use the `categorical_to_one_hot` function from `opensoundscape.annotations` to crate “one hot” labels - that is, a column for every class, with 1 for present or 0 for absent in each sample’s row. In this case, our classes are simply 'negative' for files without a woodcock and 'positive' for files with a woodcock.

We’ll need to put the paths to audio files as the index of the DataFrame.

Note that these classes are mutually exclusive, so we have a “single-target” problem, as opposed to a “multi-target” problem where multiple classes can simultaneously be present.

```
[6]: from opensoundscape.annotations import categorical_to_one_hot
one_hot_labels, classes = categorical_to_one_hot(specky_table[['woodcock']].values)
labels = pd.DataFrame(index=specky_table['filename'], data=one_hot_labels,
↳ columns=classes)
labels.head()
```

```
[6]:
```

	absent	present
filename		
./woodcock_labeled_data/d4c40b6066b489518f8da83...	0	1
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	1	0
./woodcock_labeled_data/79678c979ebb880d5ed6d56...	0	1
./woodcock_labeled_data/49890077267b569e142440f...	0	1
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	0	1

If we want to, we can always convert one_hot labels back to categorical labels:

```
[7]: from opensoundscape.annotations import one_hot_to_categorical
categorical_labels = one_hot_to_categorical(one_hot_labels, classes)
categorical_labels[:3]

[7]: [['present'], ['absent'], ['present']]
```

8.1.3 Split into training and validation sets

We use a utility from `sklearn` to randomly divide the labeled samples into two sets. The first set, `train_df`, will be used to train the CNN, while the second set, `valid_df`, will be used to test how well the model can predict the classes of samples that it was not trained with.

During the training process, the CNN will go through all of the samples once every “epoch” for several (sometimes hundreds of) epochs. Each epoch usually consists of a “learning” step and a “validation” step. In the learning step, the CNN iterates through all of the training samples while the computer program is modifying the weights of the convolutional neural network. In the validation step, the program performs prediction on all of the validation samples and prints out metrics to assess how well the classifier generalizes to unseen data.

```
[8]: from sklearn.model_selection import train_test_split
train_df, valid_df = train_test_split(labels, test_size=0.2, random_state=1)
```

8.1.4 Create preprocessors for training and validation

Preprocessors in OpenSoundscape can be used to process audio data, especially for training and prediction with convolutional neural networks.

To train a CNN, we use `CnnPreprocessor`, which loads audio files, creates spectrograms, performs various augmentations to the spectrograms, and returns a pytorch Tensor to be used in training or prediction. All of the steps in the preprocessing pipeline can be modified or skipped by modifying the preprocessor's `.actions`. For details on how to modify and customize a preprocessor, see the [preprocessing notebook/tutorial](#).

Each Preprocessor must be initialized with a very specific dataframe with the following attributes:

- the index of the dataframe provides paths to audio samples
- the columns are the class names
- the values are 0 (absent/False) or 1 (present/True) for each sample and each class.

The `train_df` and `valid_df` we created above meet these needs:

```
[9]: train_df.head()
```

	absent	present
filename		
./woodcock_labeled_data/49890077267b569e142440f...	0	1
./woodcock_labeled_data/ad90eefb6196ca83f9cf43b...	0	1
./woodcock_labeled_data/e9e7153d11de3ac8fc3f716...	0	1
./woodcock_labeled_data/c057a4486b25cd638850fc0...	0	1
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	0	1

We next create separate preprocessors for training and for validation. These data will be assessed separately each epoch, as described above.

```
[10]: from opensoundscape.preprocess.preprocessors import CnnPreprocessor

train_dataset = CnnPreprocessor(train_df)

valid_dataset = CnnPreprocessor(valid_df)
```

8.1.5 Inspect training images

Before creating a machine learning algorithm, we strongly recommend making sure the images coming out of the preprocessor look like you expect them to. Here we generate images for a few samples.


First, in order to view the images, we need a helper function that correctly displays the Tensor that comes out of the Preprocessor.

```
[11]: # helper function for displaying a sample as an image
def show_tensor(sample):
    plt.imshow((sample['X'][0, :, :] / 2 + 0.5) * -1, cmap='Greys', vmin=-1, vmax=0)
    plt.show()
```


Now, load a handful of random samples, printing the labels and image for each:

```
[12]: for i, d in enumerate(train_dataset.sample(n=4)):
    print(f"labels: {d['y']}")
    show_tensor(d)
```


labels: tensor([0, 1])



labels: tensor([1, 0])




labels: tensor([1, 0])




The `CnnPreprocessor` `preprocessor` allows you to turn all augmentation off or on as desired. Inspect the unaugmented images as well:

```
[13]: train_dataset.augmentation_off()
      for i, d in enumerate(train_dataset.sample(n=4)):
          print(f"labels: {d['y']}")
          show_tensor(d)


labels: tensor([1, 0])
```


labels: tensor([0, 1])



labels: tensor([1, 0])



labels: tensor([0, 1])



8.2 Training

Now, we create a convolutional neural network model object, train it on the `train_dataset` with validation from `valid_dataset`, and use it for prediction.

8.2.1 Set up a two-class, single-target model

This demonstrates using a two class, single-target model.

- The two classes in this case are “positive” and “negative.”

- The model is “single target,” meaning that each sample belongs to exactly one class, “positive” or “negative”

We usually use two-class, single-target models to predict the presence or absence of a single species. We often refer to this as a “binary” model, but be careful not to confuse this for a thresholded model with binarized (1/0) outputs.

The model object should be initialized with a list of class names that matches the class names in the training dataset. We use the Resnet18 CNN architecture with binary classifier output, `Resnet18Binary`. For more details on other CNN architectures, see the “Custom CNNs” tutorial.

```
[14]: # Create model object
      classes = train_df.columns
      model = Resnet18Binary(classes)

      created PytorchModel model object with 2 classes
```

8.2.2 Train the model

Depending on the speed of your computer, training the CNN may take a few minutes.

We’ll only train for 5 epochs on this small dataset as a demonstration, but you’ll probably need to train for hundreds of epochs on hundreds of training files (at a minimum) to create a useful model.

In practice, using larger batch sizes (64+) improves stability and generalizability of training, particularly for architectures (such as ResNet) that contain a ‘batch norm’ layer. Here we use a small batch size to keep the computational requirements for this tutorial low.

```
[15]: model.train(
      train_dataset=train_dataset,
      valid_dataset=valid_dataset,
      save_path='./binary_train/',
      epochs=5,
      batch_size=8,
      save_interval=100,
      num_workers=0,
      )

Epoch: 0 [batch 0/3 (0.00%)]
      Jacc: 0.125 Hamm: 0.750 DistLoss: 0.977

Validation.
(6, 2)
      Precision: 0.8333333333333334
      Recall: 1.0
      F1: 0.9090909090909091
Updating best model
Saving to binary_train/best.model
Epoch: 1 [batch 0/3 (0.00%)]
      Jacc: 0.312 Hamm: 0.375 DistLoss: 0.953

Validation.
(6, 2)
      Precision: 0.8333333333333334
      Recall: 1.0
      F1: 0.9090909090909091
Epoch: 2 [batch 0/3 (0.00%)]
      Jacc: 1.000 Hamm: 0.000 DistLoss: 0.134

Validation.
```

(continues on next page)

(continued from previous page)

```
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Epoch: 3 [batch 0/3 (0.00%)]
    Jacc: 0.679 Hamm: 0.125 DistLoss: 0.188

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Epoch: 4 [batch 0/3 (0.00%)]
    Jacc: 1.000 Hamm: 0.000 DistLoss: 0.005

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Saving weights, metrics, and train/valid scores.
Saving to binary_train/epoch-4.model


Best Model Appears at Epoch 0 with F1 0.909.
```

8.2.3 Plot the loss history

We can plot the loss from each epoch to check that our loss is declining

```
[16]: plt.scatter(model.loss_hist.keys(), model.loss_hist.values())
      plt.xlabel('epoch')
      plt.ylabel('loss')
```

```
[16]: Text(0, 0.5, 'loss')
```



8.3 Prediction

We haven't actually trained a useful model in 5 epochs, but we can use the trained model to demonstrate how prediction works and show several of the settings useful for prediction.

8.3.1 Create preprocessor for prediction

Similar to training, prediction requires the use of a Preprocessor. To load audio and create a spectrogram without applying any augmentation, we use the class `AudioToSpectrogramPreprocessor`. We can use any Preprocessor class here as long as it provides the correct tensor shape to the model.

In this instance, we'll reuse the validation dataset used above, but in a real application you would likely want to use the model for prediction on a separate dataset, such as a new and unlabeled dataset that you want to classify.

```
[17]: prediction_dataset = AudioToSpectrogramPreprocessor(valid_df)
```

8.3.2 Predict on the validation dataset

We simply call model's `.predict()` method on a Preprocessor instance.

This will return three dataframes:

- `scores` : numeric predictions from the model for each sample and class (by default these are raw outputs from the model)
- `predictions`: 0/1 predictions from the model for each sample and class (only generated if `binary_predictions` argument is supplied)
- `labels`: Original labels from the dataset, if available

```
[18]: valid_scores_df, valid_preds_df, valid_labels_df = model.predict(prediction_dataset)
      valid_scores_df.head()
```

```
(6, 2)
```

```
[18]:
```

	absent	present
./woodcock_labeled_data/882de25226ed989b31274ee...	-4.748619	6.135388
./woodcock_labeled_data/92647ab903049a9ee4125ab...	-1.427951	2.316481
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	-0.134718	0.738218
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	-4.184362	5.187455
./woodcock_labeled_data/ad14ac7ffa729060712b442...	1.358391	-1.042956

```
[19]: # None: not generated because the `binary_predictions` argument was not supplied
      valid_preds_df
```

```
[20]: valid_labels_df.head()
```

```
[20]:
```

	absent	present
./woodcock_labeled_data/882de25226ed989b31274ee...	0	1
./woodcock_labeled_data/92647ab903049a9ee4125ab...	0	1
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	0	1
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0	1
./woodcock_labeled_data/ad14ac7ffa729060712b442...	1	0

The `valid_preds` dataframe in the example above is `None` - this is because we haven't specified an option for the `binary_preds` argument of `predict`. We can choose between `'single_target'` prediction (always predict the highest scoring class and no others) or `'multi_target'` (predict 1 for all classes exceeding a threshold).

8.3.3 Binarize predictions

Supplying the `binary_preds` argument returns a dataframe in which the scores are “binarized,” i.e., transformed from real numbers to either 0 or 1.

Note: Binary predictions always have some error rates, sometimes large ones. It is not generally advisable to use these binary predictions as scientific observations without a thorough understanding of the model’s false-positive and false-negative rates.

If you wish to output binary predictions, three options are available:

- None: default. do not create or return binary predictions
- 'single_target': predict that the highest-scoring class = 1, all others = 0
- 'multi_target': provide a threshold. Scores above threshold = 1, others = 0

For instance, using the option 'single_target' chooses whichever of 'negative' or 'positive' is higher.

```
[21]: scores, preds, labels = model.predict(prediction_dataset, binary_preds='single_target')
      preds.head()
```

```
(6, 2)
```

```
[21]:
```

	absent	present
./woodcock_labeled_data/882de25226ed989b31274ee...	0.0	1.0
./woodcock_labeled_data/92647ab903049a9ee4125ab...	0.0	1.0
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	0.0	1.0
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0.0	1.0
./woodcock_labeled_data/ad14ac7ffa729060712b442...	1.0	0.0

The 'multi_target' option allows you to select a threshold. If a score meets that threshold, the binary prediction is 1; otherwise, it is 0.

Each score will have a function applied to it that takes the score from the real numbers, $(-\infty, \infty)$, to the range $[0, 1]$ (specifically the logistic sigmoid, or `expit` function). Whether the score meets this threshold will be based off of the sigmoid, not the raw score.

```
[22]: score_df, pred_df, label_df = model.predict(
      prediction_dataset,
      binary_preds='multi_target',
      threshold=0.1,
    )
      pred_df.head()
```

```
(6, 2)
```

```
[22]:
```

	absent	present
./woodcock_labeled_data/882de25226ed989b31274ee...	0.0	1.0
./woodcock_labeled_data/92647ab903049a9ee4125ab...	1.0	1.0
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	1.0	1.0
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0.0	1.0
./woodcock_labeled_data/ad14ac7ffa729060712b442...	1.0	1.0

Note that in some of the above predictions, both the negative and positive classes are predicted to be present. This is because the 'multi_target' option assumes that the classes are not mutually exclusive. For a presence/absence model like the one above, the 'single_target' option is more appropriate.

8.3.4 Change the activation layer

We can modify the final activation layer to change the scores returned by the `predict()` function. Note that this does not impact the results of the binary predictions (described above), which are always calculated using a sigmoid transformation.

Options include:

- `None`: default. Just the raw outputs of the network, which are in $(-\infty, \infty)$
- `'softmax'`: scores across all classes will sum to 1 for each sample
- `'softmax_and_logit'`: softmax the scores across all classes so they sum to 1, then apply the “logit” transformation to these scores, taking them from $[0, 1]$ back to $(-\infty, \infty)$
- `'sigmoid'`: transforms each score individually to $[0, 1]$ without requiring they sum to 1

In this case, since we are choosing between two mutually exclusive classes, we may want to use the `'softmax'` activation.

```
[23]: valid_scores, valid_preds, valid_labels = model.predict(prediction_dataset,
↳ activation_layer='softmax')

(6, 2)
```

Compare the softmax scores to the true labels for this dataset, side-by-side:

```
[24]: valid_scores.columns = ['pred_negative', 'pred_positive']
valid_dataset.df.join(valid_scores).sample(5)
```

```
[24]:
```

	absent	present	\
filename			
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0	1	
./woodcock_labeled_data/92647ab903049a9ee4125ab...	0	1	
./woodcock_labeled_data/882de25226ed989b31274ee...	0	1	
./woodcock_labeled_data/ad14ac7ffa729060712b442...	1	0	
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	0	1	

	pred_negative	\
filename		
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0.000085	
./woodcock_labeled_data/92647ab903049a9ee4125ab...	0.023103	
./woodcock_labeled_data/882de25226ed989b31274ee...	0.000019	
./woodcock_labeled_data/ad14ac7ffa729060712b442...	0.916930	
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	0.294644	

	pred_positive
filename	
./woodcock_labeled_data/01c5d0c90bd4652f308fd9c...	0.999915
./woodcock_labeled_data/92647ab903049a9ee4125ab...	0.976897
./woodcock_labeled_data/882de25226ed989b31274ee...	0.999981
./woodcock_labeled_data/ad14ac7ffa729060712b442...	0.083070
./woodcock_labeled_data/75b2f63e032dbd6d1979004...	0.705356

8.3.5 Parallelizing prediction

Two parameters can be used to increase prediction efficiency, depending on the computational resources available:

- `num_workers`: Pytorch’s method of parallelizing across cores (CPUs) - choose 0 to predict on the root process, or >1 if you want to use more than 1 CPU

- `batch_size`: number of samples to predict on simultaneously

```
[25]: score_df, pred_df, label_df = model.predict(
    valid_dataset,
    batch_size=8,
    num_workers=0,
    binary_preds='multi_target'
)

(6, 2)
```

8.4 Multi-class models

A multi-class model can have any number of classes, and can be either

- multi-target: any number of classes can be positive for one sample
- single-target: exactly one class is positive for each sample

Training and prediction with these models looks similar to that of two-class models, with a few extra considerations.

For example, make a `Resnet18Multiclass` model. This model is multi-target by default, which you can see by inspecting the `model.single_target` attribute:

```
[26]: from opensoundscape.torch.models.cnn import Resnet18Multiclass
model = Resnet18Multiclass(classes)
print("model.single_target:", model.single_target)

created PytorchModel model object with 2 classes
model.single_target: False
```

If you want a single-target model, uncomment and run the following line.

```
[27]: #model.single_target = True
```

8.4.1 Train

Training looks the same as in two-class models. In practice, using larger batch sizes (64+) improves stability and generalizability of training.

```
[28]: model.train(
    train_dataset=train_dataset,
    valid_dataset=valid_dataset,
    save_path='./multilabel_train/',
    epochs=1,
    batch_size=16,
    save_interval=100,
    num_workers=0
)

Epoch: 0 [batch 0/2 (0.00%)]
    Jacc: 0.531 Hamm: 0.375 DistLoss: 19.650

Validation.
(6, 2)
    Precision: 0.4166666666666667
```

(continues on next page)

(continued from previous page)

```

Recall: 0.5
F1: 0.45454545454545453
Saving weights, metrics, and train/valid scores.
Saving to multilabel_train/epoch-0.model
Updating best model
Saving to multilabel_train/best.model

Best Model Appears at Epoch 0 with F1 0.455.

```

8.4.2 Predict

Prediction looks the same as demonstrated above, but make sure to think carefully:

- What `activation_layer` do I want?
- If outputting binary predictions for each sample and class, is my model single-target (`binary_preds='single_target'`) or multi-target (`binary_preds='multi_target'`)?

For more detail on these choices, see the sections about activation layers and binary predictions above.

```
[29]: train_preds,_,_ = model.predict(train_dataset)
train_preds.columns = ['pred_negative', 'pred_positive']
train_dataset.df.join(train_preds).head()
```

```
(23, 2)
```

```
[29]:
```

	absent	present	\
filename			
./woodcock_labeled_data/49890077267b569e142440f...	0	1	
./woodcock_labeled_data/ad90eefb6196ca83f9cf43b...	0	1	
./woodcock_labeled_data/e9e7153d11de3ac8fc3f716...	0	1	
./woodcock_labeled_data/c057a4486b25cd638850fc0...	0	1	
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	0	1	

	pred_negative	\
filename		
./woodcock_labeled_data/49890077267b569e142440f...	-4.794168	
./woodcock_labeled_data/ad90eefb6196ca83f9cf43b...	-3.602221	
./woodcock_labeled_data/e9e7153d11de3ac8fc3f716...	-3.736693	
./woodcock_labeled_data/c057a4486b25cd638850fc0...	-2.047401	
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	-4.035774	

	pred_positive
filename	
./woodcock_labeled_data/49890077267b569e142440f...	2.641960
./woodcock_labeled_data/ad90eefb6196ca83f9cf43b...	2.199117
./woodcock_labeled_data/e9e7153d11de3ac8fc3f716...	2.097271
./woodcock_labeled_data/c057a4486b25cd638850fc0...	1.098502
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	2.492296

8.5 Save and load models

A machine learning model is, in essence, a complex mathematical equation comprised of two parts:

- **architecture:** the particular structured connections between inputs and outputs of the model at various hierarchical stages, not modified during training. Examples of architectures in OpenSoundscape include `Resnet18Binary`.
- **weights:** the strength of these connections, tuned by training the model.

Training a model modifies the weights to attempt to better differentiate and classify samples. An analogy is linear regression: the “architecture” is a linear equation, and the “weights” are the slope and intercept identified to best fit the dataset.

Saving a model saves its weights.

Loading a model applies the saved weights to an architecture. The architecture used to load the model must be identical to the architecture that was previously used to train the model and save the weights. Thus we will need to know the architecture to load the model.

8.5.1 Save

OpenSoundscape saves models automatically during training:

- The model saves weights to `self.save_path` to `epoch-X.model` automatically during training every `save_interval` epochs
- The model keeps the file `best.model` updated with the weights that achieve the best F1 score on the validation dataset

You can also save the model manually at any time with `model.save(path)`.

```
[30]: model1 = Resnet18Binary(classes)
      # Save every 2 epochs
      model1.train(
          train_dataset=train_dataset,
          valid_dataset=valid_dataset,
          epochs=6,
          batch_size=8,
          save_path='./binary_train/',
          save_interval=2,
          num_workers=0
      )
      model1.save('./binary_train/my_favorite.model')
```

```
created PytorchModel model object with 2 classes
Epoch: 0 [batch 0/3 (0.00%)]
      Jacc: 0.524 Hamm: 0.250 DistLoss: 0.525

Validation.
(6, 2)
      Precision: 0.8333333333333334
      Recall: 1.0
      F1: 0.9090909090909091
Updating best model
Saving to binary_train/best.model
Epoch: 1 [batch 0/3 (0.00%)]
      Jacc: 0.679 Hamm: 0.125 DistLoss: 0.294

Validation.
(6, 2)
      Precision: 0.8333333333333334
      Recall: 1.0
```

(continues on next page)

(continued from previous page)

```

    F1: 0.9090909090909091
Saving weights, metrics, and train/valid scores.
Saving to binary_train/epoch-1.model
Epoch: 2 [batch 0/3 (0.00%)]
    Jacc: 1.000 Hamm: 0.000 DistLoss: 0.155

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Epoch: 3 [batch 0/3 (0.00%)]
    Jacc: 1.000 Hamm: 0.000 DistLoss: 0.052

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Saving weights, metrics, and train/valid scores.
Saving to binary_train/epoch-3.model
Epoch: 4 [batch 0/3 (0.00%)]
    Jacc: 1.000 Hamm: 0.000 DistLoss: 0.007

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Epoch: 5 [batch 0/3 (0.00%)]
    Jacc: 1.000 Hamm: 0.000 DistLoss: 0.003

Validation.
(6, 2)
    Precision: 0.8333333333333334
    Recall: 1.0
    F1: 0.9090909090909091
Saving weights, metrics, and train/valid scores.
Saving to binary_train/epoch-5.model

Best Model Appears at Epoch 0 with F1 0.909.
Saving to binary_train/my_favorite.model

```

8.5.2 Load

Models can be loaded from a saved file by either of two methods: - creating an instance of the model class, then calling `.load()` - calling the model class's `.from_checkpoint()` method

In either case, you must know the architecture of the saved model (the OpenSoundscape class it was created with).

The two methods produce equivalent results:

```

[31]: #create model object then load weights from checkpoint
model = Resnet18Binary(classes)
model.load('./binary_train/best.model')

```

```
created PytorchModel model object with 2 classes
loading weights from saved object
```

```
[32]: #or, create object directly from checkpoint
model = Resnet18Binary.from_checkpoint('./binary_train/best.model')
```

```
created PytorchModel model object with 2 classes
loading weights from saved object
```

The model can now be used for prediction (`model.predict()`) or to continue training (`model.train()`).

8.6 Predict using saved model

Using a saved or downloaded model to run predictions on audio files is as simple as

1. Creating a model object by loading previously saved weights
2. Creating an instance of a preprocessor class for prediction, e.g. `AudioToSpectrogramPreprocessor()`
3. Running `model.predict()` on the preprocessor

```
[33]: # load the saved model
model = Resnet18Binary.from_checkpoint('./binary_train/best.model')

# create a Preprocessor instance with the audio samples
prediction_dataset = AudioToSpectrogramPreprocessor(valid_df, return_labels=False)

#predict on a dataset
scores, _, _ = model.predict(prediction_dataset, activation_layer='softmax_and_logit')

created PytorchModel model object with 2 classes
loading weights from saved object
(6, 2)
```

8.7 Continue training from saved model

Similar to predicting using a saved model, we can also continue to train a model after loading it from a saved file.

By default, `.load()` loads the optimizer parameters and learning rate parameters from the saved model, in addition to the network weights.

```
[34]: # Create architecture
model = Resnet18Binary(classes)

# Load the model weights and training parameters
model.load('./binary_train/best.model')

# Continue training from the checkpoint where the model was saved
model.train(train_dataset, valid_dataset, save_path='.', epochs=0)

created PytorchModel model object with 2 classes
loading weights from saved object

Best Model Appears at Epoch 0 with F1 0.000.
```

8.8 Next steps

You now have seen the basic usage of training CNNs with OpenSoundscape and generating predictions.

Additional tutorials you might be interested in are: * Custom preprocessing: how to change spectrogram parameters, modify augmentation routines, etc. * Custom training: how to modify and customize model training * Predict with pre-trained CNNs: details on how to predict with pre-trained CNNs. Much of this information was covered in the tutorial above, but this tutorial also includes information about using models made with previous versions of OpenSoundscape

Finally, clean up and remove files created during this tutorial:

```
[35]: import shutil
      dirs = ['./multilabel_train', './binary_train', './woodcock_labeled_data']
      [shutil.rmtree(d) for d in dirs]
```

```
[35]: [None, None, None]
```

```
[ ]:
```

Custom preprocessing

Preprocessors in OpenSoundscape perform all of the preprocessing steps from loading a file from the disk up to providing a sample to the machine learning algorithm for training or prediction. These classes are used when (a) training a machine learning model in OpenSoundscape, or (b) making predictions with a machine learning model in OpenSoundscape.

If you are already familiar with PyTorch, you might notice that Preprocessors take the place of, and are children of, PyTorch’s Dataset classes to provide each sample to PyTorch as a Tensor.

Preprocessors are designed to be flexible and modular, so that each step of the preprocessing pipeline can be modified or removed. This notebook demonstrates:

- preparation of audio data to be used by a preprocessor
- how “Actions” are strung together into “Pipelines” to preprocess data
- modifying the parameters of actions
- turning Actions on and off
- modifying the order and contents of pipelines
- use of the `AudioToSpectrogramPreprocessor` class, including examples of:
 - modifying audio and spectrogram parameters
 - changing the output image shape
 - changing the output type
- use of the `CnnPreprocessor` class, including examples of:
 - choosing between default “augmentation on” and “augmentation off” pipelines
 - modifying augmentation parameters
 - using the “overlay” augmentation
- writing custom preprocessors and actions

First, import the needed packages.

```
[54]: # Preprocessor classes are used to load, transform, and augment audio samples for use
      ↪ in a machine learning model
      from opensoundscape.preprocess.preprocessors import BasePreprocessor,
      ↪ AudioToSpectrogramPreprocessor, CnnPreprocessor

      #other utilities and packages
      import torch
      import pandas as pd
      from pathlib import Path
      import numpy as np
      import pandas as pd
      import random
      import subprocess
```

Set up plotting and some helper functions.

```
[55]: #set up plotting
      from matplotlib import pyplot as plt
      plt.rcParams['figure.figsize']=[15,5] #for large visuals
      %config InlineBackend.figure_format = 'retina'

      # helper function for displaying a sample as an image
      def show_tensor(sample):
          plt.imshow((sample['X'] [0, :, :] /2+0.5) *-1, cmap='Greys', vmin=-1, vmax=0)
          plt.show()
```

Set manual seeds for pytorch and python. These ensure the training results are reproducible. You probably don't want to do this when you actually train your model, but it's useful for debugging.

```
[56]: torch.manual_seed(0)
      random.seed(0)
```

9.1 Preparing audio data

9.1.1 Download labeled audio files

The Kitzes Lab has created a small labeled dataset of short clips of American Woodcock vocalizations. You have two options for obtaining the folder of data, called `woodcock_labeled_data`:

1. Run the following cell to download this small dataset. These commands require you to have `tar` installed on your computer, as they will download and unzip a compressed file in `.tar.gz` format.
2. Download a `.zip` version of the files by clicking [here](#). You will have to unzip this folder and place the unzipped folder in the same folder that this notebook is in.

Note: Once you have the data, you do not need to run this cell again.

```
[57]: subprocess.run(['curl', 'https://pitt.box.com/shared/static/
      ↪ 79fi7d715dulcldsy6uogz02rsn5uesd.gz', '-L', '-o', 'woodcock_labeled_data.tar.gz']) #
      ↪ Download the data
      subprocess.run(["tar", "-xzf", "woodcock_labeled_data.tar.gz"]) # Unzip the downloaded
      ↪ tar.gz file
      subprocess.run(["rm", "woodcock_labeled_data.tar.gz"]) # Remove the file after its
      ↪ contents are unzipped
```



```
[57]: CompletedProcess(args=['rm', 'woodcock_labeled_data.tar.gz'], returncode=0)
```

9.1.2 Generate one-hot encoded labels

The folder contains 2s long audio clips taken from an autonomous recording unit. It also contains a file `woodcock_labels.csv` which contains the names of each file and its corresponding label information, created using a program called [Specky](#).

We manipulate the label dataframe to give “one hot” labels - that is, a column for every class, with 1 for present or 0 for absent in each sample’s row. In this case, our classes are simply ‘negative’ for files without a woodcock and ‘positive’ for files with a woodcock. Note that these classes are mutually exclusive, so we have a “single-target” problem (as opposed to a “multi-target” problem where multiple classes can simultaneously be present).

For more details on the steps below, see the basic CNN training and prediction tutorial.

```
[58]: #load Specky output: a table of labeled audio files
specky_table = pd.read_csv(Path("woodcock_labeled_data/woodcock_labels.csv"))
#update the paths to the audio files
specky_table.filename = ['./woodcock_labeled_data/'+f for f in specky_table.filename]

from opensoundscape.annotations import categorical_to_one_hot
one_hot_labels, classes = categorical_to_one_hot(specky_table[['woodcock']].values)
labels = pd.DataFrame(index=specky_table['filename'], data=one_hot_labels,
    ↪ columns=classes)
labels.head()
```

```
[58]:
```

	present	absent
filename		
./woodcock_labeled_data/d4c40b6066b489518f8da83...	1	0
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	0	1
./woodcock_labeled_data/79678c979ebb880d5ed6d56...	1	0
./woodcock_labeled_data/49890077267b569e142440f...	1	0
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	1	0

9.2 Intro to Preprocessors

Preprocessors prepare samples for use by machine learning algorithms by stringing together transformations called **Actions** into a **Pipeline**. The preprocessor sequentially applies to the sample each Action in the Pipeline. You can add, remove, and rearrange Actions from the pipeline and change the parameters of each Action.

The currently implemented Preprocessor classes and their Actions include:

- `CnnPreprocessor` - loads audio files, creates spectrograms, performs various augmentations, and returns a pytorch Tensor.
- `AudioToSpectrogramPreprocessor` - loads audio files, creates spectrograms, and returns a pytorch Tensor (no augmentation).

9.2.1 Initialize preprocessor

A Preprocessor must be initialized with a very specific dataframe:

- the index of the dataframe provides paths to audio samples
- the columns are the class names

- the values are 0 (absent/False) or 1 (present/True) for each sample and each class.

For example, we've set up the labels dataframe with files as the index and classes as the columns, so we can use it to make an instance of `CnnPreprocessor`:

```
[59]: from opensoundscape.preprocess.preprocessors import CnnPreprocessor

preprocessor = CnnPreprocessor(labels)
```

9.2.2 Access sample from a Preprocessor

A sample is accessed in a preprocessor using indexing, like a list. Each sample is a dictionary with two keys: 'X', the Tensor of the sample, and 'y', the Tensor of labels of the sample.

```
[60]: preprocessor[0]
[60]: {'X': tensor([[[ 0.0000,  0.0000,  0.0000, ...,  0.0191, -0.0078,  0.0653],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0958,  0.0501,  0.0597],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.3639,  0.1509,  0.0387],
                    ...,
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000]],
                  [[ 0.0000,  0.0000,  0.0000, ..., -0.0090, -0.0230,  0.0743],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.1073,  0.0300,  0.0806],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.3479,  0.1474,  0.0241],
                    ...,
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000]],
                  [[ 0.0000,  0.0000,  0.0000, ...,  0.0079, -0.0237,  0.0630],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0936,  0.0200,  0.0808],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.3740,  0.1541,  0.0166],
                    ...,
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000],
                    [ 0.0000,  0.0000,  0.0000, ...,  0.0000,  0.0000,  0.0000]]]),
      'y': tensor([1, 0])}
```

9.2.3 Subset samples from a Preprocessor

Preprocessors allow you to select a subset of samples using `sample()` and `head()` methods (like Pandas DataFrames). For example:

```
[61]: len(preprocessor)
```

```
[61]: 29
```

Select the first 10 samples (non-random)

```
[62]: len(preprocessor.head(5))
```

```
[62]: 5
```

Randomly select an absolute number of samples

```
[63]: len(preprocessor.sample(n=10))
[63]: 10
```

Randomly select a fraction of samples

```
[64]: len(preprocessor.sample(frac=0.5))
[64]: 14
```

9.3 Pipelines and actions

Each Preprocessor class has two attributes, `preprocessor.pipeline` and `preprocessor.actions`. Pipelines are comprised of Actions.

9.3.1 About Pipelines

The preprocessor's Pipeline is the ordered list of Actions that the preprocessor performs on each sample.

- The Pipeline is stored in the `preprocessor.pipeline` attribute.
- You can modify the contents or order of Preprocessor Actions by overwriting the preprocessor's `.pipeline` attribute. When you modify this attribute, you must provide a list of Actions, where each Action is an instance of a class that sub-classes `opensoundscape.preprocess.BaseAction`.

Inspect the current pipeline.

```
[65]: # inspect the current pipeline (ordered sequence of Actions to take)
preprocessor.pipeline
[65]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa997378d60>,
<opensoundscape.preprocess.actions.AudioTrimmer at 0x7fa997378940>,
<opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa997378850>,
<opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa997378910>,
<opensoundscape.preprocess.actions.SpecToImg at 0x7fa997d1b0d0>,
<opensoundscape.preprocess.actions.BaseAction at 0x7fa997391190>,
<opensoundscape.preprocess.actions.TorchColorJitter at 0x7fa997391430>,
<opensoundscape.preprocess.actions.ImgToTensor at 0x7fa997d1b1c0>,
<opensoundscape.preprocess.actions.TimeMask at 0x7fa9973912e0>,
<opensoundscape.preprocess.actions.FrequencyMask at 0x7fa997391550>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa9973913d0>,
<opensoundscape.preprocess.actions.TensorNormalize at 0x7fa997391d00>,
<opensoundscape.preprocess.actions.TorchRandomAffine at 0x7fa997391280>]
```

9.3.2 About actions

Preprocessors come with a set of predefined Actions that are available to the preprocessor. These are not necessarily all included in the preprocessing pipeline; these are just the transformations that are available to be strung together into a pipeline if desired.

- The Actions are stored in the `preprocessor.actions` attribute. Each Action is an instance of a class (described in more detail below).
- Each Action takes a sample (and its labels), *performs some transformation to them, and returns the sample (and its labels)*. The code for this transformation is stored in the Action's `.go()` method.

- You can customize Actions using the `.on()` and `.off()` methods to turn the Action on or off, or by changing the action's parameters. Any customizable parameters for performing the Action are stored in a dictionary, `.params`. This dictionary can be modified using the Action's `.set()` method, e.g. `action.set(param=value, param2=value2, ...)`.
- You can view all the available Actions in a preprocessor using the `.list_actions()` method.

```
[66]: # create a new instance of a CnnPreprocessor
preprocessor = AudioToSpectrogramPreprocessor(labels)

# print all Actions that have been added to the preprocessor
# (Note that this is not the pipeline, just a collection of available actions)
preprocessor.actions.list_actions()
```

```
[66]: ['load_audio',
      'trim_audio',
      'to_spec',
      'bandpass',
      'to_img',
      'to_tensor',
      'normalize']
```

Notice that the Actions in `preprocessor.actions.list_actions()` are not identical to the names listed in the pipeline, but are parallel. For example, in this case, `preprocessor.actions.to_spec` corresponds to an instance of `opensoundscape.preprocess.actions.AudioToSpectrogram`:

```
[67]: preprocessor.actions.to_spec
```

```
[67]: <opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa997439a30>
```

That's because of the structure of actions:

- The `.actions` attribute is an instance of a class called `ActionContainer` (see below)
- The `ActionContainer` has an attribute for each possible action, e.g. `preprocessor.actions.to_spec`
- Each attribute is defined as an instance of an Action class, e.g. `AudioToSpectrogram`
- Each Action class is a child of a class called `BaseAction`; see the actions module for examples.

```
[68]: preprocessor.actions?
```

```
Type:          ActionContainer
String form:    <opensoundscape.preprocess.actions.ActionContainer object at_
↳0x7fa99741d760>
File:          ~/Development/opensoundscape/opensoundscape/preprocess/actions.py
Docstring:
this is a container object which holds instances of Action child-classes

the Actions it contains each have .go(), .on(), .off(), .set(), .get()

The actions are un-ordered and may not all be used. In preprocessor objects
such as AudioToSpectrogramPreprocessor, Actions from the action
container are listed in a pipeline(list), which defines their order of use.

To add actions to the container: action_container.loader = AudioLoader()
To set parameters of actions: action_container.loader.set(param=value,...)

Methods: list_actions()
```

9.4 Modifying Actions

9.4.1 View default parameters for an Action

The docstring for an individual action, such as `preprocessor.actions.to_spec`, gives information on what parameters can be changed and what the defaults are.

```
[69]: preprocessor.actions.to_spec?

Type:          AudioToSpectrogram
String form: <opensoundscape.preprocess.actions.AudioToSpectrogram object at 0x7fa997439a30>
File:          ~/Development/opensoundscape/opensoundscape/preprocess/actions.py
Docstring:
Action child class for Spectrogram.from_audio() (Audio -> Spectrogram)

see spectrogram.Spectrogram.from_audio for documentation

Args:
    window_type="hann": see scipy.signal.spectrogram docs for description of window_
    ↪parameter
    window_samples=512: number of audio samples per spectrogram window (pixel)
    overlap_samples=256: number of samples shared by consecutive windows
    decibel_limits = (-100,-20) : limit the dB values to (min,max) (lower values set_
    ↪to min, higher values set to max)
    dB_scale=True : If True, rescales values to decibels,  $x=10*\log_{10}(x)$ 
    - if dB_scale is False, decibel_limits is ignored
```

Any defaults that have been changed will be shown in the `.params` attribute of the action:

```
[70]: preprocessor.actions.to_spec.params
[70]: {}
```

9.4.2 Modify Action parameters

In general, Actions are modified using the `set()` method, e.g.:

```
[71]: preprocessor.actions.to_spec.set(window_samples=256)
```

We can check that the values were actually changed by printing the action's params. This is not guaranteed to print the defaults, but will definitely print the parameters that have actively changed.

```
[72]: print(preprocessor.actions.load_audio.params)

{'sample_rate': None}
```

9.4.3 Turn individual Actions on or off

Each Action has `.on()` and `.off()` methods which toggle a bypass of the Action in the pipeline. Note that the Actions will still remain in the same order in the pipeline, and can be turned back on again if desired.

```
[73]: #initialize a preprocessor that includes augmentation
preprocessor = CnnPreprocessor(labels)
preprocessor.pipeline
```

```
[73]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa997439e80>,
<opensoundscape.preprocess.actions.AudioTrimmer at 0x7fa99744f0a0>,
<opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa99744f2b0>,
<opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa99744fe20>,
<opensoundscape.preprocess.actions.SpecToImg at 0x7fa99744f280>,
<opensoundscape.preprocess.actions.BaseAction at 0x7fa99744f100>,
<opensoundscape.preprocess.actions.TorchColorJitter at 0x7fa99744f130>,
<opensoundscape.preprocess.actions.ImgToTensor at 0x7fa99744f0d0>,
<opensoundscape.preprocess.actions.TimeMask at 0x7fa99744f5b0>,
<opensoundscape.preprocess.actions.FrequencyMask at 0x7fa99744f610>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa99744f8b0>,
<opensoundscape.preprocess.actions.TensorNormalize at 0x7fa99744fc10>,
<opensoundscape.preprocess.actions.TorchRandomAffine at 0x7fa99744f340>]
```


```
[74]: #turn off augmentations other than noise
preprocessor.actions.color_jitter.off()
preprocessor.actions.add_noise.off()
preprocessor.actions.time_mask.off()
preprocessor.actions.frequency_mask.off()
preprocessor.pipeline
```

```
[74]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa997439e80>,
<opensoundscape.preprocess.actions.AudioTrimmer at 0x7fa99744f0a0>,
<opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa99744f2b0>,
<opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa99744fe20>,
<opensoundscape.preprocess.actions.SpecToImg at 0x7fa99744f280>,
<opensoundscape.preprocess.actions.BaseAction at 0x7fa99744f100>,
<opensoundscape.preprocess.actions.TorchColorJitter at 0x7fa99744f130>,
<opensoundscape.preprocess.actions.ImgToTensor at 0x7fa99744f0d0>,
<opensoundscape.preprocess.actions.TimeMask at 0x7fa99744f5b0>,
<opensoundscape.preprocess.actions.FrequencyMask at 0x7fa99744f610>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa99744f8b0>,
<opensoundscape.preprocess.actions.TensorNormalize at 0x7fa99744fc10>,
<opensoundscape.preprocess.actions.TorchRandomAffine at 0x7fa99744f340>]
```


```
[75]: print('random affine on')
show_tensor(preprocessor[0])

print('random affine off')
preprocessor.actions.random_affine.off()
show_tensor(preprocessor[0])

random affine on
```



random affine off



To view whether an individual Action in a pipeline is on or off, inspect its `bypass` attribute:

```
[76]: # The AudioLoader Action that is still on  
preprocessor.pipeline[0].bypass
```

```
[76]: False
```

```
[77]: # The TorchRandomAffine Action that we turned off  
preprocessor.pipeline[-1].bypass
```

```
[77]: True
```

9.5 Modifying the pipeline

Sometimes, you may want to change the order or composition of the Preprocessor's pipeline. You can simply overwrite the `.pipeline` attribute, as long as the new pipeline is still a list of Action instances from the preprocessor's `actions` ActionContainer.

9.5.1 Example: return Spectrogram instead of Tensor

Here's an example where we replace the pipeline with one that just loads audio and converts it to a Spectrogram, returning a Spectrogram instead of a Tensor:

```
[78]: #initialize a preprocessor
preprocessor = AudioToSpectrogramPreprocessor(labels)
print('original pipeline:')
[print(p) for p in preprocessor.pipeline]

#overwrite the pipeline with a slice of the original pipeline
print('\nnew pipeline:')
preprocessor.pipeline = preprocessor.pipeline[0:3]


[print(p) for p in preprocessor.pipeline]

print('\nwe now have a preprocessor that returns Spectrograms instead of Tensors:')
print(type(preprocessor[0]['X']))
preprocessor[0]['X'].plot()
```

```
original pipeline:
<opensoundscape.preprocess.actions.AudioLoader object at 0x7fa997513580>
<opensoundscape.preprocess.actions.AudioTrimmer object at 0x7fa997513070>
<opensoundscape.preprocess.actions.AudioToSpectrogram object at 0x7fa997513640>
<opensoundscape.preprocess.actions.SpectrogramBandpass object at 0x7fa997513160>
<opensoundscape.preprocess.actions.SpecToImg object at 0x7fa9975134f0>
<opensoundscape.preprocess.actions.ImgToTensor object at 0x7fa997513ca0>
<opensoundscape.preprocess.actions.TensorNormalize object at 0x7fa997513100>
```

```
new pipeline:
<opensoundscape.preprocess.actions.AudioLoader object at 0x7fa997513580>
<opensoundscape.preprocess.actions.AudioTrimmer object at 0x7fa997513070>
<opensoundscape.preprocess.actions.AudioToSpectrogram object at 0x7fa997513640>
```

```
we now have a preprocessor that returns Spectrograms instead of Tensors:
<class 'opensoundscape.spectrogram.Spectrogram'>
```

9.5.2 Example: custom augmentation pipeline

Here's an example where we add a new Action to the Action container, then overwrite the preprocessing pipeline with one that includes our new action.

Note that each Action requires a specific input Type and may return that same Type or a different Type. So you'll need to be careful about the order of your Actions in your pipeline


This custom pipeline will first performs a Gaussian noise augmentation, then a random affine, then our second noise augmentation (add_noise_2)

```
[79]: #initialize a preprocessor
preprocessor = CnnPreprocessor(labels)

#add a new Action to the Action container
from opensoundscape.preprocess.actions import TensorAddNoise
preprocessor.actions.add_noise_2 = TensorAddNoise(std=0.1)

#overwrite the pipeline with a list of Actions from .actions
preprocessor.pipeline = [
    preprocessor.actions.load_audio,
    preprocessor.actions.trim_audio,
    preprocessor.actions.to_spec,
    preprocessor.actions.bandpass,
    preprocessor.actions.to_img,
    preprocessor.actions.to_tensor,
    preprocessor.actions.normalize,
    preprocessor.actions.add_noise,
    preprocessor.actions.random_affine,
    preprocessor.actions.add_noise_2
]

show_tensor(preprocessor[0])
```



9.5.3 Use an Action multiple times in a pipeline

If an Action is present multiple times in a pipeline (e.g. multiple overlays), changing the parameters of the Action at one point in the pipeline will change it at all points in the pipeline. For instance, create a pipeline with multiple “add noise” steps:

```
[80]: #initialize a preprocessor that includes augmentation
preprocessor = CnnPreprocessor(labels)

# Insert another instance of the "add_noise" action into the pipeline
preprocessor.pipeline.insert(-2, preprocessor.actions.add_noise)
preprocessor.pipeline

[80]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa9bc59c100>,
<opensoundscape.preprocess.actions.AudioTrimmer at 0x7faa3c20c340>,
<opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa997134df0>,
<opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa997391910>,
<opensoundscape.preprocess.actions.SpecToImg at 0x7fa997391490>,
<opensoundscape.preprocess.actions.BaseAction at 0x7fa99744f790>,
<opensoundscape.preprocess.actions.TorchColorJitter at 0x7fa99744fadc0>,
<opensoundscape.preprocess.actions.ImgToTensor at 0x7fa997391820>,
<opensoundscape.preprocess.actions.TimeMask at 0x7fa99744f1f0>,
<opensoundscape.preprocess.actions.FrequencyMask at 0x7fa99744f880>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa99744fac0>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa99744fac0>,
<opensoundscape.preprocess.actions.TensorNormalize at 0x7fa997391340>,
<opensoundscape.preprocess.actions.TorchRandomAffine at 0x7fa99744fb20>]
```

Note that changing the parameter of one of the `add_noise` steps changes the parameters for both of them.

```
[81]: # Print the parameters of both of the TensorAddNoise Actions in the pipeline
print("Parameters of TensorAddNoise actions before changing:")
[print(f"Params of {p}:", p.params) for p in preprocessor.pipeline[-4:-2]]
```

(continues on next page)

(continued from previous page)

```
# Change the parameters of one of the add noise steps
preprocessor.pipeline[-4].set(std=0.01)

# The modification above is the same as:
#preprocessor.actions.add_noise.set(std=0.01)

# See that the parameters for both steps are changed
print("\nParameters of TensorAddNoise actions after changing:")
[print(f"Params of {p}:", p.params) for p in preprocessor.pipeline[-4:-2]];

Parameters of TensorAddNoise actions before changing:
Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa99744fac0>:
↪ {'std': 0.005}
Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa99744fac0>:
↪ {'std': 0.005}

Parameters of TensorAddNoise actions after changing:
Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa99744fac0>:
↪ {'std': 0.01}
Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa99744fac0>:
↪ {'std': 0.01}
```

To modify the parameters of Actions individually, add them as separate Actions in the pipeline by adding a new named action to the action container.

```
[82]: from opensoundscape.preprocess.actions import TensorAddNoise

# Add a new possible action to the ActionContainer
preprocessor.actions.my_new_action = TensorAddNoise(std=0.005)

# Replace one of the old actions in the pipeline with the new one with different_
↪ parameters
preprocessor.pipeline[-3] = preprocessor.actions.my_new_action
```

Now notice that the two instances of the TensorAddNoise action can have different parameters.

```
[83]: [print(f"Params of {p}:", p.params) for p in preprocessor.pipeline[-4:-2]];

Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa99744fac0>:
↪ {'std': 0.01}
Params of <opensoundscape.preprocess.actions.TensorAddNoise object at 0x7fa9974eed30>:
↪ {'std': 0.005}
```

9.6 Customizing AudioToSpectrogramPreprocessor

Below are various examples of how to modify parameters of the Actions of the AudioToSpectrogramPreprocessor class, including the AudioLoader, AudioToSpectrogram, and SpectrogramBandpass actions.

9.6.1 Modify the sample rate

Re-sample all loaded audio to a specified rate during the load_audio action

```
[84]: preprocessor = AudioToSpectrogramPreprocessor(labels)

preprocessor.actions.load_audio.set(sample_rate=24000)
```

9.6.2 Modify spectrogram window length and overlap


(see `Spectrogram.from_audio()` for detailed documentation)

```
[85]: print('default parameters:')
show_tensor(preprocessor[0])


print('high time resolution, low frequency resolution:')
preprocessor.actions.to_spec.set(window_samples=64, overlap_samples=32)

show_tensor(preprocessor[0])
```

default parameters:



high time resolution, low frequency resolution:



9.6.3 Bandpass spectrograms


Trim spectrograms to a specified frequency range:

```
[86]: preprocessor = AudioToSpectrogramPreprocessor(labels)


print('default parameters:')
show_tensor(preprocessor[0])

print('bandpassed to 2-4 kHz:')
preprocessor.actions.bandpass.set(min_f=2000,max_f=4000)
preprocessor.actions.bandpass.on()
show_tensor(preprocessor[0])

default parameters:
```




bandpassed to 2-4 kHz:



9.6.4 Change the output image

Change the shape of the output image - note that the shape argument expects (height, width), not (width, height)

```
[87]: preprocessor = AudioToSpectrogramPreprocessor(labels)
preprocessor.actions.to_img.set(shape=[500,1000])
show_tensor(preprocessor[0])
```



9.7 Customizing CnnPreprocessor

The `CnnPreprocessor` class can be used to perform both audio and spectrogram transformation as well as augmentation for training with CNNs.

This section describes: * A special method of `CnnPreprocessor` which allows you to turn all augmentations on or off * Examples of modifying augmentation parameters for standard augmentations * Detailed descriptions of the useful “Overlay” augmentation

9.7.1 Turn all augmentation on or off

With `CnnPreprocessor`, we can easily choose between a pipeline that contains augmentations and a pipeline with no augmentations using the shortcuts `augmentation_off()` and `augmentation_on()` methods. Using these methods will overwrite any changes made to the pipeline, so apply them first before further customizing an instance of `CnnPreprocessor`.

```
[88]: preprocessor = CnnPreprocessor(labels)
      preprocessor.augmentation_off()
      preprocessor.pipeline

[88]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa997347d90>,
      <opensoundscape.preprocess.actions.AudioTrimmer at 0x7fa997347a00>,
      <opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa9973470d0>,
      <opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa9973479d0>,
      <opensoundscape.preprocess.actions.SpecToImg at 0x7fa9973eca60>,
      <opensoundscape.preprocess.actions.ImgToTensor at 0x7fa9973ec2b0>,
      <opensoundscape.preprocess.actions.TensorNormalize at 0x7fa9973de1f0>]

[89]: preprocessor.augmentation_on()
      preprocessor.pipeline
```



```
[89]: [<opensoundscape.preprocess.actions.AudioLoader at 0x7fa997347d90>,
<opensoundscape.preprocess.actions.AudioTrimmer at 0x7fa997347a00>,
<opensoundscape.preprocess.actions.AudioToSpectrogram at 0x7fa9973470d0>,
<opensoundscape.preprocess.actions.SpectrogramBandpass at 0x7fa9973479d0>,
<opensoundscape.preprocess.actions.SpecToImg at 0x7fa9973eca60>,
<opensoundscape.preprocess.actions.BaseAction at 0x7fa9973de7f0>,
<opensoundscape.preprocess.actions.TorchColorJitter at 0x7fa9977d88b0>,
<opensoundscape.preprocess.actions.ImgToTensor at 0x7fa9973ec2b0>,
<opensoundscape.preprocess.actions.TimeMask at 0x7fa9975e27c0>,
<opensoundscape.preprocess.actions.FrequencyMask at 0x7fa99720c5b0>,
<opensoundscape.preprocess.actions.TensorAddNoise at 0x7fa9973e6ac0>,
<opensoundscape.preprocess.actions.TensorNormalize at 0x7fa9973de1f0>,
<opensoundscape.preprocess.actions.TorchRandomAffine at 0x7fa9975e2a30>]
```


9.7.2 Modify augmentation parameters

CnnPreprocessor includes several augmentations with customizable parameters. Here we provide a couple of illustrative examples - see any action's documentation for details on how to use its parameters.

```
[90]: #initialize a preprocessor
preprocessor = CnnPreprocessor(labels)

#turn off augmentations other than overlay
preprocessor.actions.color_jitter.off()
preprocessor.actions.random_affine.off()
preprocessor.actions.random_affine.off()
preprocessor.actions.time_mask.off()

# allow up to 20 horizontal masks, each spanning up to 0.1x the height of the image.
preprocessor.actions.frequency_mask.set(max_width = 0.1, max_masks=20)
show_tensor(preprocessor[0])
```




```
[91]: #turn off frequency mask and turn on gaussian noise
preprocessor.actions.add_noise.on()
```

(continues on next page)

(continued from previous page)

```
preprocessor.actions.frequency_mask.off()

# increase the intensity of gaussian noise added to the image
preprocessor.actions.add_noise.set(std=0.2)
show_tensor(preprocessor[0])
```



9.7.3 Overlay augmentation

Overlay is a powerful Action that allows additional samples to be overlaid or blended with the original sample.

The additional samples are chosen from the `overlay_df` that is provided to the preprocessor when it is initialized. The index of the `overlay_df` must be paths to audio files. The dataframe can be simply an index containing audio files with no other columns, or it can have the same columns as the sample dataframe for the preprocessor.

Samples for overlays are chosen based on their class labels, according to the parameter `overlay_class`:

- `None` - Randomly select any file from `overlay_df`
- `"different"` - Select a random file from `overlay_df` containing none of the classes this file contains
- specific class name - always choose files from this class

Samples can be drawn from dataframes in a few general ways (each is demonstrated below):

1. Using a separate dataframe where any sample can be overlaid (`overlay_class=None`)
2. Using the same dataframe as training, where the overlay class is `"different"`, i.e., does not contain overlapping labels with the original sample
3. Using the same dataframe as training, where samples from a specific class are used for overlays

By default, the overlay Action does **not** change the labels of the sample it modifies. However, if you wish to add the labels from overlaid samples to the original sample's labels, you can set `update_labels=True` (see example below).

```
[92]: #initialize a preprocessor and provide a dataframe with samples to use as overlays
preprocessor = CnnPreprocessor(labels, overlay_df=labels)


#turn off augmentations other than overlay
preprocessor.actions.color_jitter.off()
preprocessor.actions.random_affine.off()
preprocessor.actions.random_affine.off()
preprocessor.actions.time_mask.off()
preprocessor.actions.frequency_mask.off()
```

Modify overlay_weight

We'll first overlay a random sample with 30% of the final mix coming from the overlaid sample (70% coming from the original) by using `overlay_weight=0.3`.


To demonstrate this, let's show what happens if we overlay samples from the "negative" class, resulting in the final sample having a higher or lower signal-to-noise ratio. By default, the overlay Action chooses a random file from the overlay dataframe. Instead, choose a sample from the class called "absent" using the `overlay_class` parameter.

```
[93]: preprocessor.actions.overlay.set(
        overlay_class='absent',
        overlay_weight=0.3
    )
show_tensor(preprocessor[0])
```



Now use `overlay_weight=0.8` to increase the contribution of the overlaid sample (80%) compared to the original sample (20%).


```
[94]: preprocessor.actions.overlay.set(overlay_weight=0.8)
show_tensor(preprocessor[0])
```



Overlay samples from a specific class

As demonstrated above, you can choose a specific class to choose samples from. Here, instead, we choose samples from the “positive” class.


```
[95]: preprocessor.actions.overlay.set(  
        overlay_class='present',  
        overlay_weight=0.4  
    )  
show_tensor(preprocessor[0])
```



Overlaying samples from any class

By default, or by specifying `overlay_class=None`, the overlay sample is chosen randomly from the `overlay_df` with no restrictions

```
[96]: preprocessor.actions.overlay.set(overlay_class=None)
      show_tensor(preprocessor[0])
```




Overlaying samples from a “different” class

The `'different'` option for `overlay_class` chooses a sample to overlay that has non-overlapping labels with the original sample.

In the case of this example, this has the same effect as drawing samples from the `"negative"` class as demonstrated above. In multi-class examples, this would draw from any of the samples not labeled with the class(es) of the original sample.

We'll again use `overlay_weight=0.8` to exaggerate the importance of the overlaid sample (80%) compared to the original sample (20%).

```
[97]: preprocessor.actions.overlay.set(update_labels=False, overlay_class='different',
      ↪ overlay_weight=0.8)
      show_tensor(preprocessor[0])
```



Updating labels

By default, the overlay Action does **not** change the labels of the sample it modifies.

For instance, if the overlaid sample has labels [1,0] and the original sample has labels [0,1], the default behavior will return a sample with labels [0,1] not [1,1].

If you wish to add the labels from overlaid samples to the original sample's labels, you can set `update_labels=True`.

```
[98]: print('default: labels do not update')
preprocessor.actions.overlay.set(update_labels=False, overlay_class='different')
print(f"\t resulting labels: {preprocessor[0]['y'].numpy()}")

print('Using update_labels=True')
preprocessor.actions.overlay.set(update_labels=True, overlay_class='different')
print(f"\t resulting labels: {preprocessor[0]['y'].numpy()}")
```

```
default: labels do not update
        resulting labels: [1 0]
Using update_labels=True
        resulting labels: [1 1]
```

This example is a single-target problem: the two classes represent “woodcock absent” and “woodcock present.” Because the labels are mutually exclusive, labels [1,1] do not make sense. So, for this single-target problem, we would not want to use `update_labels=True`, and it would probably make most sense to only overlay absent recordings, e.g., `overlay_class='absent'`.

9.8 Creating a new Preprocessor class

If you have a specific augmentation routine you want to perform, you may want to create your own Preprocessor class rather than modifying an existing one.

Your subclass might add a different set of Actions, define a different pipeline, or even override the `__getitem__` method of `BasePreprocessor`.

Here's an example of a customized preprocessor that subclasses `AudioToSpectrogramPreprocessor` and creates a pipeline that depends on the `magic_parameter` input.

```
[99]: from opensoundscape.preprocess.actions import TensorAddNoise
class MyPreprocessor(AudioToSpectrogramPreprocessor):
    """Child of AudioToSpectrogramPreprocessor with weird augmentation routine"""


    def __init__(
        self,
        df,
        magic_parameter,
        audio_length=None,
        return_labels=True,
        out_shape=[224, 224],
    ):

        super(MyPreprocessor, self).__init__(
            df,
            audio_length=audio_length,
            out_shape=out_shape,
            return_labels=return_labels,
        )


        self.actions.add_noise = TensorAddNoise(std=0.1*magic_parameter)

        self.pipeline = [
            self.actions.load_audio,
            self.actions.trim_audio,
            self.actions.to_spec,
            self.actions.bandpass,
            self.actions.to_img,
            self.actions.to_tensor,
            self.actions.normalize,
        ] + [self.actions.add_noise for i in range(magic_parameter)]

[100]: p = MyPreprocessor(labels, magic_parameter=2)
show_tensor(p[0])
```

```
[101]: p = MyPreprocessor(labels, magic_parameter=3)
show_tensor(p[0])
```



9.9 Defining new Actions

You can define new Actions to include in your Preprocessor pipeline. They should subclass `opensoundscape.actions.BaseAction`.

You will need to define a `.go()` method for all actions. If you provide default parameter values, you will also need to define an `__init__()` method.

9.9.1 Without default parameters

If the Action does not need to have default arguments, it's trivial to create by defining a `go()` method.

```
[102]: from opensoundscape.preprocess.actions import BaseAction
class SquareSamples(BaseAction):
    """Square values of every audio sample

    Audio in, Audio out
    """
    def go(self, audio):
        samples = np.array(audio.samples)**2
        return Audio(samples, audio.sample_rate)
```

Test it out:

```
[103]: from opensoundscape.audio import Audio

square_action = SquareSamples(threshold=0.2)

audio = Audio.from_file('./woodcock_labeled_data/01c5d0c90bd4652f308fd9c73feb1bf5.wav
→')
print(np.mean(audio.samples))
audio = square_action.go(audio)
print(np.mean(audio.samples))

0.012753859
0.008748752
```

9.9.2 With default parameters

Here we overwrite the `__init__` method to provide a default parameter value. The Action below removes low-amplitude audio samples, acting somewhat as a “denoiser”.

```
[104]: class AudioGate(BaseAction):
    """Replace audio samples below a threshold with 0

    Audio in, Audio out

    Args:
        threshold: sample values below this will become 0
    """
    def __init__(self, **kwargs):
        super(AudioGate, self).__init__(**kwargs)

        # default parameters
        self.params["threshold"] = 0.1

        # update/add any parameters passed to __init__
        self.params.update(kwargs)

    def go(self, audio):
        samples = np.array([0 if np.abs(s)<self.params["threshold"] else s for s in_
→audio.samples])
        return Audio(samples, audio.sample_rate)
```



Test it out:

```
[105]: gate_action = AudioGate(threshold=0.2)

print('histogram of samples')
audio = Audio.from_file('./woodcock_labeled_data/01c5d0c90bd4652f308fd9c73feb1bf5.wav
↵')
_ = plt.hist(audio.samples, bins=100)
plt.semilogy()
plt.show()


print('histogram of samples after audio gate')
audio_gated = gate_action.go(audio)
_ = plt.hist(audio_gated.samples, bins=100)
plt.semilogy()
```

histogram of samples



histogram of samples after audio gate

```
[105]: []
```



Clean up files created during this tutorial:

```
[106]: import shutil
shutil.rmtree('./woodcock_labeled_data')
```

```
[ ]:
```

Custom CNN training

This notebook demonstrates how to use `opensoundscape.torch.cnn` classes to

- schedule the learning rate decay
- choose from various architectures
- use strategic sampling for imbalanced training data
- train on spectrograms with a bandpassed frequency range

Rather than demonstrating their effects on training (model training is slow!), most examples in this notebook either don't train the model or "train" it for 0 epochs for the purpose of demonstration.

For introductory demos (basic training, prediction, saving/loading models), see the [“basic training and prediction with CNNs” tutorial \(cnn.ipynb\)](#).

```
[20]: from opensoundscape.preprocess.preprocessors import BasePreprocessor, \
      ↪ AudioToSpectrogramPreprocessor, CnnPreprocessor
      from opensoundscape.torch.models.cnn import PytorchModel, Resnet18Multiclass, \
      ↪ Resnet18Binary, InceptionV3

      import torch
      import pandas as pd
      from pathlib import Path
      import numpy as np
      import random
      import subprocess

      from matplotlib import pyplot as plt
      plt.rcParams['figure.figsize']=[15,5] #for big visuals
      %config InlineBackend.figure_format = 'retina'
```

10.1 Prepare audio data

10.1.1 Download labeled audio files

The Kitzes Lab has created a small labeled dataset of short clips of American Woodcock vocalizations. You have two options for obtaining the folder of data, called `woodcock_labeled_data`:

1. Run the following cell to download this small dataset. These commands require you to have `tar` installed on your computer, as they will download and unzip a compressed file in `.tar.gz` format.
2. Download a `.zip` version of the files by clicking [here](#). You will have to unzip this folder and place the unzipped folder in the same folder that this notebook is in.

If you already have these files, you can skip or comment out this cell

```
[21]: subprocess.run(['curl', 'https://pitt.box.com/shared/static/
↳ 79fi7d715dulcldsy6uogz02rsn5uesd.gz', '-L', '-o', 'woodcock_labeled_data.tar.gz']) #
↳ Download the data
subprocess.run(["tar", "-xzf", "woodcock_labeled_data.tar.gz"]) # Unzip the downloaded
↳ tar.gz file
subprocess.run(["rm", "woodcock_labeled_data.tar.gz"]) # Remove the file after its
↳ contents are unzipped

[21]: CompletedProcess(args=['rm', 'woodcock_labeled_data.tar.gz'], returncode=0)
```

10.1.2 Create one-hot encoded labels

See the “Basic training and prediction with CNNs” tutorial for more details.

The audio data includes 2s long audio clips taken from an autonomous recording unit and a CSV of labels. We manipulate the label dataframe to give “one hot” labels - that is, a column for every class, with 1 for present or 0 for absent in each sample’s row. In this case, our classes are simply ‘negative’ for files without a woodcock and ‘positive’ for files with a woodcock. Note that these classes are mutually exclusive, so we have a “single-target” problem (as opposed to a “multi-target” problem where multiple classes can simultaneously be present).

For more details on the steps below, see the “basic training and prediction with CNNs” tutorial.

```
[22]: #load Specky output: a table of labeled audio files
specky_table = pd.read_csv(Path("woodcock_labeled_data/woodcock_labels.csv"))
#update the paths to the audio files
specky_table.filename = ['./woodcock_labeled_data/'+f for f in specky_table.filename]

from opensoundscape.annotations import categorical_to_one_hot
one_hot_labels, classes = categorical_to_one_hot(specky_table[['woodcock']].values)
labels = pd.DataFrame(index=specky_table['filename'], data=one_hot_labels,
↳ columns=classes)
labels.head()
```

```
[22]:
```

filename	present	absent
./woodcock_labeled_data/d4c40b6066b489518f8da83...	1	0
./woodcock_labeled_data/e84a4b60a4f2d049d73162e...	0	1
./woodcock_labeled_data/79678c979ebb880d5ed6d56...	1	0
./woodcock_labeled_data/49890077267b569e142440f...	1	0
./woodcock_labeled_data/0c453a87185d8c7ce05c5c5...	1	0

10.1.3 Split into train and validation sets

Randomly split the data into training data and validation data.

```
[23]: from sklearn.model_selection import train_test_split
train_df, valid_df = train_test_split(labels, test_size=0.2, random_state=0)
# for multi-class need at least a few images for each batch
len(train_df)

[23]: 23
```

10.1.4 Create Preprocessors

Preprocessors take the audio data specified by the dataframe created above and prepare it for use by Pytorch, e.g., creating spectrograms and performing augmentation. For more detail, see the “Basic training and prediction with CNNs” tutorial and the “Custom preprocessors” tutorial.

```
[24]: from opensoundscape.preprocess.preprocessors import CnnPreprocessor

train_dataset = CnnPreprocessor(train_df, overlay_df=train_df)

valid_dataset = CnnPreprocessor(valid_df, overlay_df=valid_df, return_labels=True)
```

10.2 Model training parameters

We can modify various parameters about model training, including:

- The learning rate
- The learning rate schedule
- Weight decay for regularization

Let’s take a peek at the current parameters, stored in a dictionary.

```
[25]: from opensoundscape.torch.models.cnn import Resnet18Binary
model = Resnet18Binary(classes)
model.optimizer_params

created PytorchModel model object with 2 classes

[25]: {'feature': {'lr': 0.001, 'momentum': 0.9, 'weight_decay': 0.0005},
      'classifier': {'lr': 0.01, 'momentum': 0.9, 'weight_decay': 0.0005}}
```

10.2.1 Learning rates

The learning rate determines how much the model’s weights change every time it calculates the loss function.

Faster learning rates improve the speed of training and help the model leave local minima as it learns to classify, but if the learning rate is too fast, the model may not successfully fit the data or its fitting might be unstable.

In `Resnet18Multiclass` and `Resnet18Binary`, we can modify the learning rates for the feature extration and classification blocks of the network separately. For example, we can specify a relatively fast learning rate for features and slower one for classifiers (though this might not be a good idea in practice):

```
[26]: model = Resnet18Binary(classes)
model.optimizer_params['feature']['lr'] = 0.01
model.optimizer_params['classifier']['lr'] = 0.001

created PytorchModel model object with 2 classes
```

10.2.2 Learning rate schedule

It's often helpful to decrease the learning rate over the course of training. By reducing the amount that the model's weights are updated as time goes on, this causes the learning to gradually switch from coarsely searching across possible weights to fine-tuning the weights.

By default, the learning rates are multiplied by 0.7 (the learning rate “cooling factor”) once every 10 epochs (the learning rate “update interval”).

Let's modify that for a very fast training schedule, where we want to multiply the learning rates by 0.1 every epoch.

```
[27]: model.lr_cooling_factor = 0.1
model.lr_update_interval = 1
```

10.2.3 Regularization weight decay

The Resnet18 classes perform [L2 regularization](#), giving the optimizer an incentive for the model to have small weights rather than large weights. The goal of this regularization is to reduce overfitting to the training data by reducing the complexity of the model.

Depending on how much emphasis you want to place on the L2 regularization, you can change the weight decay parameter. By default, it is 0.0005. The higher the value for the “weight decay” parameter, the more the model training algorithm prioritizes smaller weights.

```
[28]: model.optimizer_params['feature']['weight_decay']=0.001
model.optimizer_params['classifier']['weight_decay']=0.001
```

10.2.4 Pretrained weights

In OpenSoundscape, most architectures implemented have the ability to use weights pretrained on the [ImageNet](#) image database turned on by default. It takes some time to download these weights the first time an instance of a model is created with pretrained weights.

Using pretrained weights often speeds up training significantly, as the representation learned from ImageNet is a good start at beginning to interpret spectrograms, even though they are not true “pictures.”

Currently, this feature cannot be turned off in the Resnet18 classes. However, if you prefer, you can turn this off in many classes when creating a custom architecture (see “Network architectures” below) by changing the `use_pretrained` argument to `False`, e.g.:

```
[29]: # See "InceptionV3 architecture" section below for more information
model = InceptionV3(classes, use_pretrained=False)

created PytorchModel model object with 2 classes
```

10.2.5 Freezing the feature extractor

Convolutional Neural Networks can be thought of as having two parts: a **feature extractor** which learns how to represent/"see" the input data, and a **classifier** which takes those representations and transforms them into predictions about the class identity of each sample.

You can freeze the feature extractor if you only want to train the final classification layer of the network but not modify any other weights. This could be useful for applying pre-trained classifiers to new data. To do so, set the `freeze_feature_extractor` argument to `True`. Below, we set the `use_pretrained` argument to `False` to avoid downloading the weights.

```
[30]: # See "InceptionV3 architecture" section below for more information
model = InceptionV3(classes, freeze_feature_extractor=True, use_pretrained=False)

created PytorchModel model object with 2 classes
```

10.3 Network architecture

It is possible to use a different model architecture than ResNet18. The `opensoundscape.torch.models.cnn` <<https://github.com/kitzeslab/opensoundscape/blob/master/opensoundscape/torch/models/cnn.py>> module contains two types of classes for doing so: * Custom classes for both the ResNet18 architecture (`Resnet18Binary` and `Resnet18Multiclass`) and the InceptionV3 architecture (`InceptionV3` and `InceptionV3ResampleLoss`). * The `PytorchModel` class, which allows us to create a model with a different CNN architecture. The available architectures are listed in `opensoundscape.torch.architectures.cnn_architectures` <https://github.com/kitzeslab/opensoundscape/blob/master/opensoundscape/torch/architectures/cnn_architectures.py>.

Below, we demonstrate the use of InceptionV3, how to create instances of other architectures, how to change the architecture on a model.

10.3.1 InceptionV3 architecture

The Inception architecture requires slightly different training and preprocessing from the ResNet architectures and the other architectures implemented in OpenSoundscape (see below), because:

- 1) the input image shape must be 299x299, and
- 2) Inception's forward pass gives output + auxiliary output.

The InceptionV3 class in `cnn` handles the necessary modifications in training and prediction for you, but you'll need to make sure to pass images of the correct shape from your Preprocessor. Here's an example:

```
[31]: from opensoundscape.torch.models.cnn import InceptionV3

#generate an Inception model
model = InceptionV3(classes=classes, use_pretrained=False)

#create a copy of the training dataset
inception_dataset = train_dataset.sample(frac=1)

#modify the preprocessor to give 299x299 image shape
inception_dataset.actions.to_img.set(shape=[299, 299])

#train and validate for 1 epoch
#note that Inception will complain if batch_size=1
```

(continues on next page)

(continued from previous page)

```
model.train(inception_dataset,inception_dataset,epochs=1,batch_size=4)

#predict
preds, _, _ = model.predict(inception_dataset)

created PytorchModel model object with 2 classes
Epoch: 0 [batch 0/6 (0.00%)]
      Jacc: 0.500 Hamm: 0.500 DistLoss: 1.139

Validation.
(23, 2)
      Precision: 0.391304347826087
      Recall: 0.5
      F1: 0.4390243902439025
Saving weights, metrics, and train/valid scores.
Saving to epoch-0.model
Updating best model
Saving to best.model

Best Model Appears at Epoch 0 with F1 0.439.
(23, 2)
```

10.3.2 Pytorch stock architectures

The `opensoundscape.torch.architectures.cnn_architectures` module provides helper functions to generate various CNN architectures in Pytorch. These are well-known CNN architectures that Pytorch provides out of the box. The architectures provided include:

- Other ResNet types (resnet34, resnet50, resnet101, resnet152)
- AlexNet
- Vgg11
- Squeezenet
- Densenet121

Also implemented are ResNet18 and InceptionV3, but in most cases, you should use the pre-implemented classes for those instead of loading them into a `PytorchModel`.

Calling a function from this module, e.g. `alexnet()`, will return a CNN architecture that we can use to instantiate a `PytorchModel`.

Below and in the following examples, we set `use_pretrained=False` to avoid downloading all of the weights for these models.

```
[32]: from opensoundscape.torch.architectures.cnn_architectures import alexnet
      from opensoundscape.torch.models.cnn import PytorchModel

      #initialize the AlexNet architecture
      arch = alexnet(num_classes=2, use_pretrained=False)

      #generate a model object with this architecture
      model = PytorchModel(architecture=arch, classes=['negative','positive'])

      created PytorchModel model object with 2 classes
```


10.3.3 Changing the architecture of an existing model

Even after initializing a model with an architecture, we can change it by replacing the model's `.network`:

```
[33]: from opensoundscape.torch.architectures.cnn_architectures import densenet121

#initialize the AlexNet architecture
arch = densenet121(num_classes=2, use_pretrained=False)

# replace the alexnet architecture with the densenet architecture
model.network = arch
```

10.3.4 Use a custom-built architecture

You can also build a custom architecture and initialize a PytorchModel model with it, or replace a model's `.network` with your custom architecture.

For example, we can use the `architectures.resnet` module to build the ResNet50 architecture (just for demonstration - we could also simply create this architecture using the `resnet50()` function in the `cnn_architectures` module).

```
[34]: # import a module that builds ResNet architecture from scratch
from opensoundscape.torch.architectures.resnet import ResNetArchitecture

#initialize the ResNet50 architecture
net=ResNetArchitecture(
    num_cls=2,
    weights_init='ImageNet',
    num_layers=50,
)

#generate a regular resnet18 object
model = Resnet18Multiclass(classes=['negative','positive'])

#replace the model's network with the ResNet50 architecture
model.network = net

print('number of layers:')
print(model.network.num_layers)

created PytorchModel model object with 2 classes
number of layers:
50
```

10.4 Sampling for imbalanced training data

The imbalanced data sampler will help to ensure that a single batch contains only a few classes during training, and that the classes will receive approximately equal representation within the batch. This is useful for *imbalanced* training data (when some classes have far fewer training samples than others).

```
[35]: model = Resnet18Binary(classes)
model.sampler = 'imbalanced' #default is None

#...you can now train your model as normal
```

(continues on next page)

(continued from previous page)

```
model.train(train_dataset, valid_dataset, epochs=0)

#once we run train(), we can see that the train_loader is using an
↪ ImbalancedDatasetSampler
print('sampler:')
model.train_loader.sampler
```

created PytorchModel model object with 2 classes

Best Model Appears at Epoch 0 with F1 0.000.
sampler:

[35]: <opensoundscape.torch.sampling.ImbalancedDatasetSampler at 0x7fb80a937ac0>

10.5 Training with custom preprocessors

The preprocessing tutorial gives in-depth descriptions of how to customize your preprocessing pipeline.

Here, we'll just give a quick example of tweaking the preprocessing pipeline: providing the CNN with a bandpassed spectrogram object instead of the full frequency range.

10.5.1 Bandpassed spectrograms

```
[36]: model = Resnet18Binary(classes)

# turn on the bandpass action of the datasets
train_dataset.actions.bandpass.on()
valid_dataset.actions.bandpass.on()

# specify the min and max frequencies for the bandpass action
train_dataset.actions.bandpass.set(min_f=3000, max_f=5000)
valid_dataset.actions.bandpass.set(min_f=3000, max_f=5000)

# now we can train and validate on the bandpassed spectrograms
# don't forget that you'll need to apply the same bandpass actions to
# any datasets that you use for predicting on new audio files
model.train(train_dataset, valid_dataset, epochs=0)
```

created PytorchModel model object with 2 classes

Best Model Appears at Epoch 0 with F1 0.000.

10.5.2 clean up

remove files

```
[37]: import shutil
shutil.rmtree('./woodcock_labeled_data')

for p in Path('.').glob('*model'):
    p.unlink()
```

RIBBIT Pulse Rate model demonstration

RIBBIT (Repeat-Interval Based Bioacoustic Identification Tool) is a tool for detecting vocalizations that have a repeating structure.

This tool is useful for detecting vocalizations of frogs, toads, and other animals that produce vocalizations with a periodic structure. In this notebook, we demonstrate how to select model parameters for the Great Plains Toad, then run the model on data to detect vocalizations.

This work is described in:

- 2021 paper, “Automated detection of frog calls and choruses by pulse repetition rate”
- 2020 poster, “Automatic Detection of Pulsed Vocalizations”

RIBBIT is also available as an R package.

This notebook demonstrates how to use the RIBBIT tool implemented in opensoundscape as `opensoundscape.ribbit.ribbit()`

For help installing OpenSoundscape, see the [documentation](#)

11.1 Import packages

```
[1]: # suppress warnings
import warnings
warnings.simplefilter('ignore')

#import packages
import numpy as np
from glob import glob
import pandas as pd
from matplotlib import pyplot as plt
import subprocess

#local imports from opensoundscape
```

(continues on next page)

(continued from previous page)

```
from opensoundscape.audio import Audio
from opensoundscape.spectrogram import Spectrogram
from opensoundscape.ribbit import ribbit

# create big visuals
plt.rcParams['figure.figsize']=[15,8]
pd.set_option('display.precision', 2)
```

11.2 Download example audio

First, let's download some example audio to work with.

You can run the cell below, **OR** visit this link to download the data (whichever you find easier):

<https://pitt.box.com/shared/static/0xclmulc4gy0obewtzbyfnszczwgr9we.zip>

If you download using the link above, first un-zip the folder (double-click on mac or right-click -> extract all on Windows). Then, move the `great_plains_toad_dataset` folder to the same location on your computer as this notebook. Then you can skip this cell:

```
[2]: #download files from box.com to the current directory
subprocess.run(['curl', 'https://pitt.box.com/shared/static/
↳ 9mrxib85y1jmflybbjvbr0tv17liekvy.gz', '-L', '-o', 'great_plains_toad_dataset.tar.gz
↳ ']) # Download the data
subprocess.run(["tar", "-xzf", "great_plains_toad_dataset.tar.gz"]) # Unzip the
↳ downloaded tar.gz file
subprocess.run(["rm", "great_plains_toad_dataset.tar.gz"]) # Remove the file after
↳ its contents are unzipped

[2]: CompletedProcess(args=['rm', 'great_plains_toad_dataset.tar.gz'], returncode=0)
```

now, you should have a folder in the same location as this notebook called `great_plains_toad_dataset`

if you had trouble accessing the data, you can try using your own audio files - just put them in a folder called `great_plains_toad_dataset` in the same location as this notebook, and this notebook will load whatever is in that folder

11.2.1 Load an audio file and create a spectrogram

```
[3]: audio_path = np.sort(glob('./great_plains_toad_dataset/*'))[0]

#load the audio file into an OpenSoundscape Audio object
audio = Audio.from_file(audio_path)


#trim the audio to the time from 0-3 seconds for a closer look
audio = audio.trim(0,3)

#create a Spectrogram object
spectrogram = Spectrogram.from_audio(audio)
```

11.2.2 Show the Great Plains Toad spectrogram as an image

A spectrogram is a visual representation of audio with frequency on the vertical axis, time on the horizontal axis, and intensity represented by the color of the pixels

```
[4]: spectrogram.plot()
```



11.3 Select model parameters

RIBBIT requires the user to select a set of parameters that describe the target vocalization. Here is some detailed advice on how to use these parameters.

Signal Band: The signal band is the frequency range where RIBBIT looks for the target species. Based on the spectrogram above, we can see that the Great Plains Toad vocalization has the strongest energy around 2000-2500 Hz, so we will specify `signal_band = [2000, 2500]`. It is best to pick a narrow signal band if possible, so that the model focuses on a specific part of the spectrogram and has less potential to include erroneous sounds.

Noise Bands: Optionally, users can specify other frequency ranges called noise bands. Sounds in the `noise_bands` are *subtracted* from the `signal_band`. Noise bands help the model filter out erroneous sounds from the recordings, which could include confusion species, background noise, and popping/clicking of the microphone due to rain, wind, or digital errors. It's usually good to include one noise band for very low frequencies – this specifically eliminates popping and clicking from being registered as a vocalization. It's also good to specify noise bands that target confusion species. Another approach is to specify two narrow `noise_bands` that are directly above and below the `signal_band`.

Pulse Rate Range: This parameters specifies the minimum and maximum pulse rate (the number of pulses per second, also known as pulse repetition rate) RIBBIT should look for to find the focal species. Looking at the spectrogram above, we can see that the pulse rate of this Great Plains Toad vocalization is about 15 pulses per second. By looking at other vocalizations in different environmental conditions, we notice that the pulse rate can be as slow as 10 pulses per second or as fast as 20. So, we choose `pulse_rate_range = [10, 20]` meaning that RIBBIT should look for pulses no slower than 10 pulses per second and no faster than 20 pulses per second.

Clip Duration: This parameter tells the algorithm how many seconds of audio to analyze at one time. Generally, you should choose a `clip_duration` that is ~2x longer than the target species vocalization, or a little bit longer. For very slowly pulsing vocalizations, choose a longer window so that at least 5 pulses can occur in one window (0.5 pulses per second -> 10 second window). Typical values for `clip_duration` are 0.3 to 10 seconds. Here, because the The Great Plains Toad has a vocalization that continues on for many seconds (or minutes!), we chose a 2-second window which will include plenty of pulses.

- we can also set `clip_overlap` if we want overlapping clips. For instance, a `clip_duration` of 2 with `clip_overlap` of 1 results in 50% overlap of each consecutive clip. This can help avoid sounds being split up across two clips, and therefore not being detected.
- `final_clip` determines what should be done when there is less than `clip_duration` audio remaining at the end of an audio file. We'll just use `final_clip=None` to discard any remaining audio that doesn't make a complete clip.

Plot: We can choose to show the power spectrum of pulse repetition rate for each window by setting `plot=True`. The default is not to show these plots (`plot=False`).

```
[5]: # minimum and maximum rate of pulsing (pulses per second) to search for
pulse_rate_range = [8,15]

# look for a vocalization in the range of 1000-2000 Hz
signal_band = [1800,2400]

# subtract the amplitude signal from these frequency ranges
noise_bands = [ [0,1000], [3000,3200] ]

#divides the signal into segments this many seconds long, analyzes each independently
clip_duration = 2 #seconds
clip_overlap = 0 #seconds

#if True, it will show the power spectrum plot for each audio segment
show_plots = True
```

11.4 Search for pulsing vocalizations with `ribbit()`

This function takes the parameters we chose above as arguments, performs the analysis, and returns two arrays: - **scores:** the pulse rate score for each window - **times:** the start time in seconds of each window

The scores output by the function may be very low or very high. They do not represent a “confidence” or “probability” from 0 to 1. Instead, the relative values of scores on a set of files should be considered: when RIBBIT detects the target species, the scores will be significantly higher than when the species is not detected.

The file `gpt0.wav` has a Great Plains Toad vocalizing only at the beginning. Let's analyze the file with RIBBIT and look at the scores versus time.

```
[6]: #get the audio file path
audio_path = np.sort(glob('./great_plains_toad_dataset/*'))[0]

#make the spectrogram
spec = Spectrogram.from_audio(audio.from_file(audio_path))

#run RIBBIT
score_df = ribbit(
    spec,
    pulse_rate_range=pulse_rate_range,
```

(continues on next page)

(continued from previous page)

```


        signal_band=signal_band,
        clip_duration=clip_duration,
        noise_bands=noise_bands,
        plot=False
    )

    #show the spectrogram
    print('spectrogram of 10 second file with Great Plains Toad at the beginning')
    spec.plot()

    # plot the score vs time of each window
    plt.scatter(score_df['start_time'],score_df['score'])
    plt.xlabel('window start time (sec)')
    plt.ylabel('RIBBIT score')
    plt.title('RIBBIT scores for 10 second file with Great Plains Toad at the beginning')

```


spectrogram of 10 second file with Great Plains Toad at the beginning



```

[6]: Text(0.5, 1.0, 'RIBBIT scores for 10 second file with Great Plains Toad at the_
↪beginning')

```



as we hoped, RIBBIT outputs a high score during the vocalization (the window from 0-2 seconds) and a low score when the frog is not vocalizing

11.5 Analyzing a set of files

```
[7]: # set up a dataframe for storing files' scores and labels
df = pd.DataFrame(index = glob('./great_plains_toad_dataset/*'), columns=['score',
    ↳ 'label'])

# label is 1 if the file contains a Great Plains Toad vocalization, and 0 if it does_
↳ not
df['label'] = [1 if 'gpt' in f else 0 for f in df.index]

# calculate RIBBIT scores
for path in df.index:

    #make the spectrogram
    spec = Spectrogram.from_audio(audio.from_file(path))

    #run RIBBIT
    score_df = ribbit(
        spec,
        pulse_rate_range=[8,20],
        signal_band=[1900,2400],
        clip_duration=clip_duration,
        noise_bands=[[0,1500],[2500,3500]],
        plot=False)

    # use the maximum RIBBIT score from any window as the score for this file
    # multiply the score by 10,000 to make it easier to read
```

(continues on next page)

(continued from previous page)

```
df.at[path, 'score'] = max(score_df['score']) * 10000

print("Files sorted by score, from highest to lowest:")
df.sort_values(by='score', ascending=False)
```

Files sorted by score, from highest to lowest:

```
[7]:
```

	score	label
./great_plains_toad_dataset/gpt0.mp3	1.1e+02	1
./great_plains_toad_dataset/gpt3.mp3	29	1
./great_plains_toad_dataset/gpt2.mp3	17	1
./great_plains_toad_dataset/gpt1.mp3	10	1
./great_plains_toad_dataset/negative9.mp3	3	0
./great_plains_toad_dataset/negative8.mp3	0.89	0
./great_plains_toad_dataset/negative4.mp3	0.76	0
./great_plains_toad_dataset/negative2.mp3	0.65	0
./great_plains_toad_dataset/negative1.mp3	0.3	0
./great_plains_toad_dataset/negative3.mp3	0.3	0
./great_plains_toad_dataset/gpt4.mp3	0.12	1
./great_plains_toad_dataset/negative6.mp3	0.057	0
./great_plains_toad_dataset/pops2.mp3	0.0011	0
./great_plains_toad_dataset/pops1.mp3	0.001	0
./great_plains_toad_dataset/negative5.mp3	4.3e-05	0
./great_plains_toad_dataset/negative7.mp3	0	0
./great_plains_toad_dataset/water.mp3	0	0
./great_plains_toad_dataset/silent.mp3	0	0

So, how good is RIBBIT at finding the Great Plains Toad?

We can see that the scores for all of the files with Great Plains Toad (gpt) score above 10 except gpt4.mp3 (which contains only a very quiet and distant vocalization). All files that do not contain the Great Plains Toad score less than 3.5. So, RIBBIT is doing a good job separating Great Plains Toads vocalizations from other sounds!

Notably, noisy files like pops1.mp3 score low even though they have lots of periodic energy - our noise_bands successfully rejected these files. Without using noise_bands, files like these would receive very high scores. Also, some birds in “negatives” files that have periodic calls around the same pulse rate as the Great Plains Toad received low scores. This is also a result of choosing a tight signal_band and strategic noise_bands. You can try adjusting or eliminating these bands to see their effect on the audio.

(HINT: eliminating the noise_bands will result in high scores for the “pops” files)

Run RIBBIT on multiple species simultaneously

If you want to search for multiple species, its best to combine the analysis into one function - that way you only have to load each audio file (and make it's spectrogram) one time, instead of once for each species. (If you have thousands of audio files, this might be a big time saver.)

This code gives a quick exmaple of how you could use a pre-made dataframe (could load it in from a spreadsheet, for instance) of parameters for a set of species to run RIBBIT on all of them.

Note that this example assumes you are using the same spectrogram settings for each species - this might not be the case in practice, if some species require high time-resolution spectrograms and others require high frequency-resolution spectrograms.

```
[8]: #we'll create a dataframe here, but you could also load it from a spreadsheet
species_df = pd.DataFrame(columns=['pulse_rate_range', 'signal_band', 'clip_duration',
    ↪ 'noise_bands'])
```

```
species_df.loc['great_plains_toad']={
    'pulse_rate_range': [8, 20],
    'signal_band': [1900, 2400],
    'clip_duration': 2.0,
    'noise_bands': [[0, 1500], [2500, 3500]]
}
```

```
species_df.loc['bird_series']={
    'pulse_rate_range': [8, 11],
    'signal_band': [5000, 6500],
    'clip_duration': 2.0,
    'noise_bands': [[0, 4000]]
}
```

```
species_df
```

```
[8]:
```

	pulse_rate_range	signal_band	clip_duration	\
great_plains_toad	[8, 20]	[1900, 2400]	2.0	
bird_series	[8, 11]	[5000, 6500]	2.0	

(continues on next page)

(continued from previous page)

```

                                noise_bands
great_plains_toad  [[0, 1500], [2500, 3500]]
bird_series        [[0, 4000]]

```

now let's analyze each audio file for each species.

We'll save the results in a table that has a column for each species.

```

[9]: # set up a dataframe for storing files' scores and labels
df = pd.DataFrame(index = glob('./great_plains_toad_dataset/*'), columns=species_df.
    ↪ index.values)

# calculate RIBBIT scores
for path in df.index:

    for species, species_params in species_df.iterrows():
        #use RIBBIT for each species in species_df
        #make the spectrogram
        spec = Spectrogram.from_audio(audio.from_file(path))

        #run RIBBIT
        score_df = ribbit(
                                spec,
                                pulse_rate_range=species_params['pulse_rate_range'],
                                signal_band=species_params['signal_band'],
                                clip_duration=species_params['clip_duration'],
                                noise_bands=species_params['noise_bands'],
                                plot=False)

        # use the maximum RIBBIT score from any window as the score for this file
        # multiply the score by 10,000 to make it easier to read
        df.at[path,species] = max(score_df['score']) * 10000

print("Files with scores for each species, sorted by 'bird_series' score:")
df.sort_values(by='bird_series', ascending=False)

```

Files with scores for each species, sorted by 'bird_series' score:


```

[9]:
                                great_plains_toad bird_series
./great_plains_toad_dataset/negative5.mp3          4.3e-05          94
./great_plains_toad_dataset/negative1.mp3           0.3           73
./great_plains_toad_dataset/negative3.mp3           0.3            5
./great_plains_toad_dataset/negative7.mp3            0           2.9
./great_plains_toad_dataset/negative9.mp3            3          0.089
./great_plains_toad_dataset/negative2.mp3           0.65          0.016
./great_plains_toad_dataset/negative6.mp3           0.057          0.014
./great_plains_toad_dataset/pops2.mp3              0.0011          0.0098
./great_plains_toad_dataset/negative8.mp3           0.89          0.0017
./great_plains_toad_dataset/negative4.mp3           0.76          0.0014
./great_plains_toad_dataset/water.mp3                0          0.0011
./great_plains_toad_dataset/pops1.mp3              0.001          0.0005
./great_plains_toad_dataset/silent.mp3              0          0.00037
./great_plains_toad_dataset/gpt4.mp3                0.12          7.2e-05
./great_plains_toad_dataset/gpt2.mp3                17            0
./great_plains_toad_dataset/gpt3.mp3                29            0
./great_plains_toad_dataset/gpt0.mp3              1.1e+02            0
./great_plains_toad_dataset/gpt1.mp3                10            0

```

looking at the highest scoring file for 'bird_series', it has the trilled bird sound at 5-6.5 kHz

```
[10]: Spectrogram.from_audio(audio.from_file('./great_plains_toad_dataset/negative5.mp3')).
      ↪ plot()
```



when loading a dataframe from a file, lists of numbers like [8,20] might be read in as strings (“[8,20]”) rather than a list of numbers. Here’s a handy little piece of code that will load the values in the desired format

```
[11]: #let's say we have the species df saved as a csv file
species_df.index.name='species'
species_df.to_csv('species_df.csv')

#define the conversion parameters for each column
import ast
generic = lambda x: ast.literal_eval(x)
conv = {
    'pulse_rate_range':generic,
    'signal_band':generic,
    'noise_bands':generic
}

#tell pandas to use them when loading the csv
species_df=pd.read_csv('./species_df.csv',converters=conv).set_index('species')

#now the species_df has numeric values instead of strings
species_df
```

```
[11]:
```

	pulse_rate_range	signal_band	clip_duration	\
species				
great_plains_toad	[8, 20]	[1900, 2400]	2.0	
bird_series	[8, 11]	[5000, 6500]	2.0	
				noise_bands
species				
great_plains_toad	[[0, 1500], [2500, 3500]]			
bird_series	[[0, 4000]]			

12.1 Detail view of RIBBIT method


Now, let's look at one 10 second file and tell ribbit to plot the power spectral density for each window (`plot=True`). This way, we can see if peaks are emerging at the expected pulse rates. Since our `window_length` is 2 seconds, each of these plots represents 2 seconds of audio. The vertical lines on the power spectral density represent the lower and upper `pulse_rate_range` limits.

In the file `gpt0.mp3`, the Great Plains Toad vocalizes for a couple seconds at the beginning, then stops. We expect to see a peak in the power spectral density at 15 pulses/sec in the first 2 second window, and maybe a bit in the second, but not later in the audio.


```
[12]: #create a spectrogram from the file, like above:
# 1. get audio file path
audio_path = np.sort(glob('./great_plains_toad_dataset/*'))[0]
# 2. make audio object and trim (this time 0-10 seconds)
audio = Audio.from_file(audio_path).trim(0,10)
# 3. make spectrogram
spectrogram = Spectrogram.from_audio(audio)

clip_df = ribbit(
    spectrogram,
    pulse_rate_range=pulse_rate_range,
    signal_band=signal_band,
    clip_duration=clip_duration,
    noise_bands=noise_bands,
    plot=show_plots)
```


window: 0.0 to 2.0 sec




window: 2.0 to 4.0 sec



window: 4.0 to 6.0 sec



window: 6.0 to 8.0 sec



12.2 Time to experiment for yourself

Now that you know the basics of how to use RIBBIT, you can try using it on your own data. We recommend spending some time looking at different recordings of your focal species before choosing parameters. Experiment with the noise bands and window length, and get in touch if you have questions!

Sam's email: sam . lapp [at] pitt.edu

this cell will delete the folder `great_plains_toad_dataset`. Only run it if you wish delete that folder and the example audio inside it.

```
[13]: from pathlib import Path
import shutil
shutil.rmtree('./great_plains_toad_dataset/')
Path('./species_df.csv').unlink()
```


13.1 Annotations

functions and classes for manipulating annotations of audio

includes BoxedAnnotations class and utilities to combine or “diff” annotations, etc.

class `opensoundscape.annotations.BoxedAnnotations` (*df*, *audio_file=None*)

container for “boxed” (frequency-time) annotations of audio

(for instance, annotations created in Raven software) includes functionality to load annotations from Raven txt files, output one-hot labels for specific clip lengths or clip start/end times, apply corrections/conversions to annotations, and more.

Contains some analogous functions to Audio and Spectrogram, such as `trim()` [limit time range] and `bandpass()` [limit frequency range]

bandpass (*low_f*, *high_f*, *edge_mode='trim'*)

Bandpass a set of annotations, analogous to `Spectrogram.bandpass()`

Out-of-place operation: does not modify itself, returns new object

Parameters

- **low_f** – low frequency (Hz) bound
- **high_f** – high frequench (Hz) bound
- **edge_mode** – what to do when boxes overlap with edges of trim region - ‘trim’: trim boxes to bounds - ‘keep’: allow boxes to extend beyond bounds - ‘remove’: completely remove boxes that extend beyond bounds

Returns a copy of the BoxedAnnotations object on the bandpassed region

convert_labels (*conversion_table*)

modify annotations according to a conversion table

Changes the values of ‘annotation’ column of dataframe. Any labels that do not have specified conversions are left unchanged.

Returns a new BoxedAnnotations object, does not modify itself (out-of-place operation). So use could look like: `my_annotations = my_annotations.convert_labels(table)`

Parameters **conversion_table** – current values -> new values. can be either -
pd.DataFrame with 2 columns [current value, new values] or - dictionary {current values:
new values}

Returns new BoxedAnnotations object with converted annotation labels

classmethod **from_raven_file**(*path*, *annotation_column*, *keep_extra_columns=True*, *audio_file=None*)

load annotations from Raven txt file

Parameters

- **path** – location of raven .txt file, str or pathlib.Path
- **annotation_column** – (str) column containing annotations
- **keep_extra_columns** – keep or discard extra Raven file columns (always keeps start_time, end_time, low_f, high_f, annotation audio_file). [default: True] - True: keep all - False: keep none - or iterable of specific columns to keep
- **audio_file** – optionally specify the name or path of a corresponding audio file.

Returns BoxedAnnotations object containing annotations from the Raven file

global **one_hot_labels** (*classes*)

get a dictionary of one-hot labels for entire duration :param classes: iterable of class names to give 0/1 labels

Returns list of 0/1 labels for each class

one_hot_clip_labels (*full_duration*, *clip_duration*, *clip_overlap*, *classes*, *min_label_overlap*, *min_label_fraction=1*, *final_clip=None*)

Generate one-hot labels for clips of fixed duration

wraps helpers.generate_clip_times_df() with self.one_hot_labels_like() - Clips are created in the same way as Audio.split() - Labels are applied based on overlap, using self.one_hot_labels_like()

Parameters

- **full_duration** – The amount of time (seconds) to split into clips
- **clip_duration** (*float*) – The duration in seconds of the clips
- **clip_overlap** (*float*) – The overlap of the clips in seconds [default: 0]
- **classes** – list of classes for one-hot labels. If None, classes will be all unique values of self.df['annotation']
- **min_label_overlap** – minimum duration (seconds) of annotation within the time interval for it to count as a label. Note that any annotation of length less than this value will be discarded. We recommend a value of 0.25 for typical bird songs, or shorter values for very short-duration events such as chip calls or nocturnal flight calls.
- **min_label_fraction** – [default: None] if >= this fraction of an annotation overlaps with the time window, it counts as a label regardless of its duration. Note that *if either* of the two criteria (overlap and fraction) is met, the label is 1. if None (default), this criterion is not used (i.e., only min_label_overlap is used). A value of 0.5 for this parameter would ensure that all annotations result in at least one clip being labeled 1 (if there are no gaps between clips).

- **final_clip** (*str*) – Behavior if final_clip is less than clip_duration seconds long. By default, discards remaining time if less than clip_duration seconds long [default: None]. Options:
 - None: Discard the remainder (do not make a clip)
 - "extend": Extend the final clip beyond full_duration to reach clip_duration length
 - "remainder": Use only remainder of full_duration (final clip will be shorter than clip_duration)
 - "full": Increase overlap with previous clip to yield a clip with clip_duration length

Returns dataframe with index ['start_time', 'end_time'] and columns=classes

one_hot_labels_like (*clip_df, classes, min_label_overlap, min_label_fraction=None, keep_index=False*)
create a dataframe of one-hot clip labels based on given starts/ends

Uses start and end clip times from clip_df to define a set of clips. Then extracts annotations associated overlapping with each clip. Required overlap parameters are selected by user: annotation must satisfy the minimum time overlap OR minimum % overlap to be included (doesn't require both conditions to be met, only one)

clip_df can be created using opensoundscape.helpers.generate_clip_times_df

Parameters

- **clip_df** – dataframe with 'start_time' and 'end_time' columns specifying the temporal bounds of each clip
- **min_label_overlap** – minimum duration (seconds) of annotation within the time interval for it to count as a label. Note that any annotation of length less than this value will be discarded. We recommend a value of 0.25 for typical bird songs, or shorter values for very short-duration events such as chip calls or nocturnal flight calls.
- **min_label_fraction** – [default: None] if >= this fraction of an annotation overlaps with the time window, it counts as a label regardless of its duration. Note that *if either* of the two criteria (overlap and fraction) is met, the label is 1. if None (default), this criterion is not used (i.e., only min_label_overlap is used). A value of 0.5 for this parameter would ensure that all annotations result in at least one clip being labeled 1 (if there are no gaps between clips).
- **classes** – list of classes for one-hot labels. If None, classes will be all unique values of self.df['annotation']
- **keep_index** – if True, keeps the index of clip_df as an index in the returned DataFrame. [default: False]

Returns DataFrame of one-hot labels (multi-index of (start_time, end_time), columns for each class, values 0=absent or 1=present)

subset (*classes*)

subset annotations to those from a list of classes

out-of-place operation (returns new filtered BoxedAnnotations object)

Parameters

- **classes** – list of classes to retain (all others are discarded)
- **the list can include np.nan or None if you want to keep them** (–) –

Returns new BoxedAnnotations object containing only annotations in *classes*

to_raven_file (*path*)

save annotations to a Raven-compatible tab-separated text file

Parameters *path* – path for saved test file (extension must be “.tsv”) - can be str or pathlib.Path

Outcomes: creates a file containing the annotations in a format compatible with Raven Pro/Lite.

Note: Raven Lite does not support additional columns beyond a single annotation column. Additional columns will not be shown in the Raven Lite interface.

trim (*start_time*, *end_time*, *edge_mode*=‘trim’)

Trim a set of annotations, analogous to Audio/Spectrogram.trim()

Out-of-place operation: does not modify itself, returns new object

Parameters

- **start_time** – time (seconds) since beginning for left bound
- **end_time** – time (seconds) since beginning for right bound
- **edge_mode** – what to do when boxes overlap with edges of trim region - ‘trim’: trim boxes to bounds - ‘keep’: allow boxes to extend beyond bounds - ‘remove’: completely remove boxes that extend beyond bounds

Returns a copy of the BoxedAnnotations object on the trimmed region. - note that, like Audio.trim(), there is a new reference point for 0.0 seconds (located at start_time in the original object)

unique_labels ()

get list of all unique (non-Falsy) labels

`opensoundscape.annotations.categorical_to_one_hot` (*labels*, *classes*=None)

transform multi-target categorical labels (list of lists) to one-hot array

Parameters

- **labels** – list of lists of categorical labels, eg [['white','red'],['green','white']] or [[0,1,2],[3]]
- **classes=None** – list of classes for one-hot labels. if None, taken to be the unique set of values in *labels*

Returns 2d array with 0 for absent and 1 for present classes: list of classes corresponding to columns in the array

Return type one_hot

`opensoundscape.annotations.combine` (*list_of_annotation_objects*)

combine annotations with user-specified preferences Not Implemented.

`opensoundscape.annotations.diff` (*base_annotations*, *comparison_annotations*)

look at differences between two BoxedAnnotations objects Not Implemented.

Compare different labels of the same boxes (Assumes that a second annotator used the same boxes as the first, but applied new labels to the boxes)

`opensoundscape.annotations.one_hot_labels_on_time_interval` (*df*, *classes*,
start_time, *end_time*,
min_label_overlap,
min_label_fraction=None)

generate a dictionary of one-hot labels for given time-interval

Each class is labeled 1 if any annotation overlaps sufficiently with the time interval. Otherwise the class is labeled 0.

Parameters

- **df** – DataFrame with columns ‘start_time’, ‘end_time’ and ‘annotation’
- **classes** – list of classes for one-hot labels. If None, classes will be all unique values of `self.df[‘annotation’]`
- **start_time** – beginning of time interval (seconds)
- **end_time** – end of time interval (seconds)
- **min_label_overlap** – minimum duration (seconds) of annotation within the time interval for it to count as a label. Note that any annotation of length less than this value will be discarded. We recommend a value of 0.25 for typical bird songs, or shorter values for very short-duration events such as chip calls or nocturnal flight calls.
- **min_label_fraction** – [default: None] if \geq this fraction of an annotation overlaps with the time window, it counts as a label regardless of its duration. Note that *if either* of the two criteria (overlap and fraction) is met, the label is 1. if None (default), the criterion is not used (only `min_label_overlap` is used). A value of 0.5 would ensure that all annotations result in at least one clip being labeled 1 (if no gaps between clips).

Returns label 0/1 } for all classes

Return type dictionary of {class

`opensoundscape.annotations.one_hot_to_categorical(one_hot, classes)`
transform one_hot labels to multi-target categorical (list of lists)

Parameters

- **one_hot** – 2d array with 0 for absent and 1 for present
- **classes** – list of classes corresponding to columns in the array

Returns

list of lists of categorical labels for each sample, eg `[[‘white’,’red’],[‘green’,’white’]]` or `[[0,1,2],[3]]`

Return type labels

13.2 Audio

`audio.py`: Utilities for loading and modifying Audio objects

Note: Out-of-place operations

Functions that modify Audio (and Spectrogram) objects are “out of place”, meaning that they return a new Audio object instead of modifying the original object. This means that running a line `audio_object.resample(22050)` *# WRONG!* will **not** change the sample rate of *audio_object*! If your goal was to overwrite *audio_object* with the new, resampled audio, you would instead write `audio_object = audio_object.resample(22050)`

class `opensoundscape.audio.Audio(samples, sample_rate, resample_type='kaiser_fast', max_duration=None, metadata=None)`

Container for audio samples

Initialization requires sample array. To load audio file, use `Audio.from_file()`

Initializing an *Audio* object directly requires the specification of the sample rate. Use *Audio.from_file* or *Audio.from_bytesio* with *sample_rate=None* to use a native sampling rate.

Parameters

- **samples** (*np.array*) – The audio samples
- **sample_rate** (*integer*) – The sampling rate for the audio samples
- **resample_type** (*str*) – The resampling method to use [default: “kaiser_fast”]
- **max_duration** (*None or integer*) – The maximum duration in seconds allowed for the audio file (longer files will raise an exception)[default: None] If None, no limit is enforced

Returns An initialized *Audio* object

bandpass (*low_f, high_f, order*)

Bandpass audio signal with a butterworth filter

Uses a phase-preserving algorithm (scipy.signal’s butter and solfiltfilt)

Parameters

- **low_f** – low frequency cutoff (-3 dB) in Hz of bandpass filter
- **high_f** – high frequency cutoff (-3 dB) in Hz of bandpass filter
- **order** – butterworth filter order (integer) ~= steepness of cutoff

duration ()

Return duration of Audio

Returns The duration of the Audio

Return type duration (float)

extend (*length*)

Extend audio file by adding silence to the end

Parameters **length** – the final duration in seconds of the extended audio object

Returns a new Audio object of the desired duration

classmethod from_bytesio (*bytesio, sample_rate=None, max_duration=None, resample_type='kaiser_fast'*)

Read from bytesio object

Read an Audio object from a BytesIO object. This is primarily used for passing Audio over HTTP.

Parameters

- **bytesio** – Contents of WAV file as BytesIO
- **sample_rate** – The final sampling rate of Audio object [default: None]
- **max_duration** – The maximum duration of the audio file [default: None]
- **resample_type** – The librosa method to do resampling [default: “kaiser_fast”]

Returns An initialized Audio object

classmethod from_file (*path, sample_rate=None, resample_type='kaiser_fast', max_duration=None, metadata=True*)

Load audio from files

Deal with the various possible input types to load an audio file Also attempts to load metadata using tinytag.

Parameters

- **path** (*str*, *Path*) – path to an audio file
- **sample_rate** (*int*, *None*) – resample audio with value and *resample_type*, if *None* use source *sample_rate* (default: *None*)
- **resample_type** – method used to resample_type (default: *kaiser_fast*)
- **max_duration** – the maximum length of an input file, *None* is no maximum (default: *None*)
- **metadata** (*bool*) – if *True*, attempts to load metadata from the audio file. If an exception occurs, *self.metadata* will be *None*. Otherwise *self.metadata* is a dictionary. Note: will also attempt to parse AudioMoth metadata from the *comment* field, if the *artist* field includes *AudioMoth*. The parsing function for AudioMoth is likely to break when new firmware versions change the *comment* metadata field.

Returns samples, *sample_rate*, *resample_type*, *max_duration*, *metadata* (dict or *None*)

Return type Audio object with attributes

loop (*length=None*, *n=None*)

Extend audio file by looping it

Parameters

- **length** – the final length in seconds of the looped file (cannot be used with *n*) [default: *None*]
- **n** – the number of occurrences of the original audio sample (cannot be used with *length*) [default: *None*] For example, *n=1* returns the original sample, and *n=2* returns two concatenated copies of the original sample

Returns a new Audio object of the desired length or repetitions

resample (*sample_rate*, *resample_type=None*)

Resample Audio object

Parameters

- **sample_rate** (*scalar*) – the new sample rate
- **resample_type** (*str*) – resampling algorithm to use [default: *None* (uses *self.resample_type* of instance)]

Returns a new Audio object of the desired sample rate

save (*path*)

Save Audio to file

NOTE: currently, only saving to .wav format supported

Parameters **path** – destination for output

spectrum ()

Create frequency spectrum from an Audio object using fft

Parameters **self** –

Returns fft, frequencies

split (*clip_duration*, *clip_overlap=0*, *final_clip=None*)

Split Audio into even-lengthed clips

The Audio object is split into clips of a specified duration and overlap

Parameters

- **clip_duration** (*float*) – The duration in seconds of the clips
- **clip_overlap** (*float*) – The overlap of the clips in seconds [default: 0]
- **final_clip** (*str*) – Behavior if final_clip is less than clip_duration seconds long. By default, discards remaining audio if less than clip_duration seconds long [default: None]. Options:
 - None: Discard the remainder (do not make a clip)
 - "extend": Extend the final clip with silence to reach clip_duration length
 - "remainder": Use only remainder of Audio (final clip will be shorter than clip_duration)
 - "full": Increase overlap with previous clip to yield a clip with clip_duration length

Returns list of audio objects - dataframe w/columns for start_time and end_time of each clip

Return type

- audio_clips

time_to_sample (*time*)

Given a time, convert it to the corresponding sample

Parameters **time** – The time to multiply with the sample_rate

Returns The rounded sample

Return type sample

trim (*start_time, end_time*)

Trim Audio object in time

If start_time is less than zero, output starts from time 0 If end_time is beyond the end of the sample, trims to end of sample

Parameters

- **start_time** – time in seconds for start of extracted clip
- **end_time** – time in seconds for end of extracted clip

Returns a new Audio object containing samples from start_time to end_time

exception opensoundscape.audio.OpsoLoadAudioInputError

Custom exception indicating we can't load input

exception opensoundscape.audio.OpsoLoadAudioInputTooLong

Custom exception indicating length of audio is too long

opensoundscape.audio.**split_and_save** (*audio, destination, prefix, clip_duration, clip_overlap=0, final_clip=None, dry_run=False*)

Split audio into clips and save them to a folder

Parameters

- **audio** – The input Audio to split
- **destination** – A folder to write clips to
- **prefix** – A name to prepend to the written clips
- **clip_duration** – The duration of each clip in seconds
- **clip_overlap** – The overlap of each clip in seconds [default: 0]

- **final_clip** (*str*) – Behavior if final_clip is less than clip_duration seconds long. [default: None] By default, ignores final clip entirely. Possible options (any other input will ignore the final clip entirely),
 - "remainder": Include the remainder of the Audio (clip will not have clip_duration length)
 - "full": Increase the overlap to yield a clip with clip_duration length
 - "extend": Similar to remainder but extend (repeat) the clip to reach clip_duration length
 - None: Discard the remainder
- **dry_run** (*bool*) – If True, skip writing audio and just return clip DataFrame [default: False]

Returns pandas.DataFrame containing paths and start and end times for each clip

13.3 AudioMoth

Utilities specifically for audio files recorded by AudioMoths

`opensoundscape.audiomoth.audiomoth_start_time` (*file*, *filename_timezone='UTC'*, *to_utc=False*)
 parse audiomoth file name into a time stamp

AudioMoths create their file name based on the time that recording starts. This function parses the name into a timestamp. Older AudioMoth firmwares used a hexadecimal unix time format, while newer firmwares use a human-readable naming convention. This function handles both conventions.

Parameters

- **file** – (str) path or file name from AudioMoth recording
- **filename_timezone** – (str) name of a pytz time zone (for options see `pytz.all_timezones`). This is the time zone that the AudioMoth uses to record its name, not the time zone local to the recording site. Usually, this is 'UTC' because the AudioMoth records file names in UTC.
- **to_utc** – if True, converts timestamps to UTC localized time stamp. Otherwise, will return timestamp localized to *timezone* argument [default: False]

Returns localized datetime object - if `to_utc=True`, datetime is always "localized" to UTC

`opensoundscape.audiomoth.parse_audiomoth_metadata` (*metadata*)
 parse a dictionary of AudioMoth .wav file metadata

-parses the comment field -adds keys for gain_setting, battery_state, recording_start_time -if available (firmware >=1.4.0), adds temperature

Notes on comment field: - Starting with Firmware 1.4.0, the audiomoth logs Temperature to the metadata (wav header) eg "and temperature was 11.2C."

- At some point the firmware shifted from writing "gain setting 2" to "medium gain setting". Should handle both modes.

Tested for AudioMoth firmware versions: 1.5.0

Parameters **metadata** – dictionary with audiomoth metadata

Returns metadata dictionary with added keys and values

13.4 Audio Tools

`audio_tools.py`: set of tools that filter or modify audio files or sample arrays (not Audio objects)

`opensoundscape.audio_tools.bandpass_filter` (*signal, low_f, high_f, sample_rate, order=9*)
 perform a butterworth bandpass filter on a discrete time signal using `scipy.signal`'s `butter` and `sosfiltfilt` (phase-preserving version of `sosfilt`)

Parameters

- **signal** – discrete time signal (audio samples, list of float)
- **low_f** – -3db point (?) for highpass filter (Hz)
- **high_f** – -3db point (?) for highpass filter (Hz)
- **sample_rate** – samples per second (Hz)
- **order=9** – higher values -> steeper dropoff

Returns filtered time signal

`opensoundscape.audio_tools.butter_bandpass` (*low_f, high_f, sample_rate, order=9*)
 generate coefficients for `bandpass_filter()`

Parameters

- **low_f** – low frequency of butterworth bandpass filter
- **high_f** – high frequency of butterworth bandpass filter
- **sample_rate** – audio sample rate
- **order=9** – order of butterworth filter

Returns set of coefficients used in `sosfiltfilt()`

`opensoundscape.audio_tools.clipping_detector` (*samples, threshold=0.6*)
 count the number of samples above a threshold value

Parameters

- **samples** – a time series of float values
- **threshold=0.6** – minimum value of sample to count as clipping

Returns number of samples exceeding threshold

`opensoundscape.audio_tools.convolve_file` (*in_file, out_file, ir_file, input_gain=1.0*)

apply an impulse_response to a file using `ffmpeg`'s `afir` convolution

`ir_file` is an audio file containing a short burst of noise recorded in a space whose acoustics are to be recreated

this makes the files 'sound as if' it were recorded in the location that the impulse response (`ir_file`) was recorded

Parameters

- **in_file** – path to an audio file to process
- **out_file** – path to save output to
- **ir_file** – path to impulse response file

- **input_gain=1.0** – ratio for in_file sound’s amplitude in (0,1)

Returns os response of ffmpeg command

`opensoundscape.audio_tools.mixdown_with_delays` (*files_to_mix*, *destination*,
delays=None, *levels=None*,
duration='first', *verbose=0*,
create_txt_file=False)

use ffmpeg to mixdown a set of audio files, each starting at a specified time (padding beginnings with zeros)

Parameters

- **files_to_mix** – list of audio file paths
- **destination** – path to save mixdown to
- **delays=None** – list of delays (how many seconds of zero-padding to add at beginning of each file)
- **levels=None** – optionally provide a list of relative levels (amplitudes) for each input
- **duration='first'** – ffmpeg option for duration of output file: match duration of ‘longest’, ‘shortest’, or ‘first’ input file
- **verbose=0** – if >0, prints ffmpeg command and doesn’t suppress ffmpeg output (command line output is returned from this function)
- **create_txt_file=False** – if True, also creates a second output file which lists all files that were included in the mixdown

Returns ffmpeg command line output

`opensoundscape.audio_tools.silence_filter` (*filename*, *smoothing_factor=10*,
window_len_samples=256, *overlap_len_samples=128*,
threshold=None)

Identify whether a file is silent (0) or not (1)

Load samples from an mp3 file and identify whether or not it is likely to be silent. Silence is determined by finding the energy in windowed regions of these samples, and normalizing the detected energy by the average energy level in the recording.

If any windowed region has energy above the threshold, returns a 0; else returns 1.

Parameters

- **filename** (*str*) – file to inspect
- **smoothing_factor** (*int*) – modifier to window_len_samples
- **window_len_samples** – number of samples per window segment
- **overlap_len_samples** – number of samples to overlap each window segment
- **threshold** – threshold value (experimentally determined)

Returns 0 if file contains no significant energy over background 1 if file contains significant energy over background

If threshold is None: returns net_energy over background noise

`opensoundscape.audio_tools.window_energy` (*samples*, *window_len_samples=256*,
overlap_len_samples=128)

Calculate audio energy with a sliding window

Calculate the energy in an array of audio samples

Parameters

- **samples** (*np.ndarray*) – array of audio samples loaded using librosa.load
- **window_len_samples** – samples per window
- **overlap_len_samples** – number of samples shared between consecutive windows

Returns list of energy level (float) for each window

13.5 Spectrogram

spectrogram.py: Utilities for dealing with spectrograms

```
class opensoundscape.spectrogram.MelSpectrogram(spectrogram, frequencies, times, decibel_limits, window_samples=None, overlap_samples=None, window_type=None, audio_sample_rate=None)
```

Immutable mel-spectrogram container

A mel spectrogram is a spectrogram with pseudo-logarithmically spaced frequency bins (see literature) rather than linearly spaced bins.

See Spectrogram class and Librosa's melspectrogram for detailed documentation.

NOTE: Here we rely on scipy's spectrogram function (via Spectrogram) rather than on librosa's `_spectrogram` or `melspectrogram`, because the amplitude of librosa's spectrograms do not match expectations. We only use the mel frequency bank from Librosa.

```
classmethod from_audio(audio, n_mels=64, window_samples=512, overlap_samples=256, decibel_limits=(-100, -20), htk=False, norm='slaney', window_type='hann', dB_scale=True)
```

Create a MelSpectrogram object from an Audio object

First creates a spectrogram and a mel-frequency filter bank, then computes the dot product of the filter bank with the spectrogram.

The kwargs for the mel frequency bank are documented at: - <https://librosa.org/doc/latest/generated/librosa.feature.melspectrogram.html#librosa.feature.melspectrogram> - <https://librosa.org/doc/latest/generated/librosa.filters.mel.html?librosa.filters.mel>

Parameters

- **n_mels** – Number of mel bands to generate [default: 128] Note: `n_mels` should be chosen for compatibility with the Spectrogram parameter `window_samples`. Choosing a value $> \sim \text{window_samples}/10$ will result in zero-valued rows while small values blend rows from the original spectrogram.
- **window_type** – The windowing function to use [default: "hann"]
- **window_samples** – n samples per window [default: 512]
- **overlap_samples** – n samples shared by consecutive windows [default: 256]
- **htk** – use HTK mel-filter bank instead of Slaney, see Librosa docs [default: False]
- **norm='slaney'** – mel filter bank normalization, see Librosa docs

- **dB_scale=True** – If True, rescales values to decibels, $x=10*\log_{10}(x)$ - if dB_scale is False, decibel_limits is ignored

Returns opensoundscape.spectrogram.MelSpectrogram object

plot (*inline=True, fname=None, show_colorbar=False*)

Plot the mel spectrogram with matplotlib.pyplot

We can't use pcolormesh because it will smash pixels to achieve a linear y-axis, rather than preserving the mel scale.

Parameters

- **inline=True** –
- **fname=None** – specify a string path to save the plot to (ending in .png/.pdf)
- **show_colorbar** – include image legend colorbar from pyplot

class opensoundscape.spectrogram.**Spectrogram**(*spectrogram, frequencies, times, decibel_limits, window_samples=None, overlap_samples=None, window_type=None, audio_sample_rate=None*)

Immutable spectrogram container

Can be initialized directly from spectrogram, frequency, and time values or created from an Audio object using the .from_audio() method.

frequencies

(list) discrete frequency bins generated by fft

times

(list) time from beginning of file to the center of each window

spectrogram

a 2d array containing $10*\log_{10}(\text{fft})$ for each time window

decibel_limits

minimum and maximum decibel values in .spectrogram

window_samples

number of samples per window when spec was created [default: none]

overlap_samples

number of samples overlapped in consecutive windows when spec was created [default: none]

window_type

window fn used to make spectrogram, eg 'hann' [default: none]

audio_sample_rate

sample rate of audio from which spec was created [default: none]

amplitude

 (*freq_range=None*)

create an amplitude vs time signal from spectrogram

by summing pixels in the vertical dimension

Args freq_range=None: sum Spectrogram only in this range of [low, high] frequencies in Hz (if None, all frequencies are summed)

Returns a time-series array of the vertical sum of spectrogram value

bandpass (*min_f*, *max_f*, *out_of_bounds_ok=True*)

extract a frequency band from a spectrogram

crops the 2-d array of the spectrograms to the desired frequency range

Parameters

- **min_f** – low frequency in Hz for bandpass
- **max_f** – high frequency in Hz for bandpass
- **out_of_bounds_ok** – (bool) if False, raises ValueError if min_f or max_f are not within the range of the original spectrogram's frequencies [default: True]

Returns bandpassed spectrogram object

duration ()

calculate the ammount of time represented in the spectrogram

Note: time may be shorter than the duration of the audio from which the spectrogram was created, because the windows may align in a way such that some samples from the end of the original audio were discarded

classmethod from_audio (*audio*, *window_type='hann'*, *window_samples=512*, *overlap_samples=256*, *decibel_limits=(-100, -20)*, *dB_scale=True*)

create a Spectrogram object from an Audio object

Parameters

- **window_type="hann"** – see scipy.signal.spectrogram docs for description of window parameter
- **window_samples=512** – number of audio samples per spectrogram window (pixel)
- **overlap_samples=256** – number of samples shared by consecutive windows
- **= (decibel_limits)** – limit the dB values to (min,max) (lower values set to min, higher values set to max)
- **dB_scale=True** – If True, rescales values to decibels, $x=10*\log_{10}(x)$ - if dB_scale is False, decibel_limits is ignored

Returns opensoundscape.spectrogram.Spectrogram object

classmethod from_file ()

create a Spectrogram object from a file

Parameters file – path of image to load

Returns opensoundscape.spectrogram.Spectrogram object

limit_db_range (*min_db=-100*, *max_db=-20*)

Limit the decibel values of the spectrogram to range from min_db to max_db

values less than min_db are set to min_db values greater than max_db are set to max_db

similar to Audacity's gain and range parameters

Parameters

- **min_db** – values lower than this are set to this
- **max_db** – values higher than this are set to this

Returns Spectrogram object with db range applied

linear_scale (*feature_range=(0, 1)*)

Linearly rescale spectrogram values to a range of values using in_range as decibel_limits

Parameters `feature_range` – tuple of (low,high) values for output

Returns Spectrogram object with values rescaled to `feature_range`

min_max_scale (*feature_range=(0, 1)*)

Linearly rescale spectrogram values to a range of values using `in_range` as minimum and maximum

Parameters `feature_range` – tuple of (low,high) values for output

Returns Spectrogram object with values rescaled to `feature_range`

net_amplitude (*signal_band, reject_bands=None*)

create amplitude signal in `signal_band` and subtract amplitude from `reject_bands`

rescale the signal and reject bands by dividing by their bandwidths in Hz (amplitude of each `reject_band` is divided by the total bandwidth of all `reject_bands`. amplitude of `signal_band` is divided by bandwidth of `signal_band`.)

Parameters

- **signal_band** – [low,high] frequency range in Hz (positive contribution)
- **band** (*reject*) – list of [low,high] frequency ranges in Hz (negative contribution)

return: time-series array of net amplitude

plot (*inline=True, fname=None, show_colorbar=False*)

Plot the spectrogram with matplotlib.pyplot

Parameters

- **inline=True** –
- **fname=None** – specify a string path to save the plot to (ending in .png/.pdf)
- **show_colorbar** – include image legend colorbar from pyplot

to_image (*shape=None, mode='RGB', colormap=None*)

Create a Pillow Image from spectrogram

Linearly rescales values in the spectrogram from `self.decibel_limits` to [255,0]

Default of `self.decibel_limits` on load is [-100, -20], so, e.g., -20 db is loudest -> black, -100 db is quietest -> white

Parameters

- **destination** – a file path (string)
- **shape=None** – tuple of image dimensions as (height, width),
- **mode="RGB"** – RGB for 3-channel output "L" for 1-channel output
- **colormap=None** – if None, greyscale spectrogram is generated Can be any matplotlib colormap name such as 'jet' Note: if mode="L", colormap will have no effect on output

Returns Pillow Image object

trim (*start_time, end_time*)

extract a time segment from a spectrogram

Parameters

- **start_time** – in seconds
- **end_time** – in seconds

Returns spectrogram object from extracted time segment

window_length()

calculate length of a single fft window, in seconds:

window_start_times()

get start times of each window, rather than midpoint times

window_step()

calculate time difference (sec) between consecutive windows' centers

14.1 Convolutional Neural Networks

classes for pytorch machine learning models in opensoundscape

For tutorials, see notebooks on opensoundscape.org

class opensoundscape.torch.models.cnn.CnnResampleLoss(*architecture, classes, single_target=False*)

Subclass of PytorchModel with ResampleLoss.

ResampleLoss may perform better than BCE Loss for multitarget problems in some scenarios.

Parameters

- **architecture** – a model architecture object, for example one generated with the torch.architectures.cnn_architectures module
- **classes** – list of class names. Must match with training dataset classes.
- **single_target** –
 - True: model expects exactly one positive class per sample
 - False: samples can have an number of positive classes
 [default: False]

class opensoundscape.torch.models.cnn.InceptionV3(*classes, freeze_feature_extractor=False, use_pretrained=True, single_target=False*)

train_epoch()

perform forward pass, loss, backpropagation for one epoch

need to override parent because Inception returns different outputs from the forward pass (final and auxiliary layers)

Returns: (targets, predictions, scores) on training files

```
class opensoundscape.torch.models.cnn.InceptionV3ResampleLoss (classes,  
                                                             freeze_feature_extractor=False,  
                                                             use_pretrained=True,  
                                                             sin-  
                                                             gle_target=False)
```

```
class opensoundscape.torch.models.cnn.PytorchModel (architecture,    classes,    sin-  
                                                             gle_target=False)
```

Generic Pytorch Model with .train() and .predict()

flexible architecture, optimizer, loss function, parameters

for tutorials and examples see opensoundscape.org

methods include train(), predict(), save(), and load()

Parameters

- **architecture** – a model architecture object, for example one generated with the torch.architectures.cnn_architectures module
- **classes** – list of class names. Must match with training dataset classes.
- **single_target** –
 - True: model expects exactly one positive class per sample
 - False: samples can have an number of positive classes
 [default: False]

```
load (path, load_weights=True, load_classifier_weights=True, load_optimizer_state_dict=True, ver-  
        bose=False)
```

load model and optimizer state_dict from disk

the object should be saved with model.save() which uses torch.save with keys for 'model_state_dict' and 'optimizer_state_dict'

Parameters

- **path** – where the file is saved
- **load_weights** – if False, ignore network weights [default: True]
- **load_classifier_weights** – if False, ignore classifier layer weights Use False to only load feature weights, eg to re-use trained cnn's feature extractor for new class [default: True]
- **load_optimizer_state_dict** – if False, ignore saved parameters for optimizer's state [default: True]
- **verbose** – if True, print missing and unused keys for model weights

```
predict (prediction_dataset,    batch_size=1,    num_workers=0,    activation_layer=None,    bi-  
        nary_preds=None, threshold=0.5, error_log=None)
```

Generate predictions on a dataset

Choose to return any combination of scores, labels, and single-target or multi-target binary predictions. Also choose activation layer for scores (softmax, sigmoid, softmax then logit, or None).

Note: the order of returned dataframes is (scores, preds, labels)

Parameters

- **prediction_dataset** – a Preprocessor or DataSset object that returns tensors, such as AudioToSpectrogramPreprocessor (no augmentation) or CnnPreprocessor (w/augmentation) from opensoundscape.datasets
- **batch_size** – Number of files to load simultaneously [default: 1]
- **num_workers** – parallelization (ie cpus or cores), use 0 for current process [default: 0]
- **activation_layer** – Optionally apply an activation layer such as sigmoid or softmax to the raw outputs of the model. options: - None: no activation, return raw scores (ie logit, [-inf:inf]) - 'softmax': scores all classes sum to 1 - 'sigmoid': all scores in [0,1] but don't sum to 1 - 'softmax_and_logit': applies softmax first then logit [default: None]
- **binary_preds** – Optionally return binary (thresholded 0/1) predictions options: - 'single_target': max scoring class = 1, others = 0 - 'multi_target': scores above threshold = 1, others = 0 - None: do not create or return binary predictions [default: None]
- **threshold** – prediction threshold(s) for sigmoid scores. Only relevant when binary_preds == 'multi_target'
- **error_log** – if not None, saves a list of files that raised errors to the specified file location [default: None]

Returns: 3 DataFrames (or Nones), w/index matching prediciton_dataset.df scores: post-activation_layer scores predictions: 0/1 preds for each class labels: labels from dataset (if available)

Note: if loading an audio file raises a PreprocessingError, the scores and predictions for that sample will be np.nan

Note: if no return type selected for labels/scores/preds, returns None instead of a DataFrame in the returned tuple

save (*path=None, save_weights=True, save_optimizer=True, extras={}*)
save model with weights (default location is self.save_path)

Parameters

- **path** – destination for saved model. if None, uses self.save_path
- **save_weights** – if False, only save metadata/metrics [default: True]
- **save_optimizer** – if False, don't save self.optim.state_dict()
- **extras** – arbitrary dictionary of things to save, eg valid-preds

split_and_predict (*prediction_dataset, file_batch_size=1, num_workers=0, activation_layer=None, binary_preds=None, threshold=0.5, error_log=None, clip_batch_size=None*)

Generate predictions on long audio files

This function integrates in-pipeline splitting of audio files into shorter clips with clip-level prediction.

The input dataset should be a LongAudioPreprocessor object

Choose to return any combination of scores, labels, and single-target or multi-target binary predictions. Also choose activation layer for scores (softmax, sigmoid, softmax then logit, or None).

Parameters

- **prediction_dataset** – a LongAudioPreprocessor object
- **file_batch_size** – Number of audio files to load simultaneously [default: 1]
- **num_workers** – parallelization (ie cpus or cores), use 0 for current process [default: 0]

- **activation_layer** – Optionally apply an activation layer such as sigmoid or softmax to the raw outputs of the model. options: - None: no activation, return raw scores (ie logit, $[-\infty:\infty]$) - 'softmax': scores all classes sum to 1 - 'sigmoid': all scores in $[0,1]$ but don't sum to 1 - 'softmax_and_logit': applies softmax first then logit [default: None]
- **binary_preds** – Optionally return binary (thresholded 0/1) predictions options: - 'single_target': max scoring class = 1, others = 0 - 'multi_target': scores above threshold = 1, others = 0 - None: do not create or return binary predictions [default: None]
- **threshold** – prediction threshold for sigmoid scores. Only relevant when `binary_preds == 'multi_target'`
- **clip_batch_size** – batch size of preprocessed samples for CNN prediction
- **error_log** – if not None, saves a list of files that raised errors to the specified file location [default: None]

Returns: DataFrames with multi-index: path, clip start & end times scores: `post-activation_layer`
 scores predictions: 0/1 preds for each class, if `binary_preds` given `unsafe_samples`: list of samples that failed to preprocess

Note: if loading an audio file raises a PreprocessingError, the scores and predictions for that sample will be `np.nan`

Note: if no return type selected for scores/preds, returns None instead of a DataFrame for predictions

Note: currently does not support passing labels. Meaning of a label is ambiguous since the original files are split into clips during prediction (output values are for clips, not entire file)

train (*train_dataset*, *valid_dataset*, *epochs=1*, *batch_size=1*, *num_workers=0*, *save_path='.'*,
save_interval=1, *log_interval=10*, *unsafe_sample_log='./unsafe_samples.log'*)
 train the model on samples from `train_dataset`

If customized loss functions, networks, optimizers, or schedulers are desired, modify the respective attributes before calling `.train()`.

Parameters

- **train_dataset** – a Preprocessor that loads sample (audio file + label) to Tensor in batches (see docs/tutorials for details)
- **valid_dataset** – a Preprocessor for evaluating performance
- **epochs** – number of epochs to train for [default=1] (1 epoch constitutes 1 view of each training sample)
- **batch_size** – number of training files to load/process before re-calculating the loss function and backpropagation
- **num_workers** – parallelization (ie, cores or cpus) Note: use 0 for single (root) process (not 1)
- **save_path** – location to save intermediate and best model objects [default='.', ie current location of script]
- **save_interval** – interval in epochs to save model object with weights [default:1]
 Note: the best model is always saved to `best.model` in addition to other saved epochs.
- **log_interval** – interval in epochs to evaluate model with validation dataset and print metrics to the log
- **unsafe_sample_log** – file path: log all samples that failed in preprocessing (file written when training completes) - if None, does not write a file

train_epoch()
 perform forward pass, loss, backpropagation for one epoch
 Returns: (targets, predictions, scores) on training files

class opensoundscape.torch.models.cnn.**Resnet18Binary**(*classes*)
 Subclass of PytorchModel with Resnet18 architecture

This subclass allows separate training parameters for the feature extractor and classifier

Parameters

- **classes** – list of class names. Must match with training dataset classes.
- **single_target** –
 - True: model expects exactly one positive class per sample
 - False: samples can have an number of positive classes
 [default: False]

class opensoundscape.torch.models.cnn.**Resnet18Multiclass**(*classes*, *single_target=False*) *sin-*

Multi-class model with resnet18 architecture and ResampleLoss.

Can be single or multi-target.

Parameters

- **classes** – list of class names. Must match with training dataset classes.
- **single_target** –
 - True: model expects exactly one positive class per sample
 - False: samples can have an number of positive classes
 [default: False]

Notes - Allows separate parameters for feature & classifier blocks

via self.optimizer_params's keys: "feature" and "classifier" (by using hand-built architecture)

- Uses ResampleLoss which requires class counts as an input.

class opensoundscape.torch.models.utils.**BaseModule**
 Base class for a pytorch model pipeline class.

All child classes should define load, save, etc

opensoundscape.torch.models.utils.**apply_activation_layer**(*x*, *activation_layer=None*) *activa-*

applies an activation layer to a set of scores

Parameters

- **x** – input values
- **activation_layer** –
 - None [default]: return original values
 - 'softmax': apply softmax activation
 - 'sigmoid': apply sigmoid activation
 - 'softmax_and_logit': apply softmax then logit transform

Returns values with activation layer applied

`opensoundscape.torch.models.utils.cas_data_loader(dataset, batch_size, num_workers)`

Return a dataloader that uses the class aware sampler

Class aware sampler tries to balance the examples per class in each batch. It selects just a few classes to be present in each batch, then samples those classes for even representation in the batch.

Parameters

- **dataset** – a pytorch dataset type object
- **batch_size** – see DataLoader
- **num_workers** – see DataLoader

`opensoundscape.torch.models.utils.collate_lists_of_audio_clips(batch)`

Collate function for splitting + prediction of long audio files

Puts each data field into a tensor with outer dimension batch size

Additionally, concatenates the dfs from each audio file into one long df for the entire batch

`opensoundscape.torch.models.utils.get_batch(array, batch_size, batch_number)`

get a single slice of a larger array

using the batch size and batch index, from zero

Parameters

- **array** – iterable to split into batches
- **batch_size** – num elements per batch
- **batch_number** – index of batch

Returns one batch (subset of array)

Note: the final elements are returned as the last batch even if there are fewer than batch_size

Example

if array=[1,2,3,4,5,6,7] then:

- `get_batch(array,3,0)` returns [1,2,3]
- `get_batch(array,3,3)` returns [7]

`opensoundscape.torch.models.utils.get_data_loader(dataset, batch_size=64, num_workers=1, shuffle=False, sampler="")`

Create a DataLoader from a DataSet - chooses between normal pytorch DataLoader and ImbalancedDatasetSampler. - Sampler: None -> default DataLoader; 'imbalanced'->ImbalancedDatasetSampler

`opensoundscape.torch.models.utils.tensor_binary_predictions(scores, mode, threshold=None)`

generate binary 0/1 predictions from continuous scores

Parameters

- **scores** – torch.Tensor of dim (batch_size, n_classes) with input scores [-inf:inf]
- **mode** – 'single_target', 'multi_target', or None (return empty tensor)
- **threshold** – minimum score to predict 1, if mode=='multi_target'. threshold

- **be a single value for all classes or a list of class-specific values.** (*can*) –

Returns torch.Tensor of 0/1 predictions in same shape as scores

Note: expects real-valued (unbounded) input scores, i.e. scores take values in $[-\infty, \infty]$. Sigmoid layer is applied before multi-target prediction, so the threshold should be in $[0,1]$.

Module to initialize PyTorch CNN architectures with custom output shape

This module allows the use of several built-in CNN architectures from PyTorch. The architecture refers to the specific layers and layer input/output shapes (including convolution sizes and strides, etc) - such as the ResNet18 or Inception V3 architecture.

We provide wrappers which modify the output layer to the desired shape (to match the number of classes). The way to change the output layer shape depends on the architecture, which is why we need a wrapper for each one. This code is based on pytorch.org/tutorials/beginner/finetuning_torchvision_models_tutorial.html

To use these wrappers, for example, if your model has 10 output classes, write

```
my_arch=resnet18(10)
```

Then you can initialize a model object from *opensoundscape.torch.models.cnn* with your architecture:

```
model=PytorchModel(classes,my_arch)
```

or override an existing model's architecture:

```
model.network = my_arch
```

Note: the InceptionV3 architecture must be used differently than other architectures - the easiest way is to simply use the InceptionV3 class in *opensoundscape.torch.models.cnn*.

```
opensoundscape.torch.architectures.cnn_architectures.alexnet(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for AlexNet architecture

input size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch's model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.densenet121(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for densenet121 architecture

input size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch's model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.inception_v3(num_classes,
                                                                    freeze_feature_extractor=False,
                                                                    use_pretrained=True)
```

Wrapper for Inception v3 architecture

Input: 229x229

WARNING: expects (299,299) sized images and has auxiliary output. See InceptionV3 class in *opensoundscape.torch.models.cnn* for use.

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.resnet101(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for ResNet101 architecture

input_size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.resnet152(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for ResNet152 architecture

input_size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.resnet18(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for ResNet18 architecture

input_size = 224

Parameters

- **num_classes** – number of output nodes for the final layer

- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.resnet34(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for ResNet34 architecture

input_size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.resnet50(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for ResNet50 architecture

input_size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.set_parameter_requires_grad(model,
                                                                                    freeze_feature_extractor)
```

if necessary, remove gradients of all model parameters

if freeze_feature_extractor is True, we set requires_grad=False for all features in the feature extraction block. We would do this if we have a pre-trained CNN and only want to change the shape of the final layer, then train only that final classification layer without modifying the weights of the rest of the network.

```
opensoundscape.torch.architectures.cnn_architectures.squeezenet1_0(num_classes,
                                                                      freeze_feature_extractor=False,
                                                                      use_pretrained=True)
```

Wrapper for squeezenet architecture

input size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

```
opensoundscape.torch.architectures.cnn_architectures.vgg11_bn(num_classes,
                                                                freeze_feature_extractor=False,
                                                                use_pretrained=True)
```

Wrapper for vgg11 architecture

input size = 224

Parameters

- **num_classes** – number of output nodes for the final layer
- **freeze_feature_extractor** – if False (default), entire network will have gradients and can train if True, feature block is frozen and only final layer is trained
- **use_pretrained** – if True, uses pre-trained ImageNet features from Pytorch’s model zoo.

defines feature extractor and Architecture class for ResNet CNN

This implementation of the ResNet18 architecture allows for separate access to the feature extraction and classification blocks. This can be useful, for instance, to freeze the feature extractor and only train the classifier layer; or to specify different learning rates for the two blocks.

This implementation is used in the `Resnet18Binary` and `Resnet18Multiclass` classes of `opensoundscape.torch.models.cnn`.

```
class opensoundscape.torch.architectures.resnet.ResNetArchitecture(num_cls,
                                                                    weights_init='ImageNet',
                                                                    num_layers=18,
                                                                    init_classifier_weights=False)
```

ResNet architecture with 18 or 50 layers

This implementation enables separate access to feature and classification blocks.

Parameters

- **num_cls** – number of classes (int)
- **weights_init** –
 - “ImageNet”: load the pre-trained weights for ImageNet dataset
 - path: load weights from a path on your computer or a url
 - None: initialize with random weights
- **num_layers** – 18 for Resnet18 or 50 for Resnet50
- **init_classifier_weights** –
 - if True, load the weights of the classification layer as well as feature extraction layers - if False (default), only load the weights of the feature extraction layers

load (*init_path*, *init_classifier_weights=True*, *verbose=False*)

load state dict (weights) of the feature+classifier optionally load only feature weights not classifier weights

Parameters

- **init_path** –
 - url containing “http”: download weights from web
 - path: load weights from local path
- **init_classifier_weights** –

- if True, load the weights of the classification layer as well as feature extraction layers - if False (default), only load the weights of the feature extraction layers

- **verbose** – if True, print missing/unused keys [default: False]

```
class opensoundscape.torch.architectures.resnet.ResNetFeature (block, layers,  
                                                             zero_init_residual=False,  
                                                             groups=1,  
                                                             width_per_group=64,  
                                                             re-  
                                                             place_stride_with_dilation=None,  
                                                             norm_layer=None)
```

```
class opensoundscape.torch.architectures.utils.BaseArchitecture  
    Base architecture for reference.
```

14.2 Data Selection

```
opensoundscape.data_selection.resample (df, n_samples_per_class, upsample=True, down-  
                                         sample=True, random_state=None)  
resample a one-hot encoded label df for a target n_samples_per_class
```

Parameters

- **df** – dataframe with one-hot encoded labels: columns are classes, index is sample name/path
- **n_samples_per_class** – target number of samples per class
- **upsample** – if True, duplicate samples for classes with <n samples to get to n samples
- **downsample** – if True, randomly sample classis with >n samples to get to n samples
- **random_state** – passed to np.random calls. If None, random state is not fixed.

Note: The algorithm assumes that the label df is single-label. If the label df is multi-label, some classes can end up over-represented.

Note 2: The resulting df will have samples ordered by class label, even if the input df had samples in a random order.

```
opensoundscape.data_selection.upsample (input_df, label_column='Labels', ran-  
                                         dom_state=None)
```

Given a input DataFrame of categorical labels, upsample to maximum value

Upsampling removes the class imbalance in your dataset. Rows for each label are repeated up to *max_count // rows*. Then, we randomly sample the rows to fill up to *max_count*.

The input df is NOT one-hot encoded in this case, but instead contains categorical labels in a specified label_columns

Parameters

- **input_df** – A DataFrame to upsample
- **label_column** – The column to draw unique labels from
- **random_state** – Set the random_state during sampling

Returns An upsampled DataFrame

Return type `df`

14.3 Grad Cam

GradCAM is a method of visualizing the activation of the network on parts of an image

Author: Kazuto Nakashima # URL: <http://kazuto1011.github.io> # Created: 2017-05-26

14.4 Loss Functions

loss function classes to use with opensoundscape models

class `opensoundscape.torch.loss.BCEWithLogitsLoss_hot`

use pytorch's `nn.BCEWithLogitsLoss` for one-hot labels by simply converting `y` from long to float

class `opensoundscape.torch.loss.CrossEntropyLoss_hot`

use pytorch's `nn.CrossEntropyLoss` for one-hot labels by converting labels from 1-hot to integer labels

throws a `ValueError` if labels are not one-hot

class `opensoundscape.torch.loss.ResampleLoss` (*class_freq*, *reduction='mean'*,
loss_weight=1.0)

`opensoundscape.torch.loss.reduce_loss` (*loss*, *reduction*)

Reduce loss as specified.

Parameters

- **loss** (*Tensor*) – Elementwise loss tensor.
- **reduction** (*str*) – Options are “none”, “mean” and “sum”.

Returns Reduced loss tensor.

Return type `Tensor`

`opensoundscape.torch.loss.weight_reduce_loss` (*loss*, *weight=None*, *reduction='mean'*,
avg_factor=None)

Apply element-wise weight and reduce loss.

Parameters

- **loss** (*Tensor*) – Element-wise loss.
- **weight** (*Tensor*) – Element-wise weights.
- **reduction** (*str*) – Same as built-in losses of PyTorch.
- **avg_factor** (*float*) – Avarage factor when computing the mean of losses.

Returns Processed loss values.

Return type `Tensor`

14.5 Safe Dataloading

Dataset wrapper to handle errors gracefully in Preprocessor classes

A SafeDataset handles errors in a potentially misleading way: If an error is raised while trying to load a sample, the SafeDataset will instead load a different sample. The indices of any samples that failed to load will be stored in `._unsafe_indices`.

The behavior may be desirable for training a model, but could cause silent errors when predicting a model (replacing a bad file with a different file), and you should always be careful to check for `._unsafe_indices` after using a SafeDataset.

implemented by @msamogh in nonechucks (github.com/msamogh/nonechucks/)

class opensoundscape.torch.safe_dataset.**SafeDataset** (*dataset, unsafe_behavior, eager_eval=False*)

A wrapper for a Dataset that handles errors when loading samples

WARNING: When iterating, will skip the failed sample, but when using within a DataLoader, finds the next good sample and uses it for the current index (see `__getitem__`).

Parameters

- **dataset** – a torch Dataset instance or child such as a Preprocessor
- **eager_eval** – If True, checks if every file is able to be loaded during initialization (logs `_safe_indices` and `_unsafe_indices`)

Attributes: `_safe_indices` and `_unsafe_indices` can be accessed later to check which samples threw errors.

`_build_index()`

tries to load each sample, logs `_safe_indices` and `_unsafe_indices`

`__getitem__(index)`

If loading an index fails, keeps trying the next index until success

`_safe_get_item()`

Tries to load a sample, returns None if error occurs

`is_index_built`

Returns True if all indices of the original dataset have been classified into `safe_samples_indices` or `_unsafe_samples_indices`.

14.6 Sampling

classes for strategically sampling within a DataLoader

class opensoundscape.torch.sampling.**ClassAwareSampler** (*labels, num_samples_cls=1*)

In each batch of samples, pick a limited number of classes to include and give even representation to each class

class opensoundscape.torch.sampling.**ImbalancedDatasetSampler** (*dataset, indices=None, num_samples=None, callback_get_label=None*)

Samples elements randomly from a given list of indices for imbalanced dataset :param indices: a list of indices :type indices: list, optional :param num_samples: number of samples to draw :type num_samples: int, optional :param callback_get_label func: a callback-like function which takes two arguments - dataset and index

14.7 Performance Metrics

opensoundscape.metrics.**binary_metrics** (*targets, preds, class_names=[0, 1]*)

labels should be single-target

`opensoundscape.metrics.multiclass_metrics` (*targets, preds, class_names*)
provide a list or np.array of 0,1 targets and predictions

`opensoundscape.metrics.predict` (*scores, single_target=False, threshold=0.5*)
convert numeric scores to binary predictions

return 0/1 for an array of scores: samples (rows) x classes (columns)

Parameters

- **scores** – a 2-d list or np.array. row=sample, columns=classes
- **single_target** – if True, predict 1 for highest scoring class per sample, 0 for other classes. If False, predict 1 for all scores > threshold [default: False]
- **threshold** – Predict 1 for score > threshold. only used if single_target = False. [default: 0.5]

15.1 Image Augmentation

Transforms and augmentations for PIL.Images

`opensoundscape.preprocess.img_augment.time_split (img, seed=None)`

Given a PIL.Image, split into left/right parts and swap

Randomly chooses the slicing location For example, if h chosen

abcdefghijklmnop ^

hijklmnop + abcdefg

Parameters `img` – A PIL.Image

Returns A PIL.Image

15.2 Preprocessing Actions

Actions for augmentation and preprocessing pipelines

This module contains Action classes which act as the elements in Preprocessor pipelines. Action classes have `go()`, `on()`, `off()`, and `set()` methods. They take a single sample of a specific type and return the transformed or augmented sample, which may or may not be the same type as the original.

See the preprocessor module and Preprocessing tutorial for details on how to use and create your own actions.

class `opensoundscape.preprocess.actions.ActionContainer`

this is a container object which holds instances of Action child-classes

the Actions it contains each have `.go()`, `.on()`, `.off()`, `.set()`, `.get()`

The actions are un-ordered and may not all be used. In preprocessor objects such as `AudioToSpectrogramPreprocessor`, Actions from the action container are listed in a `pipeline(list)`, which defines their order of use.

To add actions to the container: `action_container.loader = AudioLoader()` To set parameters of actions: `action_container.loader.set(param=value,...)`

Methods: `list_actions()`

class `opensoundscape.preprocess.actions.AudioLoader(**kwargs)`

Action child class for `Audio.from_file()` (path -> Audio)

Loads an audio file, see `Audio.from_file()` for documentation.

Parameters

- **sample_rate** (*int*, *None*) – resample audio with value and `resample_type`, if *None* use source `sample_rate` (default: *None*)
- **resample_type** – method used to resample_type (default: `kaiser_fast`)
- **max_duration** – the maximum length of an input file, *None* is no maximum (default: *None*)

Note: default `sample_rate=None` means use file's sample rate, don't resample

class `opensoundscape.preprocess.actions.AudioToMelSpectrogram(**kwargs)`

Action child class for `MelSpectrogram.from_audio()` (Audio -> MelSpectrogram)

see `spectrogram.MelSpectrogram.from_audio` for documentation

Parameters

- **n_mels** – Number of mel bands to generate [default: 128] Note: `n_mels` should be chosen for compatibility with the Spectrogram parameter `window_samples`. Choosing a value $> \sim \text{window_samples}/10$ will result in zero-valued rows while small values blend rows from the original spectrogram.
- **window_type** – The windowing function to use [default: "hann"]
- **window_samples** – n samples per window [default: 512]
- **overlap_samples** – n samples shared by consecutive windows [default: 256]
- **htk** – use HTK mel-filter bank instead of Slaney, see Librosa docs [default: False]
- **norm='slanley'** – mel filter bank normalization, see Librosa docs
- **dB_scale=True** – If True, rescales values to decibels, $x=10*\log_{10}(x)$ - if `dB_scale` is False, `decibel_limits` is ignored

class `opensoundscape.preprocess.actions.AudioToSpectrogram(**kwargs)`

Action child class for `Spectrogram.from_audio()` (Audio -> Spectrogram)

see `spectrogram.Spectrogram.from_audio` for documentation

Parameters

- **window_type="hann"** – see `scipy.signal.spectrogram` docs for description of window parameter
- **window_samples=512** – number of audio samples per spectrogram window (pixel)
- **overlap_samples=256** – number of samples shared by consecutive windows
- **=(decibel_limits)** – limit the dB values to (min,max) (lower values set to min, higher values set to max)
- **dB_scale=True** – If True, rescales values to decibels, $x=10*\log_{10}(x)$ - if `dB_scale` is False, `decibel_limits` is ignored

class opensoundscape.preprocess.actions.**AudioTrimmer** (**kwargs)

Action child class for trimming audio (Audio -> Audio)

Trims an audio file to desired length Allows audio to be trimmed from start or from a random time Optionally extends audio shorter than clip_length with silence

Parameters

- **audio_length** – desired final length (sec); if None, no trim is performed
- **extend** – if True, clips shorter than audio_length are extended with silence to required length
- **random_trim** – if True, a random segment of length audio_length is chosen from the input audio. If False, the file is trimmed from 0 seconds to audio_length seconds.

class opensoundscape.preprocess.actions.**BaseAction** (**kwargs)

Parent class for all Actions (used in Preprocessor pipelines)

New actions should subclass this class.

Subclasses should set *self.requires_labels = True* if *go()* expects (X,y) instead of (X). y is a row of a dataframe (a pd.Series) with index (.name) = original file path, columns=class names, values=labels (0,1). X is the sample, and can be of various types (path, Audio, Spectrogram, Tensor, etc). See *ImgOverlay* for an example of an Action that uses labels.

class opensoundscape.preprocess.actions.**FrequencyMask** (**kwargs)

add random horizontal bars over image

Parameters

- **max_masks** – max number of horizontal bars [default: 3]
- **max_width** – maximum size of horizontal bars as fraction of image height

go (x)

torch Tensor in, torch Tensor out

class opensoundscape.preprocess.actions.**ImgOverlay** (overlay_df, audio_length, loader_pipeline, update_labels, **kwargs)

iteratively overlay images on top of eachother

Overlays images from overlay_df on top of the sample with probability overlay_prob until stopping condition. If necessary, trims overlay audio to the length of the input audio. Overlays the images on top of each other with a weight.

Overlays can be used in a few general ways:

1. a separate df where any file can be overlayed (overlay_class=None)
2. **same df as training, where the overlay class is “different” ie**, does not contain overlapping labels with the original sample
3. **same df as training, where samples from a specific class are used** for overlays

Parameters

- **overlay_df** – a labels dataframe with audio files as the index and classes as columns
- **audio_length** – length in seconds of original audio sample
- **loader_pipeline** – the preprocessing pipeline to load audio -> spec
- **update_labels** – if True, add overlayed sample’s labels to original sample

- **overlay_class** – how to choose files from overlay_df to overlay Options [default: “different”]: None - Randomly select any file from overlay_df “different” - Select a random file from overlay_df containing none
of the classes this file contains
specific class name - always choose files from this class
- **overlay_prob** – the probability of applying each subsequent overlay
- **max_overlay_num** – the maximum number of samples to overlay on original - for example, if overlay_prob = 0.5 and max_overlay_num=2,
1/2 of images will receive 1 overlay and 1/4 will receive an additional second overlay
- **overlay_weight** – can be a float between 0-1 or range of floats (chooses randomly from within range) such as [0.1,0.7]. An overlay_weight <0.5 means more emphasis on original image.

go (*x, x_labels*)

Overlay images from overlay_df

class opensoundscape.preprocess.actions.**ImgToTensor** (***kwargs*)

Convert PIL image to RGB Tensor (PIL.Image -> Tensor)

convert PIL.Image w/range [0,255] to torch Tensor w/range [0,1] converts image to RGB (3 channels)

class opensoundscape.preprocess.actions.**ImgToTensorGrayscale** (***kwargs*)

Convert PIL image to greyscale Tensor (PIL.Image -> Tensor)

convert PIL.Image w/range [0,255] to torch Tensor w/range [0,1] converts image to grayscale (1 channel)

class opensoundscape.preprocess.actions.**SaveTensorToDisk** (*save_path, **kwargs*)

save a torch Tensor to disk (Tensor -> Tensor)

Requires x_labels because the index of the label-row (.name) gives the original file name for this sample.

Uses torchvision.utils.save_image. Creates save_path dir if it doesn't exist

Parameters **save_path** – a directory where tensor will be saved

go (*x, x_labels*)

we require x_labels because the .name gives origin file name

class opensoundscape.preprocess.actions.**SpectToImg** (***kwargs*)

Action class to transform Spectrogram to PIL image

(Spectrogram -> PIL.Image)

Parameters

- **destination** – a file path (string)
- **shape=None** – image dimensions for 1 channel, (height, width)
- **mode="RGB"** – RGB for 3-channel color or “L” for 1-channel grayscale
- **colormap=None** – (str) Matplotlib color map name (if None, greyscale)

class opensoundscape.preprocess.actions.**SpectrogramBandpass** (***kwargs*)

Action class for Spectrogram.bandpass() (Spectrogram -> Spectrogram)

see opensoundscape.spectrogram.Spectrogram.bandpass() for documentation

To bandpass the spectrogram from 1kHz to 5Khz: action = SpectrogramBandpass(1000,5000)

Parameters

- **min_f** – low frequency in Hz for bandpass
- **max_f** – high frequency in Hz for bandpass
- **out_of_bounds_ok** – if False, raises error if min or max beyond spec limits

class opensoundscape.preprocess.actions.**TensorAddNoise** (**kwargs)

Add gaussian noise to sample (Tensor -> Tensor)

Parameters **std** – standard deviation for Gaussian noise [default: 1]

Note: be aware that scaling before/after this action will change the effect of a fixed stdev Gaussian noise

class opensoundscape.preprocess.actions.**TensorAugment** (**kwargs)

combination of 3 augmentations with hard-coded parameters

time warp, time mask, and frequency mask

use (bool) time_warp, time_mask, freq_mask to turn each on/off

Note: This function reduces the image to greyscale then duplicates the image across the 3 channels

go (x)

torch Tensor in, torch Tensor out

class opensoundscape.preprocess.actions.**TensorNormalize** (**kwargs)

torchvision.transforms.Normalize (WARNING: FIXED shift and scale)

(Tensor->Tensor)

WARNING: This does not perform per-image normalization. Instead, it takes as arguments a fixed u and s, ie for the entire dataset, and performs $X=(X-u)/s$.

Params: mean=0.5 std=0.5

class opensoundscape.preprocess.actions.**TimeMask** (**kwargs)

add random vertical bars over image (Tensor -> Tensor)

Parameters

- **max_masks** – maximum number of bars [default: 3]
- **max_width** – maximum width of horizontal bars as fraction of image width
- **[default – 0.2]**

class opensoundscape.preprocess.actions.**TimeWarp** (**kwargs)

Time warp is an experimental augmentation that creates a tilted image.

Parameters **warp_amount** – use higher values for more skew and offset (experimental)

Note: this augmentation reduces the image to greyscale and duplicates the result across the 3 channels.

class opensoundscape.preprocess.actions.**TorchColorJitter** (**kwargs)

Action class for torchvision.transforms.ColorJitter

(Tensor -> Tensor) or (PIL Img -> PIL Img)

Parameters

- **brightness=0.3** –
- **contrast=0.3** –
- **saturation=0.3** –
- **hue=0** –

class opensoundscape.preprocess.actions.**TorchRandomAffine** (**kwargs)

Action class for torchvision.transforms.RandomAffine

(Tensor -> Tensor) or (PIL Img -> PIL Img)

Parameters

- **= 0** (*degrees*) –
- **= (fill)** –
- **= –**

Note: If applying per-image normalization, we recommend applying RandomAffine after image normalization. In this case, an intermediate gray value is ~0. If normalization is applied after RandomAffine on a PIL image, use an intermediate fill color such as (122,122,122).

15.3 Preprocessors

class opensoundscape.preprocess.preprocessors.**AudioLoadingPreprocessor** (df, *re-*
turn_labels=True,
au-
dio_length=None)

creates Audio objects from file paths

Parameters

- **df** – dataframe of audio clips. df must have audio paths in the index. If df has labels, the class names should be the columns, and the values of each row should be 0 or 1. If data does not have labels, df will have no columns
- **return_labels** – if True, `__getitem__` returns {"X":batch_tensors,"y":labels} if False, `__getitem__` returns {"X":batch_tensors} [default: True]
- **audio_length** – length in seconds of audio to return - None: do not trim the original audio - seconds (float): trim longer audio to this length. Shorter audio input will raise a ValueError.

class opensoundscape.preprocess.preprocessors.**AudioToSpectrogramPreprocessor** (df, *au-*
dio_length=None,
out_shape=[224,
224],
re-
turn_labels=True)

loads audio paths, creates spectrogram, returns tensor

by default, does not resample audio, but bandpasses to 0-10 kHz (to ensure all outputs have same scale in y-axis)
can change with `.actions.load_audio.set(sample_rate=sr)`

Parameters

- **df** – dataframe of audio clips. df must have audio paths in the index. If df has labels, the class names should be the columns, and the values of each row should be 0 or 1. If data does not have labels, df will have no columns
- **audio_length** – length in seconds of audio clips [default: None] If provided, longer clips trimmed to this length. By default, shorter clips will not be extended (modify `actions.AudioTrimmer` to change behavior).

- **out_shape** – output shape of tensor in pixels [default: [224,224]]
- **return_labels** – if True, the `__getitem__` method will return {X:sample,y:labels} If False, the `__getitem__` method will return {X:sample} If df has no labels (no columns), use `return_labels=False` [default: True]

class opensoundscape.preprocess.preprocessors.**BasePreprocessor** (df, *return_labels=True*)

Base class for Preprocessing pipelines (use in place of torch Dataset)

Custom Preprocessor classes should subclass this class or its children

Parameters

- **df** – dataframe of audio clips. df must have audio paths in the index. If df has labels, the class names should be the columns, and the values of each row should be 0 or 1. If data does not have labels, df will have no columns
- **return_labels** – if True, the `__getitem__` method will return {X:sample,y:labels} If False, the `__getitem__` method will return {X:sample} If df has no labels (no columns), use `return_labels=False` [default: True]

Raises PreprocessingError if exception is raised during `__getitem__`

class_counts_cal ()
count number of each label

head (n=5)
out-of-place copy of first n samples
performs df.head(n) on self.df

Parameters

- **n** – number of first samples to return, see pandas.DataFrame.head()
- **[default – 5]**

Returns a new dataset object

pipeline_summary ()
Generate a DataFrame describing the current pipeline

The DataFrame has columns for name (corresponds to the attribute name, eg ‘to_img’ for self.actions.to_img), on (not bypassed) / off (bypassed), and action_reference (a reference to the object)

sample (**kwargs)
out-of-place random sample
creates copy of object with n rows randomly sampled from dataframe
Args: see pandas.DataFrame.sample()

Returns a new dataset object

class opensoundscape.preprocess.preprocessors.**CnnPreprocessor** (df, *audio_length=None, return_labels=True, debug=None, overlay_df=None, out_shape=[224, 224]*)

Child of AudioToSpectrogramPreprocessor with full augmentation pipeline

loads audio, creates spectrogram, performs augmentations, returns tensor

by default, does not resample audio, but bandpasses to 0-10 kHz (to ensure all outputs have same scale in y-axis) can change with `.actions.load_audio.set(sample_rate=sr)`

Parameters

- **df** – dataframe of audio clips. df must have audio paths in the index. If df has labels, the class names should be the columns, and the values of each row should be 0 or 1. If data does not have labels, df will have no columns
- **audio_length** – length in seconds of audio clips [default: None] If provided, longer clips trimmed to this length. By default, shorter clips will not be extended (modify `actions.AudioTrimmer` to change behavior).
- **out_shape** – output shape of tensor in pixels [default: [224,224]]
- **return_labels** – if True, the `__getitem__` method will return {X:sample,y:labels} If False, the `__getitem__` method will return {X:sample} If df has no labels (no columns), use `return_labels=False` [default: True]
- **debug** – If a path is provided, generated samples (after all augmentation) will be saved to the path as an image. This is useful for checking that the sample provided to the model matches expectations. [default: None]

augmentation_off()

use pipeline that skips all augmentations

augmentation_on()

use pipeline containing all actions including augmentations

```
class opensoundscape.preprocess.preprocessors.LongAudioPreprocessor(df, au-
                                                                    dio_length,
                                                                    clip_overlap=0,
                                                                    fi-
                                                                    nal_clip=None,
                                                                    out_shape=[224,
                                                                    224])
```

loads audio paths, splits into segments, and runs pipeline on each segment

by default, resamples audio to `sr=22050` can change with `.actions.load_audio.set(sample_rate=sr)`

Parameters

- **df** – dataframe of samples. df must have audio paths in the index. If df has labels, the class names should be the columns, and the values of each row should be 0 or 1. If data does not have labels, df will have no columns
- **audio_length** – length in seconds of audio clips [default: None] If provided, longer clips trimmed to this length. By default, shorter clips will not be extended (modify `actions.AudioTrimmer` to change behavior).
- **clip_overlap** – overlap in seconds between adjacent clips
- **final_clip=None** – see `Audio.split()` for final clip behavior and options
- **out_shape** – output shape of tensor in pixels [default: [224,224]]
- **Note** – returning labels is not implemented

Returns: DataSet object

exception `opensoundscape.preprocess.utils.PreprocessingError`

Custom exception indicating that a Preprocessor pipeline failed

15.4 Tensor Augmentation

Augmentations and transforms for torch.Tensors

These functions were implemented for PyTorch in: https://github.com/zcaceres/spec_augment The original paper is available on <https://arxiv.org/abs/1904.08779>

`opensoundscape.preprocess.tensor_augment.freq_mask(spec, F=30, max_masks=3, replace_with_zero=False)`

draws horizontal bars over the image

F: maximum frequency-width of bars in pixels

max_masks: maximum number of bars to draw

replace_with_zero: if True, bars are 0s, otherwise, mean img value

`opensoundscape.preprocess.tensor_augment.time_mask(spec, T=40, max_masks=3, replace_with_zero=False)`

draws vertical bars over the image

T: maximum time-width of bars in pixels

max_masks: maximum number of bars to draw

replace_with_zero: if True, bars are 0s, otherwise, mean img value

`opensoundscape.preprocess.tensor_augment.time_warp(spec, W=5)`

apply time stretch and shearing to spectrogram

fills empty space on right side with horizontal bars

W controls amount of warping. Random with occasional large warp.

16.1 RIBBIT

Detect periodic vocalizations with RIBBIT

This module provides functionality to search audio for periodically fluctuating vocalizations.

```
opensoundscape.ribbit.calculate_pulse_score(amplitude, amplitude_sample_rate,  
                                             pulse_rate_range, plot=False, nfft=1024)
```

Search for amplitude pulsing in an audio signal in a range of pulse repetition rates (PRR)

scores an audio amplitude signal by highest value of power spectral density in the PRR range

Parameters

- **amplitude** – a time series of the audio signal’s amplitude (for instance a smoothed raw audio signal)
- **amplitude_sample_rate** – sample rate in Hz of amplitude signal, normally ~20-200 Hz
- **pulse_rate_range** – [min, max] values for amplitude modulation in Hz
- **plot=False** – if True, creates a plot visualizing the power spectral density
- **nfft=1024** – controls the resolution of the power spectral density (see `scipy.signal.welch`)

Returns pulse rate score for this audio segment (float)

```
opensoundscape.ribbit.ribbit(spectrogram, signal_band, pulse_rate_range, clip_duration,  
                             clip_overlap=0, final_clip=None, noise_bands=None, plot=False)
```

Run RIBBIT detector to search for periodic calls in audio

This tool searches for periodic energy fluctuations at specific repetition rates and frequencies.

Parameters

- **spectrogram** – `opensoundscape.Spectrogram` object of an audio file
- **signal_band** – [min, max] frequency range of the target species, in Hz

- **pulse_rate_range** – [min,max] pulses per second for the target species
- **clip_duration** – the length of audio (in seconds) to analyze at one time - each clip is analyzed independently and receives a ribbit score
- **clip_overlap** (*float*) – overlap between consecutive clips (sec)
- **final_clip** (*str*) – behavior if final clip is less than clip_duration seconds long. By default, discards remaining audio if less than clip_duration seconds long [default: None]. Options: - None: Discard the remainder (do not make a clip) - “remainder”: Use only remainder of Audio (final clip will be shorter than clip_duration) - “full”: Increase overlap with previous clip to yield a clip with clip_duration length Note that the “extend” option is not supported for RIBBIT.
- **noise_bands** – list of frequency ranges to subtract from the signal_band For instance: [[min1,max1] , [min2,max2]] - if *None*, no noise bands are used - default: None
- **plot=False** – if True, plot the power spectral density for each clip

Returns DataFrame of index=(‘start_time’,‘end_time’), columns=[‘score’], with a row for each clip.

Notes

PARAMETERS RIBBIT requires the user to select a set of parameters that describe the target vocalization. Here is some detailed advice on how to use these parameters.

Signal Band: The signal band is the frequency range where RIBBIT looks for the target species. It is best to pick a narrow signal band if possible, so that the model focuses on a specific part of the spectrogram and has less potential to include erroneous sounds.

Noise Bands: Optionally, users can specify other frequency ranges called noise bands. Sounds in the *noise_bands* are *subtracted* from the *signal_band*. Noise bands help the model filter out erroneous sounds from the recordings, which could include confusion species, background noise, and popping/clicking of the microphone due to rain, wind, or digital errors. It’s usually good to include one noise band for very low frequencies – this specifically eliminates popping and clicking from being registered as a vocalization. It’s also good to specify noise bands that target confusion species. Another approach is to specify two narrow *noise_bands* that are directly above and below the *signal_band*.

Pulse Rate Range: This parameters specifies the minimum and maximum pulse rate (the number of pulses per second, also known as pulse repetition rate) RIBBIT should look for to find the focal species. For example, choosing *pulse_rate_range* = [10, 20] means that RIBBIT should look for pulses no slower than 10 pulses per second and no faster than 20 pulses per second.

Clip Duration: The *clip_duration* parameter tells RIBBIT how many seconds of audio to analyze at one time. Generally, you should choose a *clip_length* that is similar to the length of the target species vocalization, or a little bit longer. For very slowly pulsing vocalizations, choose a longer window so that at least 5 pulses can occur in one window (0.5 pulses per second -> 10 second window). Typical values for are 0.3 to 10 seconds. Also, *clip_overlap* can be used for overlap between sequential clips. This is more computationally expensive but will be more likely to center a target sound in the clip (with zero overlap, the target sound may be split up between adjacent clips).

Plot: We can choose to show the power spectrum of pulse repetition rate for each window by setting *plot=True*. The default is not to show these plots (*plot=False*).

ALGORITHM This is the procedure RIBBIT follows: divide the audio into segments of length clip_duration for each clip:

calculate time series of energy in signal band (signal_band) and subtract noise band energies (noise_bands) calculate power spectral density of the amplitude time series score the file based on the maximum value of power spectral density in the pulse rate range

16.2 Signal Processing

Signal processing tools for feature extraction and more

`opensoundscape.signal.cwt_peaks` (*audio*, *center_frequency*, *wavelet='morl'*, *peak_threshold=0.2*,
peak_separation=None, *plot=False*)

compute a cwt, post-process, then extract peaks

Performs a continuous wavelet transform (cwt) on an audio signal at a single frequency. It then squares, smooths, and normalizes the signal. Finally, it detects peaks in the resulting signal and returns the times and magnitudes of detected peaks. It is used as a feature extractor for Ruffed Grouse drumming detection.

Parameters

- **audio** – an Audio object
- **center_frequency** – the target frequency to extract peaks from
- **wavelet** – (str) name of a pywt wavelet, eg 'morl' (see pywt docs)
- **peak_threshold** – minimum height of peaks - if None, no minimum peak height - see "height" argument to `scipy.signal.find_peaks`
- **peak_separation** – minimum time between detected peaks, in seconds - if None, no minimum distance - see "distance" argument to `scipy.signal.find_peaks`

Returns list of times (from beginning of signal) of each peak *peak_levels*: list of magnitudes of each detected peak

Return type *peak_times*

Note: consider downsampling audio to reduce computational cost. Audio must have sample rate of at least 2x target frequency.

`opensoundscape.signal.detect_peak_sequence_cwt` (*audio*, *sr=400*, *window_len=60*, *center_frequency=50*,
wavelet='morl', *peak_threshold=0.2*,
peak_separation=0.0375,
dt_range=[0.05, 0.8], *dy_range=[-0.2, 0]*, *d2y_range=[-0.05, 0.15]*,
max_skip=3, *duration_range=[1, 15]*,
points_range=[9, 100], *plot=False*)

Use a continuous wavelet transform to detect accelerating sequences

This function creates a continuous wavelet transform (cwt) feature and searches for accelerating sequences of peaks in the feature. It was developed to detect Ruffed Grouse drumming events in audio signals. Default parameters are tuned for Ruffed Grouse drumming detection.

Analysis is performed on analysis windows of fixed length without overlap. Detections from each analysis window across the audio file are aggregated.

Parameters

- **audio** – Audio object
- **sr=400** – resample audio to this sample rate (Hz)
- **window_len=60** – length of analysis window (sec)
- **center_frequency=50** – target audio frequency of cwt
- **wavelet='morl'** – (str) pywt wavelet name (see pywavelets docs)

- **peak_threshold=0.2** – height threshold (0-1) for peaks in normalized signal
- **peak_separation=15/400** – min separation (sec) for peak finding
- **0.8]** (*dt_range=[0.05,*) – sequence detection point-to-point criterion 1 - Note: the upper limit is also used as sequence termination criterion 2
- **0]** (*dy_range=[-0.2,*) – sequence detection point-to-point criterion 2
- **0.15]** (*d2y_range=[-0.05,*) – sequence detection point-to-point criterion 3
- **max_skip=3** – sequence termination criterion 1: max sequential invalid points
- **15]** (*duration_range=[1,*) – sequence criterion 1: length (sec) of sequence
- **100]** (*points_range=[9,*) – sequence criterion 2: num points in sequence
- **plot=False** – if True, plot peaks and detected sequences with pyplot

Returns dataframe summarizing detected sequences

Note: for Ruffed Grouse drumming, which is very low pitched, audio is resampled to 400 Hz. This greatly increases the efficiency of the cwt, but will only detect frequencies up to 400/2=200Hz. Generally, choose a resample frequency as low as possible but $\geq 2x$ the target frequency

Note: the cwt signal is normalized on each analysis window, so changing the analysis window size can change the detection results.

Note: if there is an incomplete window remaining at the end of the audio file, it is discarded (not analyzed).

`opensoundscape.signal.find_accel_sequences` (*t*, *dt_range*=[0.05, 0.8], *dy_range*=[-0.2, 0],
d2y_range=[-0.05, 0.15], *max_skip*=3, *duration_range*=[1, 15], *points_range*=[5, 100])

detect accelerating/decelerating sequences in time series

developed for detecting Ruffed Grouse drumming events in a series of peaks extracted from cwt signal

The algorithm computes the forward difference of *t*, *y*(*t*). It iterates through the [*y*(*t*), *t*] points searching for sequences of points that meet a set of conditions. It begins with an empty candidate sequence.

“Point-to-point criteria”: Valid ranges for *dt*, *dy*, and *d2y* are checked for each subsequent point and are based on previous points in the candidate sequence. If they are met, the point is added to the candidate sequence.

“Continuation criteria”: Conditions for *max_skip* and the upper bound of *dt* are used to determine when a sequence should be terminated.

- *max_skip*: max number of sequential invalid points before terminating
- *dt* \leq *dt_range*[1]: if *dt* is long, sequence should be broken

“Sequence criteria”: When a sequence is terminated, it is evaluated on conditions for *duration_range* and *points_range*. If it meets these conditions, it is saved as a detected sequence.

- *duration_range*: length of sequence in seconds from first to last point
- *points_range*: number of points included in sequence

When a sequence is terminated, the search continues with the next point and an empty sequence.

Parameters

- *t* – (list or np.array) times of all detected peaks (seconds)
- **dt_range**=[0.05, 0.8] – valid values for *t*(*i*) - *t*(*i*-1)
- **dy_range**=[-0.2, 0] – valid values for change in *y* (grouse: difference in time between consecutive beats should decrease)

- **d2y_range**=[-.05,15] – limit change in dy: should not show large decrease (sharp curve downward on y vs t plot)
- **max_skip**=3 – max invalid points between valid points for a sequence (grouse: should not have many noisy points between beats)
- **duration_range**=[1,15] – total duration of sequence (sec)
- **points_range**=[9,100] – total number of points in sequence

Returns lists of t and y for each detected sequence

Return type sequences_t, sequences_y

`opensoundscape.signal.frequency2scale` (*frequency*, *wavelet*, *sr*)
determine appropriate wavelet scale for desired center frequency

Parameters

- **frequency** – desired center frequency of wavelet in Hz (1/seconds)
- **wavelet** – (str) name of pywt wavelet, eg ‘morl’ for Morlet
- **sr** – sample rate in Hz (1/seconds)

Returns (float) scale parameter for `pywt.cwt()` to extract desired frequency

Return type scale

Note: this function is not exactly an inverse of `pywt.scale2frequency()`, because that function returns frequency in sample-units (cycles/sample) rather than frequency in Hz (cycles/second). In other words, `frequency_hz = pywt.scale2frequency(w,scale)*sr`.

17.1 Helpers

`opensoundscape.helpers.binarize(x, threshold)`
return a list of 0, 1 by thresholding vector x

`opensoundscape.helpers.bound(x, bounds)`
restrict x to a range of bounds = [min, max]

`opensoundscape.helpers.file_name(path)`
get file name without extension from a path

`opensoundscape.helpers.generate_clip_times_df(full_duration, clip_duration, clip_overlap=0, final_clip=None)`
generate start and end times for even-lengthed clips

The behavior for incomplete final clips at the end of the `full_duration` depends on the `final_clip` parameter.

This function only creates a dataframe with start and end times, it does not perform any actual trimming of audio or other objects.

Parameters

- **full_duration** – The amount of time (seconds) to split into clips
- **clip_duration** (*float*) – The duration in seconds of the clips
- **clip_overlap** (*float*) – The overlap of the clips in seconds [default: 0]
- **final_clip** (*str*) – Behavior if `final_clip` is less than `clip_duration` seconds long. By default, discards remaining time if less than `clip_duration` seconds long [default: None]. Options:
 - None: Discard the remainder (do not make a clip)
 - "extend": Extend the final clip beyond `full_duration` to reach `clip_duration` length
 - "remainder": Use only remainder of `full_duration` (final clip will be shorter than `clip_duration`)

– “full”: Increase overlap with previous clip to yield a clip with clip_duration length

Returns DataFrame with columns for ‘start_time’, ‘end_time’, and ‘clip_duration’ of each clip (which may differ from clip_duration argument for final clip only)

Return type clip_df

Note: using “remainder” or “full” with clip_overlap>0 is not recommended. This combination may result in several duplications of the same final clip.

opensoundscape.helpers.hex_to_time(s)

convert a hexadecimal, Unix time string to a datetime timestamp in utc

Example usage: ““ # Get the UTC timestamp t = hex_to_time(‘5F16A04E’)

Convert it to a desired timezone my_timezone = pytz.timezone(“US/Mountain”) t = t.astimezone(my_timezone) ““

Parameters s (string) – hexadecimal Unix epoch time string, e.g. ‘5F16A04E’

Returns datetime.datetime object representing the date and time in UTC

opensoundscape.helpers.inrange(x, r)

return true if x is in range [r[0],r[1]] (inclusive)

opensoundscape.helpers.isNan(x)

check for nan by equating x to itself

opensoundscape.helpers.jitter(x, width, distribution=‘gaussian’)

Jitter (add random noise to) each value of x

Parameters

- **x** – scalar, array, or nd-array of numeric type
- **width** – multiplier for random variable (stdev for ‘gaussian’ or r for ‘uniform’)
- **distribution** – ‘gaussian’ (default) or ‘uniform’ if ‘gaussian’: draw jitter from gaussian with mu = 0, std = width if ‘uniform’: draw jitter from uniform on [-width, width]

Returns x + random jitter

Return type jittered_x

opensoundscape.helpers.linear_scale(array, in_range=(0, 1), out_range=(0, 255))

Translate from range in_range to out_range

Inputs: in_range: The starting range [default: (0, 1)] out_range: The output range [default: (0, 255)]

Outputs: new_array: A translated array

opensoundscape.helpers.min_max_scale(array, feature_range=(0, 1))

rescale vaues in an a array linearly to feature_range

opensoundscape.helpers.overlap(r1, r2)

“calculate the amount of overlap between two real-numbered ranges

opensoundscape.helpers.overlap_fraction(r1, r2)

“calculate the fraction of r1 (low, high range) that overlaps with r2

opensoundscape.helpers.rescale_features(X, rescaling_vector=None)

rescale all features by dividing by the max value for each feature

optionally provide the rescaling vector (1xlen(X) np.array), so that you can rescale a new dataset consistently with an old one

returns rescaled feature set and rescaling vector

`opensoundscape.helpers.run_command(cmd)`
 run a bash command with Popen, return response

`opensoundscape.helpers.sigmoid(x)`
 sigmoid function

17.2 Taxa

a set of utilites for converting between scientific and common names of bird species in different naming systems (xeno canto and bird net)

`opensoundscape.taxa.bn_common_to_sci(common)`
 convert bird net common name (ignoring dashes, spaces, case) to scientific name as lowercase-hyphenated

`opensoundscape.taxa.common_to_sci(common)`
 convert bird net common name (ignoring dashes, spaces, case) to scientific name as lowercase-hyphenated

`opensoundscape.taxa.get_species_list()`
 list of scientific-names (lowercase-hyphenated) of species in the loaded species table

`opensoundscape.taxa.sci_to_bn_common(scientific)`
 convert scientific name as lowercase-hyphenated to birdnet common name as lowercasenospaces

`opensoundscape.taxa.sci_to_xc_common(scientific)`
 convert scientific name as lowercase-hyphenated to xeno-canto common name as lowercasenospaces

`opensoundscape.taxa.xc_common_to_sci(common)`
 convert xeno-canto common name (ignoring dashes, spaces, case) to scientific name as lowercase-hyphenated

17.3 Localization

`opensoundscape.localization.calc_speed_of_sound(temperature=20)`
 Calculate speed of sound in meters per second

Calculate speed of sound for a given temperature in Celsius (Humidity has a negligible effect on speed of sound and so this functionality is not implemented)

Parameters `temperature` – ambient temperature in Celsius

Returns the speed of sound in meters per second

`opensoundscape.localization.localize(receiver_positions, arrival_times, temperature=20.0, invert_alg='gps', center=True, pseudo=True)`

Perform TDOA localization on a sound event

Localize a sound event given relative arrival times at multiple receivers. This function implements a localization algorithm from the equations described in the class handout (“Global Positioning Systems”). Localization can be performed in a global coordinate system in meters (i.e., UTM), or relative to recorder positions in meters.

Parameters

- **receiver_positions** – a list of [x,y,z] positions for each receiver Positions should be in meters, e.g., the UTM coordinate system.
- **arrival_times** – a list of TDOA times (onset times) for each recorder The times should be in seconds.
- **temperature** – ambient temperature in Celsius

- **invert_alg** – what inversion algorithm to use
- **center** – whether to center recorders before computing localization result. Computes localization relative to centered plot, then translates solution back to original recorder locations. (For behavior of original Sound Finder, use True)
- **pseudo** – whether to use the pseudorange error (True) or sum of squares discrepancy (False) to pick the solution to return (For behavior of original Sound Finder, use False. However, in initial tests, pseudorange error appears to perform better.)

Returns The solution (x,y,z,b) with the lower sum of squares discrepancy b is the error in the pseudorange (distance to mics), $b=c*\text{delta_t}$ (delta_t is time error)

`opensoundscape.localization.lorentz_ip(u, v=None)`

Compute Lorentz inner product of two vectors

For vectors u and v , the Lorentz inner product for 3-dimensional case is defined as

$$u[0]*v[0] + u[1]*v[1] + u[2]*v[2] - u[3]*v[3]$$

Or, for 2-dimensional case as

$$u[0]*v[0] + u[1]*v[1] - u[2]*v[2]$$

Parameters

- **u** – vector with shape either (3,) or (4,)
- **v** – vector with same shape as x1; if None (default), sets $v = u$

Returns value of Lorentz IP

Return type float

`opensoundscape.localization.travel_time(source, receiver, speed_of_sound)`

Calculate time required for sound to travel from a source to a receiver

Parameters

- **source** – cartesian position [x,y] or [x,y,z] of sound source
- **receiver** – cartesian position [x,y] or [x,y,z] of sound receiver
- **speed_of_sound** – speed of sound in m/s

Returns time in seconds for sound to travel from source to receiver

CHAPTER 18

Index

CHAPTER 19

Modules

- modindex

O

- `opensoundscape.annotations`, 119
- `opensoundscape.audio`, 123
- `opensoundscape.audio_tools`, 128
- `opensoundscape.audiomoth`, 127
- `opensoundscape.data_selection`, 145
- `opensoundscape.helpers`, 165
- `opensoundscape.localization`, 167
- `opensoundscape.metrics`, 147
- `opensoundscape.preprocess.actions`, 149
- `opensoundscape.preprocess.img_augment`, 149
- `opensoundscape.preprocess.preprocessors`, 154
- `opensoundscape.preprocess.tensor_augment`, 157
- `opensoundscape.preprocess.utils`, 156
- `opensoundscape.ribbit`, 159
- `opensoundscape.signal`, 161
- `opensoundscape.spectrogram`, 130
- `opensoundscape.taxa`, 167
- `opensoundscape.torch.architectures.cnn_architectures`, 141
- `opensoundscape.torch.architectures.resnet`, 144
- `opensoundscape.torch.architectures.utils`, 145
- `opensoundscape.torch.grad_cam`, 146
- `opensoundscape.torch.loss`, 146
- `opensoundscape.torch.models.cnn`, 135
- `opensoundscape.torch.models.utils`, 139
- `opensoundscape.torch.safe_dataset`, 146
- `opensoundscape.torch.sampling`, 147

Symbols

`__getitem__()` (*opensoundscape.torch.safe_dataset.SafeDataset* method), 147

`_build_index()` (*opensoundscape.torch.safe_dataset.SafeDataset* method), 147

`_safe_get_item()` (*opensoundscape.torch.safe_dataset.SafeDataset* method), 147

A

`ActionContainer` (class in *opensoundscape.preprocess.actions*), 149

`alexnet()` (in module *opensoundscape.torch.architectures.cnn_architectures*), 141

`amplitude()` (*opensoundscape.spectrogram.Spectrogram* method), 131

`apply_activation_layer()` (in module *opensoundscape.torch.models.utils*), 139

`Audio` (class in *opensoundscape.audio*), 123

`audio_sample_rate` (*opensoundscape.spectrogram.Spectrogram* attribute), 131

`AudioLoader` (class in *opensoundscape.preprocess.actions*), 150

`AudioLoadingPreprocessor` (class in *opensoundscape.preprocess.preprocessors*), 154

`audiomoth_start_time()` (in module *opensoundscape.audiomoth*), 127

`AudioToMelSpectrogram` (class in *opensoundscape.preprocess.actions*), 150

`AudioToSpectrogram` (class in *opensoundscape.preprocess.actions*), 150

`AudioToSpectrogramPreprocessor` (class in *opensoundscape.preprocess.preprocessors*), 154

`AudioTrimmer` (class in *opensoundscape.preprocess.actions*), 150

`augmentation_off()` (*opensoundscape.preprocess.preprocessors.CnnPreprocessor* method), 156

`augmentation_on()` (*opensoundscape.preprocess.preprocessors.CnnPreprocessor* method), 156

B

`bandpass()` (*opensoundscape.annotations.BoxedAnnotations* method), 119

`bandpass()` (*opensoundscape.audio.Audio* method), 124

`bandpass()` (*opensoundscape.spectrogram.Spectrogram* method), 131

`bandpass_filter()` (in module *opensoundscape.audio_tools*), 128

`BaseAction` (class in *opensoundscape.preprocess.actions*), 151

`BaseArchitecture` (class in *opensoundscape.torch.architectures.utils*), 145

`BaseModule` (class in *opensoundscape.torch.models.utils*), 139

`BasePreprocessor` (class in *opensoundscape.preprocess.preprocessors*), 155

`BCEWithLogitsLoss_hot` (class in *opensoundscape.torch.loss*), 146

`binarize()` (in module *opensoundscape.helpers*), 165

`binary_metrics()` (in module *opensoundscape.metrics*), 147

`bn_common_to_sci()` (in module *opensoundscape.taxa*), 167

`bound()` (in module *opensoundscape.helpers*), 165

`BoxedAnnotations` (class in *opensoundscape.annotations*), 119

`butter_bandpass()` (in module *opensoundscape.audio_tools*), 128

C

`calc_speed_of_sound()` (in module *opensoundscape.localization*), 167

`calculate_pulse_score()` (in module *opensoundscape.ribbit*), 159

`cas_data_loader()` (in module *opensoundscape.torch.models.utils*), 140

`categorical_to_one_hot()` (in module *opensoundscape.annotations*), 122

`class_counts_cal()` (*opensoundscape.preprocess.preprocessors.BasePreprocessor* method), 155

`ClassAwareSampler` (class in *opensoundscape.torch.sampling*), 147

`clipping_detector()` (in module *opensoundscape.audio_tools*), 128

`CnnPreprocessor` (class in *opensoundscape.preprocess.preprocessors*), 155

`CnnResampleLoss` (class in *opensoundscape.torch.models.cnn*), 135

`collate_lists_of_audio_clips()` (in module *opensoundscape.torch.models.utils*), 140

`combine()` (in module *opensoundscape.annotations*), 122

`common_to_sci()` (in module *opensoundscape.taxa*), 167

`convert_labels()` (*opensoundscape.annotations.BoxedAnnotations* method), 119

`convolve_file()` (in module *opensoundscape.audio_tools*), 128

`CrossEntropyLoss_hot` (class in *opensoundscape.torch.loss*), 146

`cwt_peaks()` (in module *opensoundscape.signal*), 161

D

`decibel_limits` (*opensoundscape.spectrogram.Spectrogram* attribute), 131

`densenet121()` (in module *opensoundscape.torch.architectures.cnn_architectures*), 141

`detect_peak_sequence_cwt()` (in module *opensoundscape.signal*), 161

`diff()` (in module *opensoundscape.annotations*), 122

`duration()` (*opensoundscape.audio.Audio* method), 124

`duration()` (*opensoundscape.spectrogram.Spectrogram* method), 132

E

`extend()` (*opensoundscape.audio.Audio* method), 124

F

`file_name()` (in module *opensoundscape.helpers*), 165

`find_accel_sequences()` (in module *opensoundscape.signal*), 162

`freq_mask()` (in module *opensoundscape.preprocess.tensor_augment*), 157

`frequencies` (*opensoundscape.spectrogram.Spectrogram* attribute), 131

`frequency2scale()` (in module *opensoundscape.signal*), 163

`FrequencyMask` (class in *opensoundscape.preprocess.actions*), 151

`from_audio()` (*opensoundscape.spectrogram.MelSpectrogram* class method), 130

`from_audio()` (*opensoundscape.spectrogram.Spectrogram* class method), 132

`from_bytesio()` (*opensoundscape.audio.Audio* class method), 124

`from_file()` (*opensoundscape.audio.Audio* class method), 124

`from_file()` (*opensoundscape.spectrogram.Spectrogram* class method), 132

`from_raven_file()` (*opensoundscape.annotations.BoxedAnnotations* class method), 120

G

`generate_clip_times_df()` (in module *opensoundscape.helpers*), 165

`get_batch()` (in module *opensoundscape.torch.models.utils*), 140

`get_data_loader()` (in module *opensoundscape.torch.models.utils*), 140

`get_species_list()` (in module *opensoundscape.taxa*), 167

`global_one_hot_labels()` (*opensoundscape.annotations.BoxedAnnotations* method), 120

`go()` (*opensoundscape.preprocess.actions.FrequencyMask* method), 151

`go()` (*opensoundscape.preprocess.actions.ImgOverlay* method), 152

`go()` (*opensoundscape.preprocess.actions.SaveTensorToDisk* method), 152

`go()` (*opensoundscape.preprocess.actions.TensorAugment* method), 153

H

`head()` (*opensoundscape.preprocess.preprocessors.BasePreprocessor*

method), 155
 hex_to_time() (in module *opensoundscape.helpers*), 166

I

ImbalancedDatasetSampler (class in *opensoundscape.torch.sampling*), 147
 ImgOverlay (class in *opensoundscape.preprocess.actions*), 151
 ImgToTensor (class in *opensoundscape.preprocess.actions*), 152
 ImgToTensorGrayscale (class in *opensoundscape.preprocess.actions*), 152
 inception_v3() (in module *opensoundscape.torch.architectures.cnn_architectures*), 141
 InceptionV3 (class in *opensoundscape.torch.models.cnn*), 135
 InceptionV3ResampleLoss (class in *opensoundscape.torch.models.cnn*), 136
 inrange() (in module *opensoundscape.helpers*), 166
 is_index_built (*opensoundscape.torch.safe_dataset.SafeDataset* attribute), 147
 isNan() (in module *opensoundscape.helpers*), 166

J

jitter() (in module *opensoundscape.helpers*), 166

L

limit_db_range() (*opensoundscape.spectrogram.Spectrogram* method), 132
 linear_scale() (in module *opensoundscape.helpers*), 166
 linear_scale() (*opensoundscape.spectrogram.Spectrogram* method), 132
 load() (*opensoundscape.torch.architectures.resnet.ResNetArchitecture* method), 144
 load() (*opensoundscape.torch.models.cnn.PytorchModel* method), 136
 localize() (in module *opensoundscape.localization*), 167
 LongAudioPreprocessor (class in *opensoundscape.preprocess.preprocessors*), 156
 loop() (*opensoundscape.audio.Audio* method), 125
 lorentz_ip() (in module *opensoundscape.localization*), 168

M

MelSpectrogram (class in *opensoundscape.spectrogram*), 130

min_max_scale() (in module *opensoundscape.helpers*), 166
 min_max_scale() (*opensoundscape.spectrogram.Spectrogram* method), 133

mixdown_with_delays() (in module *opensoundscape.audio_tools*), 129
 multiclass_metrics() (in module *opensoundscape.metrics*), 147

N

net_amplitude() (*opensoundscape.spectrogram.Spectrogram* method), 133

O

one_hot_clip_labels() (*opensoundscape.annotations.BoxedAnnotations* method), 120
 one_hot_labels_like() (*opensoundscape.annotations.BoxedAnnotations* method), 121

one_hot_labels_on_time_interval() (in module *opensoundscape.annotations*), 122
 one_hot_to_categorical() (in module *opensoundscape.annotations*), 123

opensoundscape.annotations (module), 119

opensoundscape.audio (module), 123

opensoundscape.audio_tools (module), 128

opensoundscape.audiomoth (module), 127

opensoundscape.data_selection (module), 145

opensoundscape.helpers (module), 165

opensoundscape.localization (module), 167

opensoundscape.metrics (module), 147

opensoundscape.preprocess.actions (module), 149

opensoundscape.preprocess.img_augment

(module), 149

opensoundscape.preprocess.preprocessors (module), 154

opensoundscape.preprocess.tensor_augment (module), 157

opensoundscape.preprocess.utils (module), 156

opensoundscape.ribbit (module), 159

opensoundscape.signal (module), 161

opensoundscape.spectrogram (module), 130

opensoundscape.taxa (module), 167

opensoundscape.torch.architectures.cnn_architectures (module), 141

opensoundscape.torch.architectures.resnet (module), 144

[opensoundscape.torch.architectures.utilsresnet152\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 142
[opensoundscape.torch.grad_cam](#) (module), 146
[opensoundscape.torch.loss](#) (module), 146
[opensoundscape.torch.models.cnn](#) (module), 135
[opensoundscape.torch.models.utils](#) (module), 139
[opensoundscape.torch.safe_dataset](#) (module), 146
[opensoundscape.torch.sampling](#) (module), 147
[OpsoLoadAudioInputError](#), 126
[OpsoLoadAudioInputTooLong](#), 126
[overlap\(\)](#) (in module [opensoundscape.helpers](#)), 166
[overlap_fraction\(\)](#) (in module [opensoundscape.helpers](#)), 166
[overlap_samples](#) ([opensoundscape.spectrogram.Spectrogram](#) attribute), 131

P

[parse_audiomoth_metadata\(\)](#) (in module [opensoundscape.audiomoth](#)), 127
[pipeline_summary\(\)](#) ([opensoundscape.preprocess.preprocessors.BasePreprocessor](#) method), 155
[plot\(\)](#) ([opensoundscape.spectrogram.MelSpectrogram](#) method), 131
[plot\(\)](#) ([opensoundscape.spectrogram.Spectrogram](#) method), 133
[predict\(\)](#) (in module [opensoundscape.metrics](#)), 148
[predict\(\)](#) ([opensoundscape.torch.models.cnn.PytorchModel](#) method), 136
[PreprocessingError](#), 156
[PytorchModel](#) (class in [opensoundscape.torch.models.cnn](#)), 136

R

[reduce_loss\(\)](#) (in module [opensoundscape.torch.loss](#)), 146
[resample\(\)](#) (in module [opensoundscape.data_selection](#)), 145
[resample\(\)](#) ([opensoundscape.audio.Audio](#) method), 125
[ResampleLoss](#) (class in [opensoundscape.torch.loss](#)), 146
[rescale_features\(\)](#) (in module [opensoundscape.helpers](#)), 166
[resnet101\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 142

[resnet18\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 142
[Resnet18Binary](#) (class in [opensoundscape.torch.models.cnn](#)), 139
[Resnet18Multiclass](#) (class in [opensoundscape.torch.models.cnn](#)), 139
[resnet34\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 143
[resnet50\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 143
[ResNetArchitecture](#) (class in [opensoundscape.torch.architectures.resnet](#)), 144
[ResNetFeature](#) (class in [opensoundscape.torch.architectures.resnet](#)), 145
[ribbit\(\)](#) (in module [opensoundscape.ribbit](#)), 159
[run_command\(\)](#) (in module [opensoundscape.helpers](#)), 166

S

[SafeDataset](#) (class in [opensoundscape.torch.safe_dataset](#)), 147
[sample\(\)](#) ([opensoundscape.preprocess.preprocessors.BasePreprocessor](#) method), 155
[save\(\)](#) ([opensoundscape.audio.Audio](#) method), 125
[save\(\)](#) ([opensoundscape.torch.models.cnn.PytorchModel](#) method), 137
[SaveTensorToDisk](#) (class in [opensoundscape.preprocess.actions](#)), 152
[sci_to_bn_common\(\)](#) (in module [opensoundscape.taxa](#)), 167
[sci_to_xc_common\(\)](#) (in module [opensoundscape.taxa](#)), 167
[set_parameter_requires_grad\(\)](#) (in module [opensoundscape.torch.architectures.cnn_architectures](#)), 143
[sigmoid\(\)](#) (in module [opensoundscape.helpers](#)), 167
[silence_filter\(\)](#) (in module [opensoundscape.audio_tools](#)), 129
[SpecToImg](#) (class in [opensoundscape.preprocess.actions](#)), 152
[Spectrogram](#) (class in [opensoundscape.spectrogram](#)), 131
[spectrogram](#) ([opensoundscape.spectrogram.Spectrogram](#) attribute), 131

- SpectrogramBandpass (class in *opensoundscape.preprocess.actions*), 152
- spectrum() (*opensoundscape.audio.Audio* method), 125
- split() (*opensoundscape.audio.Audio* method), 125
- split_and_predict() (*opensoundscape.torch.models.cnn.PytorchModel* method), 137
- split_and_save() (in module *opensoundscape.audio*), 126
- squeezenet1_0() (in module *opensoundscape.torch.architectures.cnn_architectures*), 143
- subset() (*opensoundscape.annotations.BoxedAnnotations* method), 121
- ## T
- tensor_binary_predictions() (in module *opensoundscape.torch.models.utils*), 140
- TensorAddNoise (class in *opensoundscape.preprocess.actions*), 153
- TensorAugment (class in *opensoundscape.preprocess.actions*), 153
- TensorNormalize (class in *opensoundscape.preprocess.actions*), 153
- time_mask() (in module *opensoundscape.preprocess.tensor_augment*), 157
- time_split() (in module *opensoundscape.preprocess.img_augment*), 149
- time_to_sample() (*opensoundscape.audio.Audio* method), 126
- time_warp() (in module *opensoundscape.preprocess.tensor_augment*), 157
- TimeMask (class in *opensoundscape.preprocess.actions*), 153
- times (*opensoundscape.spectrogram.Spectrogram* attribute), 131
- TimeWarp (class in *opensoundscape.preprocess.actions*), 153
- to_image() (*opensoundscape.spectrogram.Spectrogram* method), 133
- to_raven_file() (*opensoundscape.annotations.BoxedAnnotations* method), 122
- TorchColorJitter (class in *opensoundscape.preprocess.actions*), 153
- TorchRandomAffine (class in *opensoundscape.preprocess.actions*), 153
- train() (*opensoundscape.torch.models.cnn.PytorchModel* method), 138
- train_epoch() (*opensoundscape.torch.models.cnn.InceptionV3* method), 135
- train_epoch() (*opensoundscape.torch.models.cnn.PytorchModel* method), 138
- travel_time() (in module *opensoundscape.localization*), 168
- trim() (*opensoundscape.annotations.BoxedAnnotations* method), 122
- trim() (*opensoundscape.audio.Audio* method), 126
- trim() (*opensoundscape.spectrogram.Spectrogram* method), 133
- ## U
- unique_labels() (*opensoundscape.annotations.BoxedAnnotations* method), 122
- upsample() (in module *opensoundscape.data_selection*), 145
- ## V
- vgg11_bn() (in module *opensoundscape.torch.architectures.cnn_architectures*), 143
- ## W
- weight_reduce_loss() (in module *opensoundscape.torch.loss*), 146
- window_energy() (in module *opensoundscape.audio_tools*), 129
- window_length() (*opensoundscape.spectrogram.Spectrogram* method), 133
- window_samples (*opensoundscape.spectrogram.Spectrogram* attribute), 131
- window_start_times() (*opensoundscape.spectrogram.Spectrogram* method), 134
- window_step() (*opensoundscape.spectrogram.Spectrogram* method), 134
- window_type (*opensoundscape.spectrogram.Spectrogram* attribute), 131
- ## X
- xc_common_to_sci() (in module *opensoundscape.taxa*), 167